





This resource has been produced with the greatest care and incorporates the most up-to-date scientific information and research findings. We recommend that you refer to our packaging as the primary reference for product information as this can change with time. Bearing in mind the diversity and complexity of clinical cases in dogs and cats, it is important to note that the suggestions in this resource for further tests and therapeutic options cannot be exhaustive. Under no circumstances should the treatments and dietary solutions suggested here replace examination by a veterinary surgeon.

The publishers and the authors will accept no responsibility for the failure of any of the treatments or nutritional solutions put forward in this resource. Not for use in Canada and in USA.

While the information is considered to be true and correct at the date of publication (May 2025), changes in circumstances after the time of publication may impact on the accuracy of the information. Please refer to the digital copy available online at vetportal.royalcanin.co.uk for the most recent product data.



# **FELINE**



NEUTERED

BALANCE

NEUTERED

MAINTENANCE

**ADULT** 

DENTAL

CALM

MATURE CONSULT

BALANCE

**MATURE CONSULT** 







**PILL ASSIST** 



# **CANINE**



NEUTERED JUNIOR



ADULT

**HEALTH MANAGEMENT** 

GASTROINTES

LARGE DOGS



NEUTERED JUNIOR LARGE DOGS

**ADULT** 

LARGE DOGS

**ADULT** 

DENTAL

DENTAL MEDIUM & LARGE DOGS

ADULT SMALL DOGS S

**ADULT** MEDIUM DOGS



**PILL ASSIST** 



**TRAINING TREATS** 



























**MATURE CONSULT** 













# **NEUTERED**

# **SATIETY BALANCE**





Available in 400g, 1.5, 3.5, 8 and 12kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S	BODY CONDITION		
	WEIGHT (kg)	NORMAL	OVERWEIGHT	
	(Kg)	grams	grams	
	2	38	30	
	2.5	45	36	
	3	51	41	
	3.5	57	45	
	4	62	50	
ь	4.5	68	54	
2	5	73	58	
ADULT CAT	5.5	78	63	
P	6	83	67	
	6.5	88	70	
	7	93	74	
	7.5	98	78	
	8	102	82	
	8.5	107	85	
	9	111	89	
	9.5	115	92	
	10	120	96	

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

[\$/0] This diet is formulated to promote a healthy urinary environment.



#### RECOMMENDED FOR

Neutered cats (from neutering<sup>1</sup> to 7 years of age)

#### NOT RECOMMENDED IN CASES OF

Based on neutering at 6 months.



#### HIGH FIBRE

This formula helps to reduce spontaneous energy intake, thanks to appetite regulating



#### OPTIMAL BODYWEIGHT

Moderate fat and calorie levels help cats to maintain ideal bodyweight. The adapted protein level helps support muscle mass.



#### URINARY HEALTH

Supports a healthy urinary tract thanks to an adapted mineral balance.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	16.4g	5.5g
Protein	104.41g	35g
Crude Fat	29.83g	10g
Crude Fibre	28.93g	9.7g
Ash	27.14g	9.1g
NFE	91.58g	30.7g
Total Dietary Fibre	54.29g	18.2g
Omega-6	7.15g	2.4g
Omega-3	1.16g	0.39g
EPA + DHA	0.47g	0.16g
Calcium	3.72g	1.25g
Phosphorus	3.37g	1.13g
Sodium	2.71g	0.91g
Potassium	2.98g	1g
Magnesium	0.23g	0.08g
Taurine	0.59g	0.2g
Vitamin A	8353.22 IU	2800 IU
Vitamin D	298.32 IU	100 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Dehydrated poultry protein, maize, vegetable fibres, wheat gluten\*, wheat, maize gluten, hydrolysed animal proteins, minerals, animal fats, chicory pulp, fish oil, psyllium husks and seeds (0.5%), marigold meal.

\*L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 25500 IU, Vitamin D3: 1000 IU, Iron (3b103): 32 mg, Iodine (3b201, 3b202): 3.2 mg, Copper (3b405, 3b406): 10 mg, Manganese (3b502, 3b504): 41 mg, Zinc (3b603, 3b605, 3b606): 126 mg, Selenium (3b801, 3b811, 3b812): 0.06 mg - Preservatives Antioxidants

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **NEUTERED**

# **BALANCE**







THIN SLICES IN GRAVY

Available in boxes of 12 pouches of 85g

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	EGOTHENDED BAIET INTAKE & TEEDING BOKATION					
	CAT'S	BODY CONDITION				
	WEIGHT	NORMAL		OVERWEIGHT		
	(kg)	grams	pouches	grams	pouches	
	2	165	2	130	1 + 1/2	
	2.5	195	2 + 1/2	155	2	
	3	220	2 + 1/2	175	2	
	3.5	245	3	195	2 + 1/2	
	4	270	3	215	2 + 1/2	
b	4.5	295	3 + 1/2	235	3	
ADULT CAT	5	315	3 + 1/2	255	3	
딀	5.5	340	4	270	3	
4	6	360	4	290	3 + 1/2	
	6.5	380	4 + 1/2	305	3 + 1/2	
	7	405	5	320	4	
	7.5	425	5	340	4	
	8	445	5	355	4	
	8.5	465	5 + 1/2	370	4 + 1/2	
	9	480	5 + 1/2	385	4 + 1/2	
	9.5	500	6	400	4 + 1/2	
	10	520	6	415	5	

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

S/0 This diet is formulated to promote INDEX a healthy urinary environment.

# **OPTIMAL WEIGHT**

#### **RECOMMENDED FOR**

• Neutered cats (from neutering<sup>1</sup> to 7 years of age)

#### NOT RECOMMENDED IN CASES OF

· Gestation/lactation

Based on neutering at 6 months.



#### IDEAL BODYWEIGHT

Moderate calorie content to help maintain ideal bodyweight.



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.



KEY VALUES

### **URINARY HEALTH**

Supports a healthy urinary tract.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	1133.51g	81.5g
Protein	125.17g	9g
Crude Fat	34.77g	2.5g
Crude Fibre	20.16g	1.45g
Ash	20.3g	1.46g
NFE	57.02g	4.1g
Total Dietary Fibre	27.81g	2g
Omega-6	6.95g	0.5g
Omega-3	1.25g	0.09g
EPA + DHA	0.57g	0.04g
Calcium	2.92g	0.21g
Phosphorus	2.64g	0.19g
Sodium	1.94g	0.14g
Potassium	2.22g	0.16g
Magnesium	0.18g	0.01g
Taurine	1.25g	0.09g
Zinc	29.2mg	2.1mg
Vitamin A	78164.11 IU	5620 IU
Vitamin D	381.08 IU	27.4 IU

#### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Meat and animal derivatives, cereals, derivatives of vegetable origin, vegetable protein extracts, minerals, oils and fats, yeasts.

#### **ADDITIVES (KG)\***

Nutritional additives: Vitamin D3: 247 IU, Iron [3b103]: 3 mg, Iodine (3b202): 0.3 mg, Copper (3b405, 3b406): 2.4 mg, Manganese (3b502, 3b503, 3b504): 1 mg, Zinc [3b603, 3b605, 3b606): 10 mg - Technological additives: Clinoptilolite of sedimentary origin: 0.2 g.





# **NEUTERED**

# **MAINTENANCE**





THIN SLICES IN GRAVY

Available in boxes of 12 pouches of 85g

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S		BODY CONDITION			
	WEIGHT (kg)	NORMAL		OVERW	/EIGHT	
	(Kg)	grams	pouches	grams	pouches	
	2	140	1 + 1/2	110	1 + 1/2	
	2.5	160	2	130	1 + 1/2	
	3	185	2	145	1 + 1/2	
	3.5	205	2 + 1/2	165	2	
	4	225	2 + 1/2	180	2	
5	4.5	245	3	195	2 + 1/2	
2	5	265	3	210	2 + 1/2	
ADULT CAT	5.5	285	3 + 1/2	225	2 + 1/2	
4	6	300	3 + 1/2	240	3	
	6.5	320	4	255	3	
	7	335	4	270	3	
	7.5	355	4	280	3 + 1/2	
	8	370	4 + 1/2	295	3 + 1/2	
	8.5	385	4 + 1/2	310	3 + 1/2	
	9	400	4 + 1/2	320	4	
	9.5	420	5	335	4	
	10	435	5	345	4	

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

[\$/0] This diet is formulated to promote INDEX | a healthy urinary environment.



#### RECOMMENDED FOR

• Neutered cats (from neutering<sup>1</sup> to 7 years of age)

#### **NOT RECOMMENDED IN CASES OF**

Gestation/lactation

Based on neutering at 6 months.



#### **LEAN BODY MASS**

High protein content to help support maintenance of lean body mass.



#### **DIGESTIVE HEALTH**

A highly digestible formula with prebiotics to support healthy digestion.



#### **URINARY HEALTH**

Supports a healthy urinary tract.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	916.47g	79g
Protein	116g	10g
Crude Fat	40.6g	3.5 g
Crude Fibre	16.24g	1.4g
Ash	17.4g	1.5g
NFE	52.2g	4.5g
Total Dietary Fibre	23.2g	2g
Omega-6	8.1 g	0.7g
Omega-3	1.27g	0.11g
EPA + DHA	0.53g	0.04g
Calcium	2.43g	0.21g
Phosphorus	2.2g	0.19g
Sodium	1.74g	0.15g
Potassium	1.85g	0.16g
Magnesium	0.17g	0.01g
Taurine	1.27g	0.11g
Zinc	24.36mg	2.1mg
Vitamin A	32911.83 IU	2837 IU
Vitamin D	377.03 IU	32.5 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams) 86.2

#### COMPOSITION

Meat and animal derivatives, cereals, derivatives of vegetable origin, vegetable protein extracts, minerals, oils and fats, yeasts.

#### **ADDITIVES (KG)\***

Nutritional additives: Vitamin D3: 300 IU, Iron (3b103): 4mg, lodine (3b202): 0.28mg, Copper (3b405, 3b406): 2.2mg, Manganese (3b502, 3b503, 3b504): 1.1mg, Zinc (3b603, 3b605, 3b606): 11mg - Technological additives: Clinoptilolite of sedimentary origin: 0.2g.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **ADULT**





Available in 2 and 8kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S	BODY CONDITION		
	WEIGHT	THIN	NORMAL	OVERWEIGHT
	(kg)	grams	grams	grams
	2	39	32	26
	2.5	46	38	30
	3	52	43	35
	3.5	58	48	39
	4	64	53	42
5	4.5	69	58	46
ADULT CAT	5	75	62	50
Ę	5.5	80	67	53
4	6	85	71	57
	6.5	90	75	60
	7	95	79	63
	7.5	99	83	66
	8	104	87	69
	8.5	109	91	72
	9	113	94	75
	9.5	118	98	78
	10	122	102	81

Regular weighing and body condition scoring is highly recommended to help cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

S/0 This diet is formulated to promote INDEX a healthy urinary environment.

# **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

• Entire adult cats (from 12 months to 7 years of age)

#### **NOT RECOMMENDED IN CASES OF**

· Growth, gestation/lactation



#### **ENERGY BALANCE**

Formula specifically designed to meet the energy and nutrient needs of intact adult cats.

**ADULT** 



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to help neutralise free radicals.



#### **URINARY HEALTH**

Supports a healthy urinary tract thanks to an adapted mineral balance.

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Moisture	14.03g	5.5g
Protein	84.18 g	33 g
Crude Fat	40.81 g	16 g
Crude Fibre	9.43 g	3.7 g
Ash	19.13 g	7.5 g
NFE	87.5g	34.3g
Total Dietary Fibre	26.78g	10.5g
Omega-6	9.92g	3.89g
Omega-3	1.78g	0.7g
EPA + DHA	0.66g	0.26g
Calcium	2.67g	1.05g
Phosphorus	2.29g	0.9g
Sodium	2.29g	0.9g
Potassium	1.91g	0.75g
Magnesium	0.2g	0.08g
Taurine	0.61g	0.24g
Vitamin A	6122.44 IU	2400 IU
Vitamin D	204.08 IU	80 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Dehydrated poultry protein, maize, rice, wheat gluten\*, animal fats, wheat, hydrolysed animal proteins, maize gluten, vegetable fibres, minerals, beet pulp, yeast products, soya oil, fish oil, fructo-oligo-saccharides, yeast (source of mannan-oligo-saccharides, marigold meal.

### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 21500 IU, Vitamin D3: 800 IU, Iron (3b103): 33mg, Iodine (3b201, 3b202): 3.3mg, Copper (3b405, 3b406): 10mg, Manganese (3b502, 3b504): 43mg, Zinc (3b603, 3b605, 3b606): 139mg, Selenium (3b801, 3b811, 3b812): 0.05mg - Preservatives -Antioxidants









Available in 1.5 and 3kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S	BODY CONDITION		
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT
	(Kg)	grams	grams	grams
	2	41	34	27
	2.5	48	40	32
	3	55	46	36
	3.5	61	51	41
	4	67	56	45
=	4.5	73	61	49
ا ا	5	78	65	52
ADOLI CA	5.5	84	70	56
₹ [	6	89	75	60
	6.5	95	79	63
	7	100	83	66
	7.5	105	87	70
	8	110	91	73
	8.5	114	95	76
	9	119	99	79
	9.5	124	103	83
	10	128	107	86

ROYAL CANIN® DENTAL feline diet has been awarded the Veterinary Oral Health Council (VOHC) seal "helps control plaque" as the diet has been clinically proven to efficiently reduce plaque build-up.

[\$/0] This diet is formulated to promote LINDEX | a healthy urinary environment.

### **ORAL HYGIENE**

#### **RECOMMENDED FOR**

- Daily oral hygiene
- . Helping to delay the development of dental plague and tartar
- Halitosis associated with dental plaque and tartar

#### **NOT RECOMMENDED IN CASES OF**

- · Chronic kidney disease (CKD)
- Cardiac disease¹
- · Growth, gestation/lactation

Where sodium restriction is required.



#### PLAQUE CONTROL

Clinically proven to efficiently reduce plaque build-up.



#### **BRUSHING EFFECT**

The shape and size of the kibble support prehension and tooth penetration into the food. This helps to reduce plaque accumulation and tartar build-up.



#### HAIRBALL COMPLEX

A specific blend of fibres, including psyllium, helps control hairball formation by eliminating ingested hair through the stools.



Helps control plaque.

*****,********************************		
KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	21.49g	8 g
Protein	77.91g	29g
Crude Fat	40.3g	15g
Crude Fibre	14.5g	5.4g
Ash	17.19g	6.4g
NFE	97.25g	36.2g
Total Dietary Fibre	33.31g	12.4g
Omega-6	9.1g	3.39g
Omega-3	1.47g	0.55g
EPA + DHA	0.51g	0.19g
Calcium	2.28g	0.85g
Phosphorus	1.74g	0.65g
Sodium	1.74g	0.65g
Potassium	1.74g	0.65g
Magnesium	0.18g	0.07g
Taurine	0.61g	0.23g
Vitamin A	6851.15IU	2550IU
Vitamin D	214.93IU	80 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Wheat gluten\*, dehydrated poultry protein, maize, rice, animal fats, wheat flour, vegetable fibres, maize flour, beet pulp, minerals, hydrolysed animal proteins, fish oil, fructo-oligosaccharides, psyllium husks and seeds (0.50%), soya oil, yeasts (source of mannan-oligo-saccharides), marigold meal.

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 25500 IU, Vitamin D3: 795 IU, Iron (3b103): 45mg, Iodine (3b201, 3b202): 4.5mg, Copper (3b405, 3b406): 14mg, Manganese (3b502, 3b504): 58mg, Zinc (3b603, 3b605, 3b606): 137mg, Selenium (3b801, 3b811, 3b812): 0.08mg - Technological

additives: Clinoptilolite of sedimentary origin: 5g - Preservatives - Antinxidants

 $\ensuremath{^{**}}$  Values reflect only levels added to the formula, not those naturally occurring in components of the diet.





Available in 2 and 4kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S		BODY CONDITION	1
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT
	(Ky)	grams	grams	grams
	2	41	34	28
	2.5	48	40	32
	3	55	46	37
	3.5	62	51	41
	4	68	56	45
5	4.5	74	61	49
2	5	79	66	53
ADULT CAT	5.5	85	71	57
4	6	90	75	60
	6.5	96	80	64
	7	101	84	67
	7.5	106	88	71
	8	111	92	74
	8.5	116	97	77
	9	120	101	80
	9.5	125	104	83
	10	130	108	87

This diet can be fed long term if required. In case of anticipated social and or environmental changes the cat should ideally be fed the diet for at least two weeks before.

[\$/0] This diet is formulated to promote [INDEX] a healthy urinary environment.

### PERIOD OF ADAPTATION

#### RECOMMENDED FOR

• Support for cats during difficult situations

 Support for cats with stress-related digestive, skin and urinary signs

#### NOT RECOMMENDED IN CASES OF

• Growth, gestation/lactation



#### **CALMING SUPPORT**

Contains hydrolysed milk protein and L-tryptophan to help support cats prone to behaviour changes in unusual environments and situations.



#### HAIRBALL COMPLEX

A specific blend of fibres, including psyllium, helps control hairball formation by eliminating ingested hair through the stools.



#### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Protein	97.77g	36.00g
Fat content	29.88g	11.00g
Carbohydrate (NFE)	96.41g	35.50g
Crude Fibre	11.41g	4.20g
Dietary Fibre	29.33g	10.80g
Calcium	3.12g	1.15g
Phosphorus	2.58g	0.95g
Potassium	2.17g	0.80g
Sodium	1.90g	0.70g
Chloride	3.20g	1.18g
Magnesium	0.22g	0.08g
Copper	4.35mg	1.60mg
Zinc	46.44mg	17.10mg
Taurine	0.60g	0.22g
Vitamin A	8826.72 IU	3250.00 IU
Vitamin E	160.24 IU	59.00 IU
Omega 6	7.74g	2.85g
Omega 3	1.66g	0.61g
EPA + DHA	0.81g	0.30g

#### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy\_NRC 2006 (CF) (kcal /100 grams) 368.20

Dehydrated poultry protein, maize, rice, wheat gluten\*, maize gluten, hydrolysed animal proteins, vegetable fibres, animal fats, beet pulp, minerals, fish oil, psyllium husks and seeds (0.50%), soya oil, fructo-oligo- saccharides, borage oil, hydrolysed milk protein\*\*, marigold meal.

- \* L.I.P.: protein selected for its very high digestibility.
- \*\* Alpha-S1.0 trypsin-hydrolysed bovine casein: 0.94 g/kg.

### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 795 IU, Iron (3b103): 34mg, Iodine (3b201, 3b202): 3.4mg, Copper (3b405, 3b406): 11mg, Manganese (3b502, 3b504): 45mg, Zinc (3b603, 3b605, 3b606): 127mg, Selenium (3b801, 3b811, 3b812): 0.07mg - Preservatives -Antioxidants.

\*\*\* Values reflect only levels added to the formula, not those





# **MATURE CONSULT**

# **BALANCE**





Available in 1.5, 3.5 and 10kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S	BODY CONDITION			
	WEIGHT (kg)	NORMAL	OVERWEIGHT		
	(Kg)	grams	grams		
	2	37	29		
	2.5	43	34		
	3	49	39		
	3.5	54	43		
	4	60	48		
ь	4.5	65	52		
2	5	70	56		
ADULT CAT	5.5	75	60		
8	6	80	64		
	6.5	84	67		
	7	89	71		
	7.5	94	75		
	8	98	78		
	8.5	102	82		
	9	106	85		
	9.5	111	88		
	10	115	92		

Regular weighing and body condition scoring is highly recommended to help cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

This diet is formulated to promote a healthy urinary environment.

### **HEALTHY AGEING**

#### **RECOMMENDED FOR**

 Mature cats over 7 years of age with a tendency to gain weight (Body Condition Score greater than 5/9)

#### NOT RECOMMENDED IN CASES OF

· Growth, gestation/lactation



#### VITALITY COMPLEX

his formula includes a selection of nutrients that help to support vitality.



Contains fibres selected for their satiating effect, that promote the feeling of fullness.



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to nelp neutralise free radicals.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	15.82g	5.5g
Protein	97.81g	34.00g
Fat content	28.77g	10.00g
Carbohydrate (NFE)	100.98g	35.10g
Crude Fibre	22.73g	7.90g
Dietary Fibre	48.91g	17.00g
Calcium	3.02g	1.05g
Phosphorus	2.30g	0.80g
Potassium	2.01g	0.70g
Sodium	2.01g	0.70g
Chloride	3.68g	1.25g
Magnesium	0.20g	0.07g
Copper	4.89mg	1.70mg
Zinc	49.19mg	17.10mg
Taurine	0.60g	0.21g
Vitamin A	7479.86 IU	2600.00 IU
Vitamin E	117.95 IU	41.00 IU
Omega 6	7.13g	2.48g
Omega 3	2.10g	0.73g
EPA + DHA	1.21g	0.42g

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Maize, wheat gluten\*, dehydrated poultry protein, vegetable fibres, rice, maize gluten, hydrolysed animal proteins, wheat, minerals, chicory pulp, animal fats, fish oil, soya oil, dried tomato pulp (source of lycopene) (0.78%), psyllium husks and seeds (0.50%), fructo-oligo-saccharides, yeast (source of manno-oligo-saccharides), glucosamine from fermentation, marigold meal, hydrolysed cartilage (source of chondroitin).

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 22500 IU, Vitamin D3: 845 IU, Iron (3b103): 34mg, Iodine (3b201, 3b202): 3.4mg, Copper [3b405, 3b406]: 10mg, Manganese [3b502, 3b504]: 44mg, Zinc [3b603, 3b605, 3b606]: 134mg, Selenium (3b801, 3b811, 3b812): 0.05mg - Preservatives -

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **MATURE CONSULT**

# **BALANCE**





of 12 pouches of **85**q

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S	BODY CONDITION			
	WEIGHT (kg)	NOR	NORMAL		/EIGHT
	(Kg)	grams	pouches	grams	pouches
	2	160	2	130	1 + 1/2
	2.5	185	2	150	2
	3	215	2 + 1/2	170	2
	3.5	240	3	190	2
	4	260	3	210	2 + 1/2
ь	4.5	285	3 + 1/2	230	2 + 1/2
ADULT CAT	5	305	3 + 1/2	245	3
3	5.5	330	4	260	3
4	6	350	4	280	3 + 1/2
	6.5	370	4 + 1/2	295	3 + 1/2
	7	390	4 + 1/2	310	4
	7.5	410	5	325	4
	8	430	5	345	4
	8.5	450	5 + 1/2	360	4 + 1/2
	9	465	5 + 1/2	370	4 + 1/2
	9.5	485	5 + 1/2	385	4 + 1/2
	10	500	6	400	4 + 1/2

Regular weighing and body condition scoring is highly recommended to help cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

[\$/0] This diet is formulated to promote INDEX a healthy urinary environment.

# **HEALTHY AGEING**

#### **RECOMMENDED FOR CASES OF**

 Mature cats over 7 years old, with a tendency to gain weight (Body Condition Score greater than 5/9)

#### **NOT RECOMMENDED IN CASES OF**

. Growth, gestation/lactation



#### VITALITY COMPLEX

This formula includes a selection of nutrients that help to support vitality.



#### **IDEAL BODYWEIGHT**

Moderate calorie content to help maintain ideal bodyweight.



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to help neutralise free radicals.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	1070g	80.5g
Protein	101g	7.6g
Crude Fat	33.24g	2.5g
Crude Fibre	17.29g	1.3g
Ash	21.28g	1.6g
NFE	86.44g	6.7g
Total Dietary Fibre	27.93g	2.1g
Omega-6	7.98 g	0.6g
Omega-3	1.46g	0.11g
EPA + DHA	1.04g	0.08g
Calcium	3.06g	0.23g
Phosphorus	1.86g	0.14g
Sodium	1.73g	0.13g
Potassium	2.66g	0.2g
Magnesium	0.13g	0.01g
Taurine	1.20g	0.09 g
Zinc	35.90mg	2.7mg
Vitamin A	11968 IU	900 IU
Vitamin D	93.09 IU	7.0 IU

#### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Pork by-products, poultry by-products, corn starch mix-ture, wheat flour, powdercellulose, pork blood products, minerals, dried tomato pulp, sunflower oil refined, fish oil, crude lecithins, yeasts and part thereof, marigold meal, glucosamine, hydrolysed cartilage (source of

### ADDITIVES (KG)\*

Nutritional additives: Vitamin D3: 50 IU. Iron (3b103): 5 mg, lodine (3b202): 0.28 mg, Copper (3b405, 3b406): 2.3 mg, Manganese (3b502, 3b503, 3b504): 1.7 mg, Zinc (3b603, 3b605, 3b606): 17 mg - Technological additives: Clinoptilolite of sedimentary origin: 0.2 g.





# **MATURE CONSULT**





Available in 1.5. 3.5 and 10kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S		BODY CONDITION			
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT		
	(Ky)	grams	grams	grams		
	2	42	35	28		
	2.5	49	41	33		
	3	56	47	38		
	3.5	63	52	42		
	4	69	58	46		
ь	4.5	75	63	50		
ADULT CAT	5	81	68	54		
3	5.5	87	72	58		
8	6	92	77	61		
	6.5	98	81	65		
	7	103	86	69		
	7.5	108	90	72		
	8	113	94	75		
	8.5	118	98	79		
	9	123	103	82		
	9.5	128	107	85		
	10	132	111	88		

Regular weighing and body condition scoring is highly recommended to help cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

[\$/0] This diet is formulated to promote INDEX | a healthy urinary environment.

# **HEALTHY AGEING**

#### **RECOMMENDED FOR**

• Mature cats over 7 years of age [Ideally after a senior health check]

#### **NOT RECOMMENDED IN CASES OF**

. Growth, gestation/lactation



#### VITALITY COMPLEX

This formula includes a selection of nutrients that help to support vitality.



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to help neutralise free radicals.



#### **OPTIMAL ENERGY**

Adapted energy content to meet the needs of active mature cats

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Moisture	15.23g	5.5g
Protein	99.75g	36g
Crude Fat	27.7g	10g
Crude Fibre	14.96g	5.4g
Ash	19.67g	7.1g
NFE	99.75g	36g
Total Dietary Fibre	36.57g	13.2g
Omega-6	6.98g	2.52g
Omega-3	1.96g	0.71g
EPA + DHA	1.1g	0.4g
Calcium	2.77g	1g
Phosphorus	2.21g	0.8g
Sodium	1.93g	0.7g
Potassium	1.93g	0.7g
Magnesium	0.19g	0.07g
Taurine	0.58g	0.21g
Vitamin A	6511.49 IU	2350 IU
Vitamin D	210.58 IU	76 IU

#### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy\_NRC 2006 (CF) (kcal /100 grams)

Dehydrated poultry protein, maize, wheat gluten\*, rice, wheat, maize gluten, vegetable fibres, hydrolysed animal proteins, minerals, chicory pulp, animal fats, fish oil, soya oil, dried tomato pulp (source of lycopene) (0.80%), psyllium husks and seeds, fructo-oligo-saccharides, yeast (source of mannan-oligo-saccharides), glucosamine from fermentation (0.048%), marigold meal, hydrolysed cartilage (source of

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 20500 IU, Vitamin D3: 755 IU, Iron (3b103): 35mg, Iodine (3b201, 3b202): 3.5mg, Copper (3b405, 3b406): 11mg, Manganese (3b502, 3b504): 45mg, Zinc (3b603, 3b605, 3b606): 131mg, Selenium (3b801, 3b811, 3b812]: 0.06mg - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# MATURE CONSULT

# ROYAL CANIN'





THIN SLICES IN GRAVY

Available in boxes of 12 pouches of 85a

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

			A				LAI IOI	
	CAT'S	BODY CONDITION						
	WEIGHT (kg)	Ti	IIN	NOR	MAL	OVERV	VEIGH	
	(Kg)	grams	pouches	grams	pouches	grams	pouche	
	2	165	2	140	1 +1/2	110	1 + 1/2	
	2.5	195	2 + 1/2	165	2	130	1 + 1/2	
	3	225	2 + 1/2	185	2	150	2	
	3.5	250	3	210	2 + 1/2	165	2	
	4	275	3	230	2 + 1/2	185	2	
ь	4.5	300	3 + 1/2	250	3	200	2 + 1/2	
5	5	320	4	270	3	215	2 + 1/2	
ADULT CAT	5.5	345	4	285	3 + 1/2	230	2 + 1/2	
4	6	365	4 + 1/2	305	3 + 1/2	245	3	
	6.5	385	4 + 1/2	325	4	260	3	
	7	410	5	340	4	270	3	
	7.5	430	5	355	4	285	3 + 1/2	
	8	450	5 + 1/2	375	4 + 1/2	300	3 + 1/2	
	8.5	470	5 + 1/2	390	4 + 1/2	310	3 + 1/2	
	9	485	5 + 1/2	405	5	325	4	
	9.5	505	6	425	5	340	4	
	10	525	6	440	5	350	4	

Regular weighing and body condition scoring is highly recommended to help cats maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

**S** / **O** This diet is formulated to promote INDEX | a healthy urinary environment.

# **HEALTHY AGEING**

#### RECOMMENDED FOR

· Mature cats over 7 years of age

#### **NOT RECOMMENDED FOR**

. Growth, gestation/lactation



#### VITALITY COMPLEX

This formula includes a selection of nutrients that help to support vitality.



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to help neutralise free radicals.



#### **OPTIMAL ENERGY**

Adapted energy content to meet the needs of active mature cats.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Protein	105.88g	9.00g
Fat content	47.06g	4.00g
Carbohydrate (NFE)	54.12g	4.60g
Crude Fibre	15.29g	1.30g
Dietary Fibre	21.18g	1.80g
Calcium	2.12g	0.18g
Phosphorus	1.76g	0.15g
Potassium	2.00g	0.17g
Sodium	1.53g	0.13g
Chloride	3.06g	0.26g
Magnesium	0.16g	0.014g
Соррег	4.59mg	0.39mg
Zinc	25.88mg	2.20mg
Taurine	1.18g	0.10g
Vitamin A	69176.47 IU	5880.00 IU
Vitamin E	118.82 IU	10.10 IU
Omega 6	9.41g	0.80g
Omega 3	2.12g	0.18g
EPA + DHA	1.08g	0.092g

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

# COMPOSITION

Poultry by-products, pork by-products, chicken meat, wheat flour, powdercellulose, pork blood products, vital wheat gluten, corn starch mixture, minerals, fish oil, dried tomato pulp, crude lecithins, yeast and part thereof, marigold meal, glucosamine, hydrolysed cartilage (source of chondroitin).

### **ADDITIVES (KG)\***

Nutritional additives: Vitamin D3: 126 IU, Iron (3b103): 2mg, loding [3b202]: 0.31mg, Copper [3b405, 3b406]: 2.5mg, Manganese [3b502, 3b503, 3b504]: 0.8mg, Zinc (3b603, 3b605, 3b606): 8mg - Technological additives: Clinoptilolite of sedimentary origin: 0.2g.













Available in 2 and 4 kg bags

#### RECOMMENDED DAILY INTAKE & FEEDING DURATION

KEU	UMMER	IDED DAILY IN TAKE &	FEEDING DURATION
	CAT'S	BODY CONDI	TION
	WEIGHT (kg)	NORMAL	OVERWEIGHT
		grams	grams
	2	36	28
	2.5	42	33
	3	48	38
	3.5	53	42
	4	58	47
ADULT CAT	4.5	63	51
5	5	68	55
20	5.5	73	58
A	6	78	62
	6.5	82	66
	7	87	69
	7.5	91	73
	8	96	76
	8.5	100	80
	9	104	83
	9.5	108	86
	10	112	89

ROYAL CANIN® URINARY S/O + BLADDER COMFORT dry is a complete dietetic feed for cats formulated for the dissolution of struvite stones and the reduction of struvite stone recurrence, and for feline lower urinary tract disease. Urine undersaturating or metastabilising properties for struvite and/or urine acidifying properties.

RECOMMENDATIONS: It is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Feed URINARY S/O + BLADDER COMFORT for 5 to 12 weeks for the dissolution of struvite stones and up to 6 months for the reduction of struvite stone recurrence. Water should be available at all times.

NOTE: In older cats renal function should be checked before recommending a Urinary S/O diet. The use of Urinary S/O Ageing 7+ + Bladder Comfort is recommended in older cats.

This diet is formulated to promote a INDEX healthy urinary environment.



#### **RECOMMENDED FOR CASES OF**

- Management of risk factors for Feline Lower Urinary Tract Disease (FLUTD): tendency to be overweight, insufficient water intake and exposure to increased environmental challenges
- Feline Idiopathic Cystitis (FIC)
- · Struvite uroliths: dissolution and management of recurrence
- . Calcium oxalate uroliths: management of recurrence

#### · Stress related urinary conditions **NOT RECOMMENDED FOR CASES OF**

- Chronic Kidney Disease (CKD)
- Heart disease (when sodium restriction is required)
- · Concurrent use of urine-acidifying medications
- · Growth, gestation/lactation



#### STRUVITE DISSOLUTION

Helps dissolve struvite stones.

### HYDRATION SUPPORT

This diet encourages cats' natural drinking behaviour, promoting urine dilution thus limiting urine saturation.

#### MODERATE CALORIE



A diet with moderate calorie content supports healthy weight maintenance which can help reduce the risk of feline lower urinary tract disease (FLUTD).

#### **BLADDER COMFORT**



This diet contains a combination of nutrients to address the leading risk factors of feline lower urinary tract disease including feline idiopathic cystitis (FIC).

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	15.44 g	5.5 g
Protein	95.43 g	34 g
Fat content	30.87 g	11 g
Crude Fibre	15.44 g	5.5 g
Ash	26.1 g	9.3 g
Carbohydrate (NFE)	97.39 g	34.7 g
Dietary Fibre	36.49 g	13 g
Omega-6	6.51 g	2.32 g
Omega-3	2.98 g	1.06 g
EPA + DHA	1.91 g	0.68 g
Calcium	3.09 g	1.1 g
Phosphorus	2.81 g	1 g
Sodium	3.37 g	1.2 g
Magnesium	0.2 g	0.07 g
Potassium	2.25 g	0.8 g
Copper	4.21 mg	1.5 mg
Chloride	5.33 g	1.9 g
Vitamin A	7999 IU	2850 IU
Vitamin D	196 IU	70 IU
Metabolisable energy*		356.3 Kcal

<sup>\*</sup>Calculated according to NRC 2006 CF.

#### COMPOSITION

Dehydrated poultry proteins, wheat gluten\*\*, maize, maize flour, wheat, vegetable fibres, hydrolysed animal proteins, rice, maize gluten, minerals, animal fats, chicory pulp, fish oil, psyllium husks and seeds, soya oil, fructo-oligosaccharides, hydrolysed milk protein (0.09%), marigold meal.

\*\*LIP: protein selected for its very high digestibility.

### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin A: 2 000 IU, Vitamin D3: 700 IU, Iron (3b103): 34 mg, Iodine (3b201, 3b202): 3,4 mg, Copper (3b405, 3b406): 10 mg, Manganese (3b502, 3b504): 44 mg, Zinc (3b603, 3b605, 3b606): 131 mg, Selenium (3b801, 3b811, 3b812): 0,07 mg - Antioxidants. \*\*\*Values reflect only levels added to the formula, not those naturally occurring





Available in box of 12 pouches of 85 q

#### RECOMMENDED DAILY INTAKE & FEEDING DURATION

KEU	UMMER	IDED DAILI	IN IAKE &	PEEDING	DUKATION
	CAT'S		BODY CONDI	TION	
	WEIGHT (kg)	NOR	MAL	OVERWE	IGHT
		grams	pouch	grams	pouch
	2	160	2	125	1 + 1/2
	2.5	185	2	150	2
	3	210	2 + 1/2	170	2
	3.5	235	3	185	2
_	4	260	3	205	2 + 1/2
CAT	4.5	280	3 + 1/2	225	2 + 1/2
5	5	300	3 + 1/2	240	3
ADULT	5.5	325	4	260	3
4	6	345	4	275	3
	6.5	365	4 + 1/2	290	3 + 1/2
	7	385	4 + 1/2	305	3 + 1/2
	7.5	405	5	320	4
	8	420	5	335	4
	8.5	440	5	350	4
	9	460	5 + 1/2	365	4 + 1/2
	9.5	475	5 + 1/2	380	4 + 1/2
	10	495	6	395	4 + 1/2

One pouch is equivalent to 18 q of Urinary S/O + Bladder Comfort dry product. ROYAL CANIN® URINARY S/O + BLADDER COMFORT morsels in gravy is a complete dietetic feed for cats formulated for the dissolution of struvite stones and the reduction of struvite stone recurrence, and for feline lower urinary tract disease. Urine undersaturating or metastabilising properties for struvite and/or urine acidifying properties.

 ${\it RECOMMENDATIONS:}\ it\ is\ recommended\ that\ a\ veterinarian's\ opinion\ be$ sought before use and before extending the period of use. Feed URINARY S/O + BLADDER COMFORT for 5 to 12 weeks for the dissolution of struvite stones and up to 6 months for the reduction of struvite stone recurrence. Water should be available at all times.

NOTE: In older cats renal function should be checked before recommending a Urinary S/O diet. The use of Urinary S/O Ageing 7+ + Bladder Comfort is recommended in older cats.

#### RECOMMENDED FOR CASES OF

- Management of risk factors for Feline Lower Urinary Tract Disease (FLUTD): tendency to be overweight, insufficient water intake and exposure to increased environmental challenges
- Feline Idiopathic Cystitis (FIC)
- . Struvite uroliths: dissolution and management of recurrence
- Calcium oxalate uroliths: management of recurrence

#### · Stress related urinary conditions **NOT RECOMMENDED FOR CASES OF**

- . Chronic Kidney Disease (CKD)
- Heart disease (when sodium restriction is required)
- · Concurrent use of urine-acidifying medications
- · Growth, gestation/lactation



#### STRUVITE DISSOLUTION

Helps dissolve struvite stones.

# HYDRATION SUPPORT



This diet encourages cats' natural drinking behaviour, promoting urine dilution thus limiting urine saturation

URINARY

S

BLADDE

D

COMFORT

#### MODERATE CALORIE



A diet with moderate calorie content supports healthy weight maintenance which can help reduce the risk of feline lower urinary tract disease (FLUTD).

#### **BLADDER COMFORT**



This diet contains a combination of nutrients to address the leading risk factors of feline lower urinary tract disease including feline idiopathic

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	1081 g	81.5 g
Protein	106 g	8 g
Fat content	43.77 g	3.3 g
Crude Fibre	15.92 g	1.2 g
Ash	22.55 g	1.7 g
Carbohydrate (NFE)	57.03 g	4.3 g
Dietary Fibre	22.5 g	1.7 g
Omega-6	9.28 g	0.7 g
Omega-3	3.58 g	0.27 g
EPA + DHA	2.12 g	0.16 g
Calcium	1.99 g	0.15 g
Phosphorus	1.72 g	0.13 g
Sodium	3.71 g	0.28 g
Magnesium	0.13 g	0.01 g
Potassium	1.99 g	0.15 g
Copper	3.58 mg	0.27 mg
Chloride	5.31 g	0.4 g
Vitamin A	19629 IU	1480 IU
Vitamin D	292 IU	22 IU
Metabolisable energy*		75.40 Kcal

<sup>\*</sup>Calculated according to NRC 2006 CF.


#### COMPOSITION

Poultry by-products, pork by-products, salmon, maize flour, pork blood products, powder cellulose, maize starch, minerals, vital wheat gluten, fish oil, hydrolysed milk protein (0.03%), marigold meal, yeasts and part thereof.

### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin D3: 50 IU, Taurine: 1 g, Iron (3b103): 4 mg, Iodine (3b202): 0.21 mg, Copper (3b405, 3b406): 1.4 mg, Manganese (3b502, 3b503, 3b504): 1.2 mg, Zinc (3b603, 3b605, 3b606): 12 mg - Technological additives: Clinoptilolite of sedimentary origin: 0.4 g.





OMF

ORT





# Available in 2 kg bags **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	IDEAL WEIGHT	STAGE			
	(kg)	WEIGH	T LOSS	MAINTENANCE AF	TER WEIGHT LOSS
		grams	cups	grams	Cups
	2	28	2/8	30	3/8
	2.5	33	2/8	35	3/8
	3	38	3/8	40	4/8
	3.5	42	3/8	45	4/8
	4	47	4/8	49	5/8
CAT	4.5	51	4/8	54	5/8
5	5	55	4/8	58	6/8
ADULT	5.5	58	4/8	62	6/8
4	6	62	5/8	66	6/8
	6.5	66	5/8	70	7/8
	7	69	5/8	73	7/8
	7.5	73	6/8	77	7/8
	8	76	6/8	81	1
	8.5	80	6/8	84	1
	9	83	6/8	88	1
	9.5	86	6/8	91	1 + 1/8
	10	89	7/8	95	1 + 1/8

Weight loss: Individual target weight is determined and then feeding amount established. The recommended daily intake is based on the cat's ideal weight. The starting ration may need to be adjusted during follow-up visits, based on each individual's response and the rate of weight loss. An objective of losing 0.5-2 % bodyweight per week is generally achievable over the first 3 months,  $and of \textit{0.5-1}\% \ afterwards. \ \textit{Maintenance after weight loss: Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: and \textit{Maintenance after weight loss: Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after weight loss: \textit{Energy requirements to maintain stable body weight after the loss of th$ are lower than those of cats that have never had obesity. Based on current scientific knowledge, our maintenance after weight loss rations are calculated by increasing the weight loss ration by about 10%.

It is recommended to divide the daily intake into several meals and have fresh water available at all times.

ROYAL CANIN® URINARY S/O + BLADDER COMFORT + SATIETY dry is a complete dietetic feed for cats formulated for the dissolution of struvite stones, the reduction of struvite stone recurrence, for feline lower urinary tract disease and for the reduction of excessive body weight. Urine undersaturating or metastabilising properties for struvite and/or urine acidifying properties.

RECOMMENDATIONS: your advice as a veterinarian is necessary before use and before extending the period of use of this diet. Feed this diet for 5 to 12 weeks for the dissolution of struvite stones and initially up to 6 months before recheck for the reduction of struvite stone recurrence. Feed until the target body weight is achieved and after if required to maintain target body weight. For cats, a transition period when starting the diet is advised.

For an efficient weight loss or ideal weight maintenance, the recommended daily energy intake should not be exceeded. The diet may be continued for the cat's lifetime with vet follow-up.



• Feline Idiopathic Cystitis (FIC)

- Struvite uroliths and urethral plugs: dissolution and management of recurrence
- Calcium oxalate uroliths: management of recurrence
- Stress or anxiety-related urinary conditions
- Management of risk factors for Feline Lower Urinary Tract Disease (FLUTD): overweight, insufficient water intake and exposure to increased environmental challenges

#### Weight management:

- Overweight/obesity: weight loss and maintenance after weight
- · Stabilised diabetes mellitus with concomitant overweight/obesity
- · Hyperlipidaemia with concomitant overweight/obesity

#### NOT RECOMMENDED FOR CASES OF

- Growth, gestation or lactation
- Azotaemic Chronic Kidney Disease (IRIS stage 2 to 4)
- Concurrent use of urine-acidifying drugs
- Congestive Heart Failure / Cardiac Disease (when sodium restriction is sought)
- Conditions where high fibre content is not recommended (eg: chronic constipation, severe arthritis making defecation difficult)



# STRUVITE DISSOLUTION

Helps dissolve struvite stones



#### HYDRATION SUPPORT

This diet encourages cats' natural drinking behaviour. It promotes urine dilution thus limiting urine saturation.

# BLADDER COMFORT

This diet contains a combination of nutrients to address the leading risk factors of FLUTD including FIC.



#### WEIGHT MANAGEMENT

Formulated to support safe weight loss, control begging and help limit weight regain.



[\$/0] This diet is formulated to promote a healthy urinary environment.

LINDEX	eu to promote a neatiny t	irinary environment.
KEY VALUES	Per 1000 kcal	Per 100g as fed
Moisture	17.59 g	5.50 g
Protein	109 g	34 g
Fat content	28.79 g	9 g
Crude Fibre	46.71 g	14.60 g
Ash	26.23 g	8.20 g
Carbohydrate (NFE)	90.85 g	28.4 g
Dietary Fibre	78.37 g	24.50 g
Omega-6 fatty acids	5.76 g	1.80 g
Omega-3 fatty acids	1.79 g	0.56 g
EPA + DHA	1.02 g	0.32 g
Calcium	2.85 g	0.89 g
Phosphorus	2.56 g	0.80 g
Potassium	2.59 g	0.81 g
Sodium	3.61 g	1.13 g
Chloride	6.05 g	1.89 g
Magnesium	0.16 g	0.05 g
Vitamin A	8890 IU	2520 IU
Vitamin D	289 IU	100 IU
Metabolisable energy*		312.60 kcal

### sable energy\*

\*Calculated according to NRC 2006 CF. Sulphur 0.71%

hydrated poultry proteins, vegetable fibres, wheat gluten, manioc (tapioca), wheat flour, hydrolysed animal proteins, nerals, animal fats, chicory pulp, maize gluten, fish oil, maize flour, psyllium husks and seeds, marigold meal,

#### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin A: 25200 IU, Vitamin D3: 1000 IU, Iron (3b103): 30 mg, Iodine (3b201, 3b202): 3.1 mg, Capper (3b405, 3b406): 9 mg, Manganese (3b602, 3b504): 40 mg, Zinc (3b603, 3b406, 3b406): 95 mg, Selenium (3b601, 3b811, 3b812): 0.04 mg - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.





Available in 2 kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	CAT'S	В	ODY CONDITION	
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT
		grams	grams	grams
	2	41	34	27
	2.5	48	40	32
	3	55	46	37
	3.5	61	51	41
_	4	67	56	45
ADULT CAT	4.5	73	61	49
5	5	79	66	53
DO	5.5	84	70	56
⋖	6	90	75	60
	6.5	95	79	63
	7	100	84	67
	7.5	105	88	70
	8	110	92	73
	8.5	115	96	77
	9	120	100	80
	9.5	124	104	83
	10	129	108	86

ROYAL CANIN® URINARY S/O AGEING7+ + BLADDER COMFORT dry is a complete dietetic feed for cats formulated for the dissolution of struvite stones and the reduction of struvite stone recurrence, and for feline lower urinary tract disease. Urine undersaturating or metastabilising properties

RECOMMENDATIONS: it is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Feed URINARY S/O AGEING7+ + BLADDER COMFORT for 5 to 12 weeks for the dissolution of struvite stones and up to 6 months for the reduction of struvite stone recurrence. Water should be available at all times.



S/O This diet is formulated to promote a [INDEX] healthy urinary environment.



# (> 7 YEARS OLD) IN CASE OF

- Management of risk factors for Feline Lower Urinary Tract Disease (FLUTD): tendency to be overweight, insufficient water intake and exposure to increased environmental challenges
- Feline Idiopathic Cystitis (FIC)
- . Struvite uroliths: dissolution and management of recurrence
- Calcium oxalate uroliths: management of recurrence
- . Stress related urinary conditions

#### **NOT RECOMMENDED FOR CASES OF**

- Chronic Kidney Disease (CKD)
- Late stage heart disease and/or congestive heart failure
- Concurrent use of urine-acidifying medications
- · Growth, gestation/lactation



#### STRUVITE DISSOLUTION

Helps dissolve struvite stones.

# HYDRATION SUPPORT



This diet encourages cats' natural drinking behaviour, promoting urine dilution thus limiting urine saturation.

#### HEALTHY AGEING



Formulated with an exclusive blend of nutrients to support cats throughout the ageing process and help maintain renal and heart health.

#### BLADDER COMFORT



This diet contains a combination of nutrients to address the leading risk factors of feline lower urinary tract disease including feline idiopathic cvstitis (FIC).

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	14.84 g	5.5 g
Protein	86.37 g	32 g
Fat content	29.69 g	11 g
Crude fibre	9.72 g	3.6 g
Ash	19.43 g	7.2 g
Carbohydrate (NFE)	110 g	40.7 g
Dietary fibre	29.69g	11 g
Omega-6	7.1 g	2.63 g
Omega-3	2.02 g	0.75 g
EPA + DHA	1.21 g	0.45 g
Calcium	1.62 g	0.6 g
Phosphorus	1.62 g	0.6 g
Sodium	1.08 g	0.4 g
Magnesium	0.19 g	0.07 g
Potassium	4.59 g	1.7 g
Copper	4.05 mg	1.5 mg
Chloride	4.59 g	1.7 g
Vitamin A	5938 IU	2200 IU
Vitamin D	189 IU	70 IU
Metabolisable energy*		370.5 Kcal

<sup>\*</sup>Calculated according to NRC 2006 CF.

#### COMPOSITION

Maize, wheat gluten\*\*, wheat, dehydrated poultry proteins, wheat flour, maize gluten, hydrolysed animal proteins, animal fats, minerals, rice, chicory pulp, yeasts products, vegetable fibres, egg powder, fish oil, dried tomato pulp, psyllium husks and seeds, soya oil, fructooligosaccharides, algal oil Schizochytrium sp, hydrolysed milk protein (0.09%), glucosamine from fermentation, marigold meal, hydrolysed

\*\*LIP: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin A: 19500 IU, Vitamin D3: 700 IU, Iron (3b103): 33 mg, Iodine (3b201, 3b202): 3.3 mg, Copper (3b405, 3b406): 10 mg, Manganese (3b502, 3b504): 42 mg, Zinc (3b603, 3b605, 3b606): 135 mg, Selenium (3b801, 3b811, 3b812): 0.07 mg - Antioxidants.





# **PILL ASSIST**

# **ENABLE PILL INTAKE**

#### **RECOMMENDED FOR**

· Easing medication administration in adult cats

#### NOT RECOMMENDED IN CASES OF

Adverse Food Reactions (AFR)





NOT TO SCALE

Available in 45g pouch



#### EFFECTIVE PILL INTAKE

Pill Assist was shown to ensure a daily pill acceptance in 91% of cases\*\*.



### ADAPTABLE FORM

Covers & disquises most types of pills.



#### ADAPTED ENERGY & VITAMINS

Only 3 calories per piece.

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

CAT'S WEIGHT (kg)	O A TRUC	BODY CONDITION			
		NORMAL	OVERWEIGHT		
	Recommended daily max* number of PILL ASSIST ™ Cat	Recommended daily max* number of PILL ASSIST ™ Cat			
5	2	4	3		
ADULT CAT	3	5	4		
⋖	4	6	5		
	6	8	7		
	8	10	8		

\* Maximum quantities for cats in maintenance. For cats undergoing weight loss, quantities must be adjusted to remain below 10% of recommended daily calorie intake.

NOTE: It is recommended to adapt main meal quantities according to the number of PILL ASSIST™ given. PILL ASSIST should be kept at room temperature, in a dry place and in its original pack tightly closed. It is not recommended to keep a pack opened for longer than one month. Refrigeration and freezing are not recommended.

\*\* PILL ASSIST was shown to enable a daily pill acceptance in 91% of cases with cats, ROYAL CANIN® Internal Study 2019

KEY VALUES	Per 1000Kcal	Per 100g as fed
Protein	65.00g	21.00g
Fat content	38.70g	12.50g
Crude fibre	3.40g	1.10g
Crude ash	5.60g	1.80g

#### CALCULATED METABOLISABLE ENERGY (TOTAL) Energy\_NRC 2006 (CF) (kcal /100 grams)

3 kcal per piece

#### COMPOSITION

Glycerin, dehydrated chicken protein, wheat flour, hydrolysed poultry liver, wheat gluten, palm oil, glucose syrup, hydrolysed yeast, hydrolysed fish extract, fructo-oligo-sacchar-



#### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin C: 280mg, Vitamin E: 750 IU - Technological additives: gum Arabic - Preservatives -

\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# CATS MIXED FEEDING GUIDELINES

24H

24H



# MIX: NEUTERED SATIETY BALANCE CAT DRY + **NEUTERED BALANCE CAT THIN SLICES IN GRAVY 85g WET**

CAT'S	POUCH	BODY CONDITION				
WEIGHT	F	NORMAL	OVERWEIGHT			
(kg)		DRY grams	DRY grams			
2	1+	19	11			
2.5	1+	25	16			
3	1+	31	21			
3.5	1+	37	26			
4	1+	43	30			
4.5	1+	48	35			
5	1+	54	39			
5.5	1+	59	43			
6	1+	64	47			
6.5	1+	69	51			
7	1+	73	55			
7.5	1+	78	58			
8	1+	83	62			
8.5	1+	87	66			
9	1+	91	69			
9.5	1+	96	73			
10	1+	100	76			



### **MIX: ADULT CAT DRY + NEUTERED MAINTENANCE CAT THIN SLICES IN GRAVY 85g WET**

CAT'S	AT'S POUCH BODY CONDITION			
WEIGHT	F	THIN	NORMAL	OVERWEIGHT
(kg)		DRY grams	DRY grams	
2	1/2+	29	22	16
2.5	1+	26	18	10
3	1+	32	23	15
3.5	1+	38	28	19
4	1+	44	33	22
4.5	1+	49	38	26
5	1+	55	42	30
5.5	1+	60	47	33
6	1+	65	51	37
6.5	1+	70	55	40
7	1+	75	59	43
7.5	1+	79	63	46
8	1+	84	67	49
8.5	1+	89	71	52
9	1+	93	74	55
9.5	1+	98	78	58
10	1+	102	82	61









# MIX: MATURE CONSULT BALANCE CAT DRY + MATURE CONSULT BALANCE CAT LOAF 85g WET

CAT'S	POUCH	BODY CONDITION			
WEIGHT	F	NORMAL	OVERWEIGHT		
(kg)		DRY grams	DRY grams		
2	1+	17	10		
2.5	1+	23	15		
3	1+	29	20		
3.5	1+	35	24		
4	1+	40	28		
4.5	1+	46	33		
5	1+	51	37		
5.5	1+	56	41		
6	1+	60	44		
6.5	1+	65	48		
7	1+	70	52		
7.5	1+	74	55		
8	1+	79	59		
8.5	1+	83	62		
9	1+	87	66		
9.5	1+	91	69		
10	1+	95	72		





# MIX: MATURE CONSULT CAT DRY + MATURE CONSULT CAT THIN SLICES IN GRAVY 859 WET

F 24	11 4			
CAT'S	POUCH		BODY CONDITION	
WEIGHT	F	THIN	NORMAL	OVERWEIGHT
(kg)		DRY grams	DRY grams	DRY grams
2	1/2+	31	24	17
2.5	1+	28	20	12
3	1+	35	26	16
3.5	1+	41	31	20
4	1+	48	36	25
4.5	1+	54	41	29
5	1+	59	46	33
5.5	1+	65	51	36
6	1+	71	55	40
6.5	1+	76	60	44
7	1+	81	64	47
7.5	1+	87	69	51
8	1+	92	73	54
8.5	1+	97	77	57
9	1+	101	81	61
9.5	1+	106	85	64
10	1+	111	89	67







# **NEUTERED ADULT**

**SMALL DOGS** 







Available in 800g, 1.5, 3.5 and 8kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOGS	BODY CONDITION			
	WEIGHT (kg)	NORMAL	OVERWEIGHT		
		grams	grams		
	2	48	41		
9	3	66	55		
핕	4	81	69		
ADULT DOG	5	96	81		
4	6	110	93		
	7	124	104		
	8	137	115		
	9	149	126		
	10	162	136		

#### **PUPPY FEEDING GUIDE**

ADULT TARGET		AGE OF F	PUPPY IN	MONTHS	
WEIGHT (kg)	6	7	8	9	10
2	59	49	49	48	48
4	104	93	82	82	81
6	154	139	125	111	110
8	192	174	156	138	137
10	228	206	185	165	164

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

# **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

• Adult small breed dogs (<10kg) after neutering

#### **NOT RECOMMENDED IN CASES OF**

- Gestation/lactation
- Based on neutering at 6 months.



#### **IDEAL BODYWEIGHT**

Adapted formula and calorie level to help dogs maintain an ideal bodyweight. A blend of fibres help to promote the feeling of fullness.



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.



#### DENTAL HEALTH

The mechanical actions of the kibble. coupled with the inclusion of a calcium binder help delay tartar build-up.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	28.77g	9.5g
Protein	90.85g	30g
Crude Fat	33.31g	11g
Crude Fibre	19.98g	6.6g
Ash	22.1g	7.3g
NFE	107.81g	35.6g
Total Dietary Fibre	47.84g	15.8g
Omega-6	6.29g	2.08g
Omega-3	1.75g	0.58g
EPA + DHA	0.9g	0.3g
Calcium	2.36g	0.78g
Phosphorus	1.84g	0.61g
Sodium	2.42g	0.8g
Potassium	2.42g	0.8g
Magnesium	0.21g	0.07g
Taurine	0.6g	0.2g
Vitamin A	9388.24 IU	3100 IU
Vitamin D	242.27 IU	80 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Barley, maize, dehydrated pork protein, dehydrated poultry protein, wheat flour, vegetable fibres, wheat gluten\*, hydrolysed animal proteins, animal fats, minerals, chicory pulp, fish oil, soya oil, psyllium husks and seeds (0.5%), fructo-oligo-saccharides (0.49%), marigold meal.

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 800 IU, Iron (3b103): 37mg, Iodine (3b201, 3b202): 3.7mg, Copper (3b405, 3b406): 11mg, Manganese (3b502, 3b504) 48mg, Zinc (3b603, 3b605, 3b606): 132mg, Selenium (3b801, 3b811, 3b812): 0.08mg - Technological additives: Clinoptilolite of sedimentary origin: 5g. - Preservatives -Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# NEUTERED JUNIOR





3.5 and 10kg bags

233 277

#### RECOMMENDED DAILY INTAKE & FEEDING DURATION

KECOMMEND	ED DAILT IN	IARE & FEEDII	NO DUKATION
PUPPY'S AGE	ADULT WEIGHT		
(MONTHS)	11KG	12KG	13KG
	grams	grams	grams
6	223	223	251
7	202	202	233
8	181	181	217
9	161	161	198
10	160	160	180
11	158	158	178
12	161	161	198
PUPPY'S AGE	15KG	20KG	25KG
(MONTHS)	grams	grams	grams
6	265	329	389
7	246	306	387
8	229	285	351
9	209	261	315
10	190	237	281
11	188	234	279

Regular weighing is highly recommended throughout growth to help neutered puppies maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

187

# **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

 Neutered medium breed puppies (adult weight: 11 to 25kg), from neutering up to 12 months old1

#### **NOT RECOMMENDED IN CASES OF**

Gestation/lactation

Based on neutering at 6 months.



#### OPTIMAL GROWTH

Formulated to support the growth of puppies, thanks to an adapted energy content, and balanced intake of protein and minerals.



#### **IDEAL BODYWEIGHT**

A moderate calorie and fat formula, and a balance of appetite-supporting fibres, help puppies maintain optimal bodyweight during



#### **NATURAL DEFENCE SUPPORT**

A complex of antioxidants (including vitamin E) and prebiotics to help support natural defences during growth.

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Moisture	24.57g	9.5g
Protein	77.61g	30g
Crude Fat	43.98g	17g
Crude Fibre	6.72g	2.6g
Ash	18.62g	7.2g
NFE	87.19g	33.7g
Total Dietary Fibre	23.28g	9g
Omega-6	8.77g	3.39g
Omega-3	1.73g	0.67g
EPA + DHA	0.77g	0.3g
Calcium	3.23g	1.25g
Phosphorus	2.5g	0.97g
Sodium	0.77g	0.3g
Potassium	1.73g	0.67g
Magnesium	0.23g	0.09g
Taurine	1.19g	0.46g
Vitamin A	5950.84 IU	2300 IU
Vitamin D	258.73 IU	100 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams) 386.5

#### COMPOSITION

Dehydrated poultry protein, maize, animal fats, dehydrated pork protein, wheat flour, barley, rice, hydrolysed animal proteins, beet pulp, wheat gluten\*, vegetable fibres, minerals, fish oil, soya oil, fructo-oligo-saccharides (0.50%), psyllium husks and seeds, yeasts (source of manno-oligo-saccharides and betaglucans) (0.30%), borage oil, marigold meal.

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 21500 IU, Vitamin D3: 1000 IU, Iron (3b103): 37mg, Iodine (3b201, 3b202): 3.8mg, Copper (3b405, 3b406): 12mg, Manganese (3b502, 3b504): 49mg, Zinc (3b603, 3b605, 3b606): 132mg, Selenium (3b801, 3b811, 3b812): 0.06mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives -





NEUTERED

# **NEUTERED ADULT**

MEDIUM DOGS







Available in 1, 3.5 and 9 bags

#### RECOMMENDED DAILY INTAKE & FEEDING DURATION

DOGS		BODY CO	BODY CONDITION		
	WEIGHT NORMAL		OVERWEIGHT		
ĕ	9 (kg)	grams	grams		
	10	161	136		
ADULT	15	218	184		
^	20	271	228		
	25	320	270		

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

# **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

• Neutered adult medium breed dogs (11 to 25kg) from 12 months to 7 years of age

#### **NOT RECOMMENDED IN CASES OF**

Growth, gestation/lactation



#### **IDEAL BODYWEIGHT**

Adapted formula and calorie level to help dogs maintain an ideal bodyweight. A blend of fibres help to promote a feeling of fullness.



#### SKIN & COAT

Contains nutrients that support hair growth and coat shine.



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	28.6g	9.5g
Protein	84.49g	28g
Crude Fat	33.19g	11g
Crude Fibre	21.72g	7.2g
Ash	16.59g	5.5g
NFE	117.07g	38.8g
Total Dietary Fibre	51.59g	17.1g
Omega-6	6.94g	2.3g
Omega-3	1.75g	0.58g
EPA + DHA	0.90g	0.3g
Calcium	2.41g	0.8g
Phosphorus	1.81g	0.6g
Sodium	0.90g	0.3g
Potassium	1.81g	0.6g
Magnesium	0.24g	0.08g
Taurine	0.51g	0.17g
Vitamin A	6940.25 IU	2300 IU
Vitamin D	301.75 IU	100 IU

### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams) 331.4

#### COMPOSITION

Maize, barley, dehydrated pork protein, dehydrated poultry protein, wheat flour, vegetable fibres, hydrolysed animal proteins, animal fats, beet pulp, wheat gluten\*, soya oil, fish oil, minerals, psyllium husks and seeds (0.50%), fructo-oligo-saccharides (0.49%), borage oil, marigold meal

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 21500 IU, Vitamin D3: 1000 IU, Iron (3b103): 39mg, Iodine (3b201, 3b202): 3.9mg, Copper (3b405, 3b406): 12mg, Manganese (3b502, 3b504): 51mg, Zinc (3b603, 3b605, 3b606): 133mg, Selenium (3b801, 3b811, 3b812): 0.06mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# NEUTERED JUNIOR









#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

DUDDWC AGE		ADULT WEIGHT	
PUPPY'S AGE (MONTHS)	26KG	30KG	35KG
	grams	grams	grams
6-7	418 - 416	464 - 465	521 - 522
8-9	386 - 360	433 - 403	486 - 454
10-11	329 - 299	367 - 334	415 - 377
12-13	297 - 295	331 - 330	374 - 372
14-16	295	329	369
PUPPY'S AGE	40KG	45KG	50KG
(MONTHS)	grams	grams	grams
6-7	576 - 577	629 - 631	680 - 683
8-9	541 - 507	627 - 584	680 - 639
10-11	472 - 443	547 - 499	598 - 557
12-13	415 - 412	455 - 452	524 - 491
14-16	408	448	488 - 484
PUPPY'S AGE	60KG	70KG	80KG
(MONTHS)	grams	grams	grams
6-7	775 - 783	864 - 877	949 - 967
8-9	782 - 736	879 - 876	971 - 970
10-11	690 - 644	825 - 772	931 - 880
12-13	603 - 565	719 - 675	832 - 785
14-16	562 - 559	634 - 630	738 - 699

Regular weighing is highly recommended throughout growth to help neutered puppies maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

### **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

 Neutered large breed puppies (adult bodyweight >25kg), from neutering up to 15 months of age<sup>1</sup>

#### NOT RECOMMENDED IN CASES OF

· Gestation/lactation

Based on neutering at 6 months.



#### OPTIMAL GROWTH

Formulated to support the growth of puppies, thanks to an adapted energy content, and balanced intake of protein and minerals.



#### NATURAL DEFENCE SUPPORT

A complex of antioxidants (including vitamin E) and prebiotics to help support natural defences during growth.



#### **BONE & JOINT SUPPORT**

Formulated to help maintain healthy bones and joints.

Per 1000Kcal	Per 100g as fed
25.63g	9.5g
83.64g	31g
35.07g	13g
6.20g	2.3g
19.42g	7.2g
99.83g	37g
24.28g	9g
6.98g	2.59g
1.67g	0.62g
0.8 g	0.3g
134.91mg	50mg
3.23g	1.2g
2.42g	0.9g
0.8g	0.3g
1.88g	0.7g
0.18g	0.07g
1.16g	0.43g
6206.15 IU	2300 IU
269.83 IU	100 IU
	25.63g 83.64g 35.07g 6.20g 19.42g 99.83g 24.28g 6.98g 1.67g 0.8 g 134.91mg 3.23g 2.42g 0.8g 1.88g 0.18g 1.16g 6206.15 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### **COMPOSITION**

Dehydrated poultry protein, maize, wheat gluten\*, wheat flour, barley, rice, animal fats, dehydrated pork protein, hydrolysed animal proteins, beet pulp, minerals, soya oil, vegetable fibres, fish oil, fructo-oligo-saccharides (0.5%), psyllium husks and seeds, yeasts (source of mannan-oligo-saccharides and betaglucans), marigold meal, glucosamine from fermentation (0.05%), hydrolysed cartilage (source of chondroitin) (0.0005%).

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 21500 IU, Vitamin D3: 1000 IU, Iron (3b103): 39mg, Iodine (3b201, 3b202): 3,9mg, Copper (3b405, 3b406): 12mg, Manganese (3b502, 3b504): 50mg, Zinc (3b603, 3b605, 3b606): 131mg, Selenium (3b801, 3b811, 3b812): 0.07mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.





# **NEUTERED ADULT**

LARGE DOGS







Available in 1.5. 3.5 and 12kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOGS	BODY CONDITION		
	WEIGHT (kg)	NORMAL	OVERWEIGHT	
	(Kg)	grams	grams	
	26	332	279	
	30	369	311	
	35	415	349	
	40	458	386	
_	45	501	422	
8	50	542	456	
5	55	582	490	
ADULT DOG	60	621	523	
	65	660	555	
	70	697	587	
	75	734	618	
	80	771	649	
	85	807	679	
	90	842	709	
	95	877	738	
	100	911	767	

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

### **OPTIMAL WEIGHT**

• Neutered adult large breed dogs (>25kg) from 15 months to 5 years of age

#### **NOT RECOMMENDED IN CASES OF**

. Growth, gestation/lactation



#### **IDEAL BODYWEIGHT**

Adapted formula and calorie level to help dogs maintain an ideal bodyweight. Designed to help promote the feeling of fullness, with a blend of fibres.



#### **DIGESTIVE HEALTH**

A highly digestible formula with prebiotics to support healthy digestion.



#### **BONE & JOINT SUPPORT**

Formulated to help maintain healthy bones

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	28.81g	9.5g
Protein	84.92g	28g
Crude Fat	33.36g	11g
Crude Fibre	21.83g	7.2g
Ash	18.19g	6g
NFE	116.16g	38.3g
Total Dietary Fibre	51.56g	17g
Omega-6	6.85g	2.26g
Omega-3	1.75g	0.58g
EPA + DHA	0.90g	0.3g
Chondroitin sulfate + glucosamine	303.3mg	100mg
Calcium	2.42g	0.8g
Phosphorus	1.81g	0.6g
Sodium	1.21g	0.4g
Potassium	1.81g	0.6g
Magnesium	0.24g	0.08g
Taurine	0.51g	0.17g
Vitamin A	6976.03 IU	2300 IU
Vitamin D	303.3 IU	100 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy NRC 2006 (CF) (kcal /100 grams)

Dehydrated poultry protein, maize, barley, wheat flour, vegetable fibres, wheat gluten\*, dehydrated pork protein, hydrolysed animal proteins, animal fats, beet pulp, minerals, fish oil, soya oil, psyllium husks and seeds (0.50%), fructo-oligo-saccharides (0.49%), glucosamine from fermentation, marigold meal, hydrolysed cartilage (source of chondroitin).

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 21500 IU, Vitamin D3: 1000 IU, Iron (3b103): 35mg, lodine (3b201, 3b202): 3.5mg, Copper (3b405, 3b406): 11mg, Manganese (3b502, 3b504): 45mg, Zinc (3b603, 3b605, 3b606): 128mg, Selenium (3b801, 3b811, 3b812): 0.05mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **NEUTERED ADULT**





THIN SLICES IN GRAVY





#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S	BODY CONDITION					
	WEIGHT	Ti	IIN	NOR	MAL	OVERV	VEIGHT
	(kg)	grams	pouches	grams	pouches	grams	pouches
	2	232	2 +1/2	200	2	168	1 +1/2
	4	389	4	336	3 +1/2	283	3
	6	528	5 +1/2	456	4 +1/2	384	4
	8	655	6 +1/2	566	5 +1/2	476	5
	10	774	7 +1/2	669	6 +1/2	563	5 +1/2
9	15	1049	10 +1/2	906	9	763	7 +1/2
ĕ	20	1302	13	1124	11	947	9 +1/2
ADULT DOG	25	1539	15 +1/2	1329	13 +1/2	1119	11
4	30	1765	17 +1/2	1524	15	1283	13
	35	1981	20	1711	17	1441	14 +1/2
	40	2190	22	1891	19	1593	16
	45	2392	24	2066	20 +1/2	1740	17 +1/2
	50	2589	26	2236	22 +1/2	1883	19
	55	2780	28	2401	24	2022	20
	60	2968	29 +1/2	2563	25 +1/2	2159	21 +1/2
	70	3332	33 +1/2	2877	29	2423	24
	80	3683	37	3180	32	2678	27

Neutering may lead to changes in energy needs and appetite regulation which can increase the risk of weight gain. Regular weighing and body condition scoring is highly recommended to help neutered dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

# **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

Neutered adult dogs:

- Small breed dogs (<10kg) from 10 months of age
- Medium breed dogs (11 to 25kg) from 12 months of age
- Large breed dogs (>25kg) from 15 months of age

#### NOT RECOMMENDED IN CASES OF

Growth, gestation/lactation



#### **IDEAL BODYWEIGHT**

Adapted formula and energy levels to help dogs maintain an ideal bodyweight.

NEUTERED

**ADULT** 



#### **DIGESTIVE HEALTH**

A highly digestible formula to support healthy diaestion.



#### SKIN & COAT

Contains nutrients that support hair growth and coat shine.

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Moisture	1092.26g	80.5g
Protein	115.33g	8.5g
Crude Fat	33.92g	2.5g
Crude Fibre	17.63g	1.3g
Ash	18.99g	1.4g
NFE	78.69g	5.8g
Total Dietary Fibre	24.42g	1.8g
Omega-6	10.85g	0.8g
Omega-3	1.22g	0.09g
EPA + DHA	0.8g	0.05g
Calcium	2.57g	0.19g
Phosphorus	1.76g	0.13g
Sodium	1.62g	0.12g
Potassium	1.76g	0.13g
Magnesium	0.28g	0.02g
Taurine	1.49g	0.11g
Vitamin A	57666.21 IU	4250 IU
Vitamin D	362.27 IU	26.7 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Pork by-products, poultry by-products, rice flour, powdercellulose, pork blood products, vital wheat gluten, corn starch mixture, sunflower oil refined, minerals, fish oil, marigold meal.

Nutritional additives: Vitamin D3: 290 IU, Iron (3b103): 10mg, Iodine (3b202): 0.24mg, Copper (3b405, 3b406): 1.9mg, Manganese (3b502, 3b503, 3b504): 3mg, Zinc (3b603, 3b605, 3b606): 30mg - Technological additives: Clinoptilolite of sedimentary origin: 2g.





**SMALL DOGS** 







Available in 1.5 and 3.5kg bag

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S	BODY CONDITION				
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT		
	(Kg)	grams	grams	grams		
	2	55	49	42		
9	3	75	66	57		
Ĕ	4	93	82	70		
ADULT DOG	5	110	96	83		
4	6	126	111	96		
	7	141	124	107		
	8	156	137	119		
	9	170	150	129		
	10	184	162	140		

ROYAL CANIN® DENTAL SMALL DOGS has been awarded the VOHC seal "helps control tartar" as it has been clinically proven to efficiently reduce tartar build-up.

### **ORAL HYGIENE**

#### RECOMMENDED FOR SMALL BREED DOGS (≤10KG)

- · Daily oral hygiene
- Helping to delay the development of dental plague and tartar
- Halitosis associated with dental plague and tartar

#### **NOT RECOMMENDED IN CASES OF**

- Chronic kidney disease (CKD)
- Cardiac disease<sup>1</sup>
- Growth, gestation/lactation
- Where sodium restriction is required



#### TARTAR CONTROL

Clinically proven to efficiently reduce tartar build-up.

# **BRUSHING EFFECT**

The shape and size of the kibble support prehension and tooth penetration into the food. This helps to reduce plaque accumulation and tartar build-up.



#### URINARY HEALTH

Supports a healthy urinary tract thanks to an adapted mineral balance.



Helps control tartar.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	24.91g	9.5g
Protein	57.69g	22g
Crude Fat	44.58g	17g
Crude Fibre	8.91g	3.4g
Ash	16.26g	6.2g
NFE	109.88g	41.9g
Total Dietary Fibre	23.6g	9g
Omega-6	8.18g	3.12g
Omega-3	1.78g	0.68g
EPA + DHA	0.81g	0.31g
Calcium	2.07g	0.79g
Phosphorus	1.57g	0.6g
Sodium	1.83g	0.7g
Potassium	1.57g	0.6g
Magnesium	0.20g	0.08g
Taurine	0.49g	0.19g
Vitamin A	7867.82 IU	3000 IU
Vitamin D	205.87 IU	78.5 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Rice, dehydrated poultry protein, maize, animal fats, wheat gluten\*, chicory pulp, vegetable fibres, minerals, hydrolysed animal proteins, fish oil, yeasts products, fructooligo-saccharides, soya oil, butyric acid salt, marigold meal.

\* L.I.P.: protein selected for its very high digestibility

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 29000 IU, Vitamin D3: 780 IU, Iron (3b103): 42mg, Iodine (3b201, 3b202): 4.2mg, Copper (3b405, 3b406): 13mg, Manganese (3b502, 3b504): 55mg, Zinc (3b603, 3b605, 3b606): 142mg, Selenium (3b801, 3b811, 3b812): 0.09mg - Technological additives: Clinoptilolite of sedimentary origin: 5g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

**MEDIUM & LARGE DOGS** 







6 and 13kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

RECOMMENDED DAIET INTAKE &T EEDING BOKATION				
	DOG'S		BODY CONDITIO	N
	WEIGHT	THIN	NORMAL	OVERWEIGHT
(kg)	grams	grams	grams	
	10	182	160	138
	15	246	217	187
	20	305	269	232
9	25	361	318	274
ĕ	30	414	364	315
ADULT DOG	35	465	409	353
4	40	514	452	390
	45	561	494	426
	50	607	534	461
	55	652	574	496
	60	696	613	529
	70	781	688	594
	80	864	760	656

ROYAL CANIN® DENTAL MEDIUM AND LARGE DOGS has been awarded the VOHC seal "helps control tartar" as it has been clinically proven to efficiently reduce tartar build-up.

### **ORAL HYGIENE**

#### RECOMMENDED FOR MEDIUM AND LARGE BREED DOGS (>11kg)

- · Daily oral hygiene
- Helping delay the development of dental plaque and tartar
- Halitosis associated with dental plaque and tartar

#### NOT RECOMMENDED IN CASES OF

- Chronic kidney disease (CKD)
- Cardiac disease<sup>1</sup>
- Gestation/lactation
- Where sodium restriction is required



#### TARTAR CONTROL

Clinically proven to efficiently reduce tartar



#### BRUSHING EFFECT

The shape and size of the kibble support prehension and tooth penetration into the food. This helps to reduce plaque accumulation



#### **BONE & JOINT SUPPORT**

Formulated to help maintain healthy bones and joints.



Helps control tartar.

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Moisture	24.54g	9.5g
Protein	56.83g	22g
Crude Fat	43.91g	17g
Crude Fibre	8g	3.1g
Ash	13.43g	5.2g
NFE	111.59g	43.2g
Total Dietary Fibre	23.24g	9g
Omega-6	7.36g	2.85g
Omega-3	1.65g	0.64g
EPA + DHA	0.8g	0.31g
Calcium	2.06g	0.8g
Phosphorus	1.54g	0.6g
Sodium	0.77g	0.3g
Potassium	1.54g	0.6g
Magnesium	0.23g	0.09g
Taurine	0.49g	0.19g
Vitamin A	4133.29 IU	1600 IU
Vitamin D	251.87 IU	97.5 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Rice, dehydrated poultry protein, maize, animal fats, wheat gluten\*, beet pulp, vegetable fibres, hydrolysed animal proteins, minerals, fish oil, yeasts products, fructo-oligo-saccharides, soya oil, butyric acid salt, glucosamine from fermentation (0.098%), marigold meal, hydrolysed cartilage (source of chondroitin) (0.0029%).

\* L.I.P.: protein selected for its very high digestibility

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 15000 IU, Vitamin D3: 970 IU, Iron (3b103): 41mg, Iodine (3b201, 3b202): 4.1mg, Copper (3b405, 3b406): 13mg, Manganese (3b502, 3b504): 53mg, Zinc (3b603, 3b605, 3b606): 141mg, Selenium (3b801, 3b811, 3b812): 0.07mg - Technological additives: Clinoptilolite of sedimentary origin: 5g - Preservatives - Antioxidants.





# **ADULT**

# **SMALL DOGS**







Available in 2, 4 and 8kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S		N	
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT
	IKYJ	grams	grams	grams
	2	54	48	41
စ္က	3	74	65	56
Ĕ	4	91	80	69
A DULT DOG	5	108	95	82
4	6	124	109	94
	7	139	122	106
	8	154	135	117
	9	168	148	128
	10	182	160	138

Regular weighing and body condition scoring is highly recommended to help dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

# **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

• Entire adult small breed dogs (<10kg) from 10 months to 8 years of age

#### NOT RECOMMENDED IN CASES OF

· Growth, gestation/lactation



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.



#### DENTAL HEALTH

The mechanical actions of the kibble, coupled with the inclusion of a calcium binder help delay tartar build-up.



#### URINARY HEALTH

Supports a healthy urinary tract thanks to an adapted mineral balance.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	24.54g	9.5g
Protein	64.58g	25g
Crude Fat	41.33g	16g
Crude Fibre	3.87g	1.5g
Ash	19.37g	7.5g
NFE	104.62g	40.5g
Total Dietary Fibre	16.01g	6.2g
Omega-6	8.55g	3.31g
Omega-3	1.75g	0.68g
EPA + DHA	0.77g	0.3g
Calcium	2.37g	0.92g
Phosphorus	1.8g	0.7g
Sodium	2.32g	0.9g
Potassium	1.54g	0.6g
Magnesium	0.23g	0.09g
Taurine	0.49g	0.19g
Vitamin A	8008.26 IU	3100 IU
Vitamin D	206.66 IU	80 IU

### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy\_NRC 2006 (CF) (kcal /100 grams)

### COMPOSITION

Rice, dehydrated poultry protein, maize, wheat flour, animal fats, wheat gluten\*, chicory pulp, dehydrated pork protein, hydrolysed animal proteins, minerals, soya oil, fish oil, fructo-oligo-saccharides (0.49%), marigold meal.

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 800IU, Iron (3b103): 43mg, Iodine (3b201, 3b202): 4.3mg, Copper (3b405, 3b406): 13mg, Manganese (3b502, 3b504): 55mg, Zinc (3b603, 3b605, 3b606): 132mg, Selenium (3b801, 3b811, 3b812): 0.09mg - Technological additives: Clinoptilolite of sedimentary origin: 5g, Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# ADULT

#### MEDIUM DOGS







Available in 4 and 10kg bags

### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S	BODY CONDITION		
40	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT
ĕ	(Kg)	grams	grams	grams
5	11	193	169	146
ADULT DOG	15	243	214	185
	20	301	265	229
	25	356	314	271

Regular weighing and body condition scoring is highly recommended to help dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

### **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

• Entire adult medium breed dogs (11-25kg), from 12 months to 7 years of age

#### **NOT RECOMMENDED IN CASES OF**

· Growth, gestation/lactation



#### SKIN & COAT

Contains nutrients that support hair growth and coat shine.



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to help neutralise free radicals.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	24.22g	9.5g
Protein	58.24g	23g
Crude Fat	40.79g	16g
Crude Fibre	3.56g	1.4g
Ash	15.55g	6.1g
NFE	112.18g	44g
Total Dietary Fibre	17.08g	6.7g
Omega-6	8.66g	3.4g
Omega-3	1.63g	0.64g
EPA + DHA	0.73g	0.29g
Calcium	2.8g	1.1g
Phosphorus	2.03g	0.8g
Sodium	0.76g	0.3g
Potassium	1.52g	0.6g
Magnesium	0.20g	0.08g
Taurine	0.48g	0.19g
Vitamin A	5991.84 IU	2350 IU
Vitamin D	258.79 IU	101.5 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Maize, dehydrated poultry protein, rice, wheat flour, animal fats, hydrolysed animal proteins, beet pulp, dehydrated pork protein, wheat gluten\*, soya oil, fish oil, minerals, fructo-oligo-saccharides (0.49%), borage oil, marigold meal.

\* L.I.P.: protein selected for its very high digestibility.

### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 22000 IU, Vitamin D3: 1010 IU, Iron (3b103): 40mg, Iodine (3b201, 3b202): 4mg, Copper (3b405, 3b406): 12 mg, Manganese (3b502, 3b504): 52mg, Zinc (3b603, 3b605, 3b606): 133mg, Selenium (3b801, 3b811, 3b812): 0.06mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.





# **ADULT**

LARGE DOGS







Available in 4 and 13kg bags

### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S BODY CON			IDITION	
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT	
	(Kg)	grams	grams	grams	
	26	365	321	277	
	30	406	358	309	
	35	456	401	347	
ADULT DOG	40	504	444	383	
틸	45	551	485	419	
	50	596	525	453	
`	55	640	563	487	
	60	683	601	519	
	70	767	675	583	
	80	848	746	644	
	90	926	815	704	
	100	1002	882	762	

Regular weighing and body condition scoring is highly recommended to help dogs maintain an ideal bodyweight and shape. The food ration should be regularly reviewed and adjusted as necessary.

### **OPTIMAL WEIGHT**

#### RECOMMENDED FOR

 Entire adult large breed dogs (>25kg) from 15 months to 5 years of age

#### NOT RECOMMENDED IN CASES OF

· Growth, gestation/lactation



#### **BONE & JOINT SUPPORT**

Formulated to help maintain healthy bones



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.



#### ANTIOXIDANT COMPLEX

Enriched with a blend of antioxidants to help neutralise free radicals.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	24.09g	9.5g
Protein	63.40g	25g
Crude Fat	43.11g	17g
Crude Fibre	4.56g	1.8g
Ash	15.72g	6.2g
NFE	102.71g	40.5g
Total Dietary Fibre	18.26g	7.2g
Omega-6	9.05g	3.57g
Omega-3	1.77g	0.7g
EPA + DHA	0.76g	0.3g
Chondroitin sulfate + glucosamine	253.61mg	100mg
Calcium	2.33g	0.92g
Phosphorus	1.77g	0.7g
Sodium	0.76g	0.3g
Potassium	1.77g	0.7g
Magnesium	0.25g	0.1g
Taurine	0.48g	0.19g
Vitamin A	5833.12 IU	2300 IU
Vitamin D	253.61 IU	100 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

394.3 Energy NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Maize, dehydrated poultry protein, wheat flour, animal fats, wheat gluten\*, rice, hydrolysed animal proteins, dehydrated pork protein, beet pulp, minerals, soya oil, fish oil, vegetable fibres, fructo-oligo-saccharides (0.49%), glucosamine from fermentation (0.099%), marigold meal. hydrolysed cartilage (source of chondroitin) (0.00096%).

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 21500 IU, Vitamin D3: 1000 IU, Iron (3b103): 39mg, Iodine (3b201, 3b202): 3.9mg, Copper (3b405, 3b406): 12mg, Manganese (3b502, 3b504): 51mg, Zinc (3b603, 3b605, 3b606): 130mg, Selenium (3b801, 3b811, 3b812): 0.07mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **ADULT**





DOG'S

WEIGH'

(kg)

25

30

40 2102

THIN SLICES IN GRAVY

629

1477

1694

2296

6 +1/2

15

19

23

**RECOMMENDED DAILY INTAKE & FEEDING DURATION** 

**BODY CONDITION** 

NORMAL

grams pouches grams pouches grams pouches

222 2 196 2 169 1+1/2

553 5+1/2

1250 12 +1/2 1100 11 950 9 +1/2

446 4+1/2 385

7 + 1/2 654 6 + 1/2 565 5 + 1/2

9

13

20

2669 26 +1/2 2348 23 +1/2 2028 20 +1/2

2849 28 +1/2 2507 25 2165 21 +1/2

3535 35 +1/2 3110 31 2686 27

25 2186 22 1888 19

1491 15 1287 13

1673 16+1/2 1445 14+1/2

1849 18 + 1/2 1597 16

478

765

1123

1745 17+1/2

2430 24 +1/2

374 3+1/2 329 3+1/2 284

1300

2020

32 2814 28

Regular weighing and body condition scoring is highly recommended

to help dogs maintain an ideal bodyweight and shape. The food ration

should be regularly reviewed and adjusted as necessary.

Available in boxes of 12 pouches of **100a** 

OVERWEIGHT

5

7 +1/2

# SKIN & COAT

months of age up to 7 years.


**NOT RECOMMENDED IN CASES OF** . Growth, gestation/lactation

**OPTIMAL WEIGHT** 

RECOMMENDED FOR

age up to 8 years.

age up to 5 years



• Adult small breed dogs (<10kg) from 10 months of

Adult medium breed dogs (11 to 25kg) from 12

• Adult large breed dogs (>25kg) from 15 months of



#### DIGESTIVE HEALTH

A highly digestible formula with prebiotics to support healthy digestion.



#### URINARY HEALTH

Supports a healthy urinary tract thanks to an adapted mineral balance.



#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Chicken meat, poultry by-products, pork by-products, rice flour, corn starch mixture, powdercellulose, pork blood products, wheat flour, minerals, vital wheat gluten, fish oil, yeasts and part thereof, sunflower oil refined, marigold meal.

88 1

#### **ADDITIVES (KG)\***

Nutritional additives: Vitamin D3: 200 IU, Iron (3b103): 12mg, Iodine (3b202): 0.18mg, Copper (3b405, 3b406): 1.4mg, Manganese (3b502, 3b503, 3b504): 3.8mg, Zinc (3b603, 3b605, 3b606): 38 mg - Technological additives: Clinoptilolite of sedimentary origin: 2g.













Available in 4kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S	E	BODY CONDITIO	CONDITION	
	WEIGHT	THIN	NORMAL	OVERWEIGHT	
	(kg)	grams	grams	grams	
	2	55	49	42	
	3	75	66	57	
	4	93	82	70	
	5	110	96	83	
8	6	126	111	96	
탈	7	141	124	107	
ADULT DOG	8	156	137	119	
	9	170	150	129	
	10	184	162	140	
	11	198	174	150	
	12	211	186	161	
	13	224	198	171	
	14	237	209	180	
	15	250	220	190	

The diet can be fed long term if required. In case of anticipated changes in social and/or environmental conditions, the diet transition should occur ideally a minimum of two weeks before the anticipated changes.

S/0 This diet is formulated to promote LINDEX ] a healthy urinary environment.

# PERIOD OF ADAPTATION

#### **RECOMMENDED FOR DOGS UNDER 15kg**

- Support for dogs during difficult situations
- Support for dogs with associated digestive and dermatological signs.

#### **NOT RECOMMENDED IN CASES OF**

· Growth, gestation/lactation



#### **CALMING SUPPORT**

Contains hydrolysed milk protein and L-tryptophan to help support dogs in stressful situations, which may lead to the reduc-



#### DIGESTIVE HEALTH

A highly digestible formula with balanced fibres, including prebiotics, to support a healthy digestion and transit.



#### **SKIN BARRIER**

Formulated to support the skin's natural protective barrier for optimal skin health.

(EY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	24.44g	9.5g
rotein	64.33g	25g
rude Fat	41.17g	16g
rude Fibre	3.86g	1.5g
sh	18.27g	7.1g
IFE	105.24g	40.9g
otal Dietary Fibre	15.69g	6.1g
)mega-6	8.74g	3.4g
)mega-3	1.74g	0.68g
PA + DHA	0.77g	0.3g
alcium	2.31g	0.9g
hosphorus	1.8g	0.7g
odium	2.31g	0.9g
otassium	1.41g	0.55g
/lagnesium	0.23g	0.09g
aurine	0.46g	0.18g
'itamin A	8106.02	IU 3150 IU
'itamin D	205.86 IU	80 IU

#### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Rice, dehydrated poultry protein, maize, wheat flour, animal fats, hydrolysed animal proteins, chicory pulp, dehydrated pork protein\*, minerals, wheat gluten\*, soya oil, fish oil, fructo-oligo-saccharides (0.49%), hydrolysed milk protein\*\*, borage oil, marigold meal.

- \* L.I.P.: protein selected for its very high digestibility.
- \*\* Alpha-S1.0 trypsin-hydrolysed bovine casein: 1.24 g/kg.

Nutritional additives: Vitamin A: 30000 IU, Vitamin D3: 800 IU, Iron (3b103): 48mg, Iodine (3b201, 3b202): 4.8mg, Copper (3b405, 3b406): 15mg, Manganese (3b502, 3b504): 62 mg, Zinc (3b603, 3b605, 3b606): 127mg, Selenium (3b801, 3b811, 3b812): 0.1mg - Technological additions (3be01, 3b8 Technological additives: Clinoptilolite of sedimentary origin: 5g - Preservatives - Antioxidants.

\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# MATURE CONSULT

#### **SMALL DOGS**







Available in 1.5, 3.5 and 8kg bags

#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S	BODY CONDITION		
	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT
	(Ky)	grams	grams	grams
	2	61	54	47
ø	3	83	73	63
ADULT DOG	4	103	91	78
불	5	122	107	93
₹	6	140	123	106
	7	157	138	119
	8	174	153	132
	9	190	167	144
	10	205	181	156

# **HEALTHY AGEING**

#### RECOMMENDED FOR

• Mature small breed dogs (<10kg) over 8 years of age

#### **NOT RECOMMENDED IN CASES OF**

· Growth, gestation/lactation



#### **VITALITY & BRAIN HEALTH**

This formula includes a selection of nutrients that help to support vitality.



#### MUSCLE MASS SUPPORT

A specifically balanced formula to help maintain muscle mass.



#### DENTAL HEALTH

The mechanical actions of the kibble. coupled with the inclusion of a calcium binder help delay tartar build-up.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	27.73g	9.5g
Protein	72.99g	25g
Crude Fat	40.87g	14g
Crude Fibre	20.43g	7g
Ash	18.1g	6.2g
NFE	111.82g	38.3g
Total Dietary Fibre	43.79g	15g
Omega-6	8.2g	2.81g
Omega-3	2.33g	0.8g
EPA + DHA	1.31g	0.45g
Calcium	2.54g	0.87g
Phosphorus	1.6g	0.55g
Sodium	0.87g	0.3g
Potassium	2.33g	0.8g
Magnesium	0.43g	0.15g
Taurine	0.52g	0.18g
Vitamin A	9051.09 IU	3100 IU
Vitamin D	233.57 IU	80 IU

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Maize, dehydrated poultry protein, wheat flour, wheat, vegetable fibres, animal fats, dehydrated pork protein, maize gluten, hydrolysed animal proteins, wheat gluten\*, minerals, chicory pulp, fish oil, soya oil, dried tomato pulp (source of lycopene) (0.84%), fructo-oligo-saccharides, borage oil, marigold meal.

\* L.I.P.: protein selected for its very high digestibility.

### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 800 IU, Iron (3b103): 39mg, Iodine (3b201, 3b202): 3,9mg, Copper (3b405, 3b406): 12mg, Manganese (3b502, 3b504): 50mg, Zinc (3b603, 3b605, 3b606): 137mg, Selenium (3b801, 3b811, 3b812): 0.08mg - Technological additives: Clinoptilolite of sedimentary origin: 5g, Lecithin: 468mg - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those





3

CONSULT

# **MATURE CONSULT**

MEDIUM DOGS







Available in
3.5 and
10kg bags

#### RECOMMENDED DAILY INTAKE & FEEDING DURATION

	DOG'S	BODY CONDITION			
40	WEIGHT (kg)	THIN	NORMAL	OVERWEIGHT	
ĕ	(Kg)	grams	grams	grams	
5	10	205	181	156	
ADULT DOG	15	278	245	212	
	20	345	304	263	
	25	408	359	310	

# **HEALTHY AGEING**

#### RECOMMENDED FOR

 Mature medium breed dogs (11 to 25kg) over 7 years of age (Ideally after a senior health check)

#### NOT RECOMMENDED IN CASES OF

· Growth, gestation/lactation



#### **VITALITY & BRAIN HEALTH**

This formula includes a selection of nutrients that help to support vitality.



#### MUSCLE MASS SUPPORT

A specifically balanced formula to help maintain muscle mass.



#### **SKIN & COAT**

Contains nutrients that support hair growth and coat shine.

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Moisture	27.76g	9.5g
Protein	67.21g	23g
Crude Fat	40.91g	14g
Crude Fibre	21.04g	7.2g
Ash	16.65g	5.7g
NFE	119.81g	41g
Total Dietary Fibre	44.71g	15.3g
Omega-6	8.18g	2.8g
Omega-3	2.33g	0.8g
EPA + DHA	1.31g	0.45g
Calcium	2.54g	0.87g
Phosphorus	1.63g	0.56g
Sodium	0.87g	0.3g
Potassium	2.25g	0.77g
Magnesium	0.20g	0.07g
Taurine	0.49g	0.17g
Vitamin A	9146.69 IU	3130 IU
Vitamin D	233.78 IU	80 IU

#### **CALCULATED METABOLISABLE ENERGY (TOTAL)**

Energy\_NRC 2006 (CF) (kcal /100 grams) 342.2

#### COMPOSITION

Maize, dehydrated poultry protein, wheat flour, wheat, vegetable fibres, maize flour, animal fats, dehydrated pork protein\*, maize gluten, hydrolysed animal proteins, beet pulp, minerals, fish oil, soya oil, dried tomato pulp (source of lycopene) (0.84%), fructo-oligo-saccharides, borage oil, mariqold meal.

\* L.I.P.: protein selected for its very high digestibility.

#### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 795 IU, Iron (3b103): 39mg, Iodine (3b201, 3b202): 3.9mg, Copper (3b405, 3b406): 12mg, Manganese (3b502, 3b504): 50mg, Zinc (3b603, 3b606): 137mg, Selenium (3b801, 3b811, 3b812): 0.08mg - Technological additives: Clinoptilolite of sedimentary origin: 5g, Lecithin: 300mg - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# MATURE CONSULT

### LARGE DOGS





Available in 14kg bag

### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

ROYAL CANIN

	DOG'S		BODY CONDITION	DITION		
WEIGHT		THIN	NORMAL	OVERWEIGHT		
	(kg)	grams	grams	grams		
	26	414	364	315		
	30	461	406	350		
	35	517	455	393		
ADULT DOG	40	572	503	435		
5	45	625	550	475		
Ę	50	676	595	514		
	55	726	639	552		
	60	775	682	589		
	70	870	766	661		
	80	962	847	731		
	90	1051	925	799		
	100	1137	1001	864		

# **HEALTHY AGEING**

#### RECOMMENDED FOR

 Mature large breed dogs (>25kg) over 5 years of age (Ideally after a senior health check)

#### NOT RECOMMENDED FOR

Growth, gestation/lactation



#### **VITALITY & BRAIN HEALTH**

This formula includes a selection of nutrients that help to support vitality.



#### MUSCLE MASS SUPPORT

A specifically balanced formula to help maintain muscle mass.



#### **BONE AND JOINT SUPPORT**

Formulated to help maintain healthy bones and joints.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Moisture	27.33g	9.5g
Protein	71.92g	25g
Crude Fat	43.15g	15g
Crude Fibre	20.71g	7.2g
Ash	15.82g	5.5g
NFE	108.74g	37.8g
Total Dietary Fibre	43.72g	15.2g
Omega-6	7.73g	2.69g
Omega-3	2.3g	0.8g
EPA + DHA	1.29g	0.45g
Chondroitin sulfate + glucosamine	287.68mg	100mg
Calcium	2.07g	0.72g
Phosphorus	1.58g	0.55g
Sodium	0.86g	0.3g
Potassium	2.3g	0.8g
Magnesium	0.23g	0.08g
Taurine	0.48g	0.17g
Vitamin A	8918.29 IU	3100 IU
Vitamin D	230.14 IU	80 IU

### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams) 3

#### COMPOSITION

Rice, maize, dehydrated pork protein, wheat, vegetable fibres, animal fats, maize gluten, dehydrated poultry protein, hydrolysed animal proteins, wheat gluten\*, beet pulp, minerals, fish oil, soya oil, dried tomato pulp (source of lycopene) (0.99%), psyllium husks and seeds, fructo-oligo-saccharides, borage oil, glucosamine from fermentation, marigold meal, hydrolysed cartilage (source of chondroitia)

\* L.I.P.: protein selected for its very high digestibility.

### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 795 IU, Iron (3b103): 43mg, Iodine (3b201, 3b202): 4,3mg, Copper (3b405, 3b406): 13mg, Manganese (3b502, 3b504): 55mg, Zinc (3b603, 3b606): 3b606): 145mg, Selenium (3b801, 3b811, 3b812): 0.09mg - Technological additives: Clinoptilolite of sedimentary origin: 5g, Lecithin: 300mg - Preservatives - Antioxidants.





# **MATURE CONSULT**



#### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	ECOMMENDED DAILT INTAKE & FEEDING DOKATION						
	DOG'S	BODY CONDITION					
	WEIGHT (kg)	Ti	IIN	IN NORMAL		OVERWEIGHT	
	(Kg)	grams	pouches	grams	pouches	grams	pouches
	2	208	2 +1/2	183	2	158	2
	4	350	4	308	3 +1/2	266	3
	6	474	5 +1/2	417	5	360	4
	8	588	7	518	6	447	5 +1/2
	10	695	8	612	7	528	6
5	15	942	11	829	10	716	8 +1/2
ADOLI DOG	20	1169	14	1029	12	889	10 +1/2
5	25	1382	16 +1/2	1216	14 +1/2	1051	12 +1/2
8	30	1585	18 +1/2	1395	16 +1/2	1205	14
	35	1779	21	1566	18 +1/2	1352	16
	40	1967	23	1731	20 +1/2	1495	17 +1/2
	45	2148	25 +1/2	1890	22	1633	19
	50	2325	27 +1/2	2046	24	1767	21
	55	2497	29 +1/2	2197	26	1898	22 +1/2
	60	2665	31 +1/2	2346	27 +1/2	2026	24
	70	2992	35	2633	31	2274	27
	80	3307	39	2910	34	2514	29 +1/2

S/O This diet is formulated to promote INDEX | a healthy urinary environment.

# **HEALTHY AGEING**

#### RECOMMENDED FOR

• Mature dogs over 8 years of age (Ideally after a senior health check)

#### NOT RECOMMENDED IN CASES OF

. Growth, gestation/lactation



#### **VITALITY & BRAIN HEALTH**

This formula includes a selection of nutrients that help to support vitality.



#### MUSCLE MASS SUPPORT

tain muscle mass.



Contains nutrients that support hair growth and coat shine.

<b>KEY VALUES</b>	Per 1000Kcal	Per 100g as fed
Protein	100g	8.6g
Fat content	52.33g	4.50g
Carbohydrate (NFE)	51.16g	4.40g
Crude fibre	12.79g	1.10g
Dietary fibre	20.93g	1.80g
Calcium	2.33g	0.20g
Phosphorus	1.86g	0.16g
Potassium	1.74g	0.15g
Sodium	1.05g	0.09g
Chloride	1.74g	0.15g
Magnesium	0.28g	0.028g
Copper	2.56mg	0.22 mg
Zinc	41.86mg	3.60 mg
Taurine	1.40g	0.12g
Vitamin A	7907 IU	680 IU
Vitamin E	151 IU	13.00 IU
Omega 6	13.95g	1.20g
Omega 3	1.98g	0.17g
EPA + DHA	1.26g	0.11g
CALCULATED M	ETABOLISABLE	ENERGY (TOTAL)

# 86.0

Energy\_NRC 2006 (CF) (kcal /100 grams)

#### COMPOSITION

Pork by-products, poultry by-products, rice flour, powder cellulose, maize gluten, pork blood products, fish oil, min-erals, sunflower oil refined, dried tomato pulp, crude lecithins, marigold meal.

Nutritional additives: Vitamin D3: 150 IU, Iron (3b103): 8 mg, Iodine (3b202): 0.13 mg, Copper (3b405, 3b406): 1 mg, Manganese (3b502, 3b503, 3b504): 2.3 mg, Zinc (3b603, 3b605, 3b606): 23 mg.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **PILL ASSIST**







NOT TO SCALE

Available in 90g pouch



### HIGHLY ATTRACTIVE FORMULA

Shown to enable pill acceptance for 98%

· Easing medication administration in adult small dogs



#### ADAPTABLE FORM

**ENABLE PILL INTAKE** 

**NOT RECOMMENDED IN CASES OF** 

· Adverse Food Reactions (AFR)

**RECOMMENDED FOR** 

(less than 10kg)

Designed to easily mould and shape for pill



#### **ADAPTED ENERGY CONTENT**

Moderate calorie formula.

KEY VALUES	Per 1000Kcal	Per 100g as fed
Protein	40.36g	14.00g
Fat content	37.47g	13.00g
Crude fibre	1.15g	0.40g
Crude ash	5.19g	1.80g
Moisture	66.30g	23.0g

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

10 kcal per piece

#### COMPOSITION

Glycerine, wheat flour, dehydrated chicken protein, palm oil, wheat gluten, glucose syrup, hydrolysed chicken protein, fructo-oligo-saccharides.



#### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin C: 250mg, Vitamin E: 420 mg - Preservatives - Antioxidants.


\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.











**RECOMMENDED DAILY INTAKE & FEEDING DURATION** 

\* Maximum quantities for dogs in maintenance. For dogs undergoing weight loss, quantities must be adjusted to remain below 10% of recommended daily calorie intake.

NOTE: It is recommended to adapt main meal quantities according to the number of PILL ASSIST™ given. PILL ASSIST should be kept at room temperature, in a dry place and in its original pack tightly closed. It is not recommended to keep a pack opened for longer than one month. Refrigeration and freezing are not recommended.

\*\* PILL ASSIST was shown to enable a daily pill acceptance in 98% of cases with small dogs, ROYAL CANIN® internal study 2018.



# **PILL ASSIST**







NOT TO SCALE

Available in 224g pouch

# **ENABLE PILL INTAKE**

#### RECOMMENDED FOR

· Easing medication administration in adult dogs

#### NOT RECOMMENDED IN CASES OF

Adverse Food Reactions (AFR)



#### HIGHLY ATTRACTIVE FORMULA

Shown to enable pill acceptance for 97%



#### ADAPTABLE FORM

Designed to easily mould and shape for pill administration.



#### ADAPTED ENERGY CONTENT

Moderate calorie formula

### **RECOMMENDED DAILY INTAKE & FEEDING DURATION**

	DOG'S WEIGHT (kg)	Recommended daily max* number of Pill Assist™ Medium & Large Dog
	10	1
	15	1
	20	2
စ္	25	3
ADULT DOG	30	3
蒷	35	4
A	40	5
	45	5
	50	6
	55	6
	60	7
	70	8
	80	10

\* Maximum quantities for dogs in maintenance. For dogs undergoing weight loss, quantities must be adjusted to remain below 10% of recommended daily calorie intake.

NOTE: It is recommended to adapt main meal quantities according to the number of PILL ASSIST™ given. PILL ASSIST should be kept at room temperature, in a dry place and in its original pack tightly closed. It is not recommended to keep a pack opened for longer than one month. Refrigeration and freezing are not recommended.

\*\* PILL ASSIST was shown to enable a daily pill acceptance in 97% of cases with medium and large dogs, ROYAL CANIN® internal

(EY VALUES	Per 1000Kcal	Per 100g as fed
rotein	40.36g	14.00g
at content	37.47g	13.00g
rude fibre	1.15g	0.40g
rude ash	5.19g	1.80g
Moisture	66.30g	23.0g

#### CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal /100 grams)

26 kcal per piece

#### COMPOSITION

Glycerine, wheat flour, dehydrated chicken protein, palm oil, wheat gluten, glucose syrup, hydrolysed chicken protein, fructooligo-saccharides.

#### ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin C: 250 mg, Vitamin E: 420 mg - Preservatives - Antioxidants.

\*\*\*Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# **TRAINING TREATS**

# **FROM PUPPIES TO SENIOR DOGS**





### **RECOMMENDED DAILY INTAKE**

Treats for dogs from 6 months old. Please consult your veterinarian if you have any questions.

8 x 110g bags

Dog's weight	<2 kg	2-5 kg	6-10 kg	11-15 kg	16-20 kg	>20 kg	
Max pieces per day	3	5	12	18	22	31	

Do not feed more than the maximum number of treats per day indicated in the feeding guidelines. If you are giving treats, it is recommended to adjust the main meal portion size accordingly to maintain your pet's healthy body weight.

# **ROYAL CANIN® TRAINING TREATS**

ROYAL CANIN® Treats were developed by experts in canine nutrition to ensure treating does not compromise the health benefits of your dog's diet.

#### **BENEFITS**

These chewable training treats are formulated with DHA and vitamins C and E to help support healthy brain function from puppies to senior dogs with less than 3 calories per piece.



ANALYTICAL CONSTITUENTS				
Moisture	18%			
Protein	20%			
Fat Content	3%			
Crude Fibre	3.8%			
Crude Ash	4.2%			
Metabolisable energy	2895Kcal/kg			

	OTHER GUARANTEES
Total) DHA (%)	0.12

CALORIES PER CHEW	
	2.9Kcal

#### COMPOSITION

Rice flour, dehydrated poultry proteins, glycerol, wheat flour, wheat gluten, cellulose powder, hydrolysed animal proteins, minerals, algal oil Schizochytrium sp. (source of DHA).

#### **ADDITIVES (KG)**

Nutritional additives: Vitamin E:500 mg, Vitamin C: 530 mg -Preservatives.







DOG





# Energy

NUTRITIONAL SUPPLEMENT



#### **RECOMMENDED DAILY INTAKE**

Recommended max. quantities/day				
Activity	< 25kg	> 25kg		
moderate	1 bag			
intense	2 bags	3 bags		

It is recommended that daily ration be carefully monitored to help avoid any risk of excess weight gain which could affect the animal's health

Always keep fresh water available.

# ANTIOXIDANT COMPLEX

Vitamin E (mg)	1400
Vitamin C (mg)	1600
Polyphenols (mg/kg)	150

# **ENERGY**

The Nutritional Supplement to provide an energy boost to all dogs before and during a moderate or intense physical activity.

#### **BENEFITS**



The Nutritional Supplement Energy contains a high level of short-chain fatty acids which contribute to a rapidly available, high level of energy in order to support the activity and performance of dogs.



Contains reinforced levels of antioxidants (vitamins E & C, polyphenols) which help neutralise free radicals. Exercise stimulates the production of free radicals which are responsible for oxidative stress in cells.

#### **KEY VALUES**

RET VALUES	
Protein (%)	27
Crude fat (%)	36
Crude fibre (%)	2
Moisture (%)	7
Ash (%)	3.6
NFE (%)	24.4
Vitamin A (IU/kg)	28000
Vitamin B1 (Thiamin) (mg/kg)	24.2
Vitamin B2 (Riboflavin)	(mg/kg) 87.1
Calcium pantothenate (mg/kg)	81
Vitamin B6 (Pyridoxin) (mg/kg)	39.9
Vitamin B12 (Cyanocobalamin) (mg/kg)	0.25
Niacin (mg/kg)	275.7
Biotin (mg/kg)	2.55
Folic acid (mg/kg)	6.5
Choline (mg/kg)	100
Calcium (%) 0.51	

Phosphorus (%) 0.45

(Royal Canin Research Centre)

#### **MEASURED METABOLISABLE ENERGY**

5080(kcal/kg)

#### COMPOSITION

Rice, animal fats, vegetable oils, wheat gluten\*, vegetable protein isolate, dehydrated poultry meat, hydrolysed animal proteins, beet pulp, vegetable fibres, fish oil, minerals, fructooligosaccharides, green tea and grape extracts (source of polyphenols).

#### ADDITIVES

ADDITIVES (per kg): Nutritional additives: Vitamin A: 26600 IU, Vitamin D3: 1400 IU, Vitamin E: 1400 mg, Vitamin C: 1600 mg - Preservatives - Antioxidants.

ANALYTICAL CONSTITUENTS: Protein: 27% - Fat content: 36%- Crude ash: 3.6% - Crude fibres: 2% - Polyphenols: 150 mg/kg

mg/kg.
\*L.I.P.: protein selected for its very high assimilation.

Examples of INTENSE ACTIVITIES

#### Examples of MODERATE ACTIVITIES



f



RUN >1hr with the owner running

RUN 30min with the owner cycling

# DOGS MIXED FEEDING GUIDELINES

(2/4)

( 24H




# MIX: NEUTERED ADULT SMALL DOGS + NEUTERED ADULT DOG THIN SLICES IN GRAVY 100g WET

F 24	нп <b>-</b> ]		
		BODY CO	NDITION
DOG'S WEIGHT	POUCH		Ħ
(kg)		NORMAL	OVERWEIGHT
		DRY grams	DRY grams
2	1+	24	17
4	1+	57	44
6	1+	86	69
8	1+	113	91
10	1+	138	112



# MIX: NEUTERED ADULT MEDIUM DOGS + NEUTERED ADULT DOG THIN SLICES IN GRAVY 100g WET





# MIX: NEUTERED ADULT LARGE DOGS + NEUTERED ADULT DOG THIN SLICES IN GRAVY 100g WET

_		BODY CO	NDITION
DOG'S WEIGHT	POUCH	A	P
(kg)		NORMAL	OVERWEIGHT
		DRY grams	DRY grams
26	1+	308	255
30	1+	345	287
35	1+	390	325
40	1+	434	362
45	1+	476	397
50	1+	518	432
55	1+	558	466
60	1+	597	499
65	1+	635	531
70	1+	673	563
75	1+	710	594
80	1+	747	625
85	1+	782	655
90	1+	818	685
95	1+	853	714
100	1+	887	743





# 24H

# MIX: ADULT SMALL DOGS + **ADULT DOG THIN SLICES IN GRAVY 100g WET**

		BODY CONDITION		
DOG'S WEIGHT	POUCH	M	A	M
(kg)		THIN	NORMAL	OVERWEIGHT
		DRY grams	DRY grams	DRY grams
2	1+	30	23	17
4	1+	67	56	45
6	1+	99	85	70
8	1+	129	111	92
10	1+	157	135	114





# MIX: ADULT MEDIUM DOGS + **ADULT DOG THIN SLICES IN GRAVY 100g WET**

DOG'S WEIGHT	POUCH	A	A	M
(kg)		THIN	NORMAL	OVERWEIGHT
		DRY grams	DRY grams	DRY grams
11	1+	168	145	122
15	1+	218	189	161
20	1+	277	241	205
25	1+	332	289	247





# MIX: ADULT LARGE DOGS + **ADULT DOG THIN SLICES IN GRAVY 100g WET**

	F 47				
			BODY CONDITION		
<u>•</u>	DOG'S WEIGHT	POUCH	A	A	M
	(kg)		THIN	NORMAL	OVERWEIGHT
<b>L</b>			DRY grams	DRY grams	DRY grams
	26	1+	341	297	253
	30	1+	382	334	285
	35	1+	432	377	323
	40	1+	480	420	359
	45	1+	527	461	395
	50	1+	572	501	429
	55	1+	616	539	463
	60	1+	659	577	495
	65	1+	702	615	528
	70	1+	743	651	559
	75	1+	784	687	590
	80	1+	824	722	620
	85	1+	863	757	650
	90	1+	902	791	680
	95	1+	941	825	709
	100	1+	979	858	738



# MIX: MATURE CONSULT SMALL DOGS + MATURE CONSULT DOG LOAF 100g WET

24H		H )	MIX: MATURE CONSULT D			
				BODY CONDITION		
	DOG'S VEIGHT	POUCH	A			
	(kg)		THIN	NORMAL	OVERWEIGHT	
			DRY grams	DRY grams	DRY grams	
	2	1+	36	29	22	
	4	1+	78	66	53	
	6	1+	115	98	81	
	8	1+	149	128	107	
	10	1+	180	156	131	





24H		H J	MIX: MATURE CONSU MATURE CONSULT DO			
				BODY CONDITION		
	DOG'S WEIGHT	POUCH	H H H			
1	(kg)		THIN	NORMAL	OVERWEIGHT	
			DRY grams	DRY grams	DRY grams	
	10	1+	180	156	131	
	15	1+	253	220	186	
	20	1+	320	279	237	
	25	1+	383	334	285	






# MIX: MATURE CONSULT LARGE DOGS + **MATURE CONSULT DOG LOAF 100g WET**

	F 24FI -		MATORE CORSCE! DOC LOA! 100g WE!		
- T	DOG'S WEIGHT (kg)	POUCH	BODY CONDITION		
_			A	A	
			THIN	NORMAL	OVERWEIGHT
			DRY grams	DRY grams	DRY grams
	26	1+	389	340	290
	30	1+	436	381	326
	35	1+	493	431	369
	40	1+	547	479	410
	45	1+	600	525	450
	50	1+	651	570	489
	55	1+	702	614	527
	60	1+	751	658	564
	65	1+	798	700	601
	70	1+	846	741	637
	75	1+	892	782	672
	80	1+	937	822	706
	85	1+	982	861	740
	90	1+	1026	900	774
	95	1+	1070	938	807
	100	1+	1112	976	840









UK WWW.ROYALCANIN.COM/UK

NUTRITIONAL HELPLINE

0800 717800

ROI

WWW.ROYALCANIN.COM/IE

**NUTRITIONAL HELPLINE** 

1800 936074