





- ALLERGENIC
- HYPOALLERGENIC
- SENSITIVITY CONTROL
- SENSITIVITY CONTROL  
CHICKEN WITH RICE
- SKIN & COAT
- RENAL  
+  
HYPOALLERGENIC
- URINARY S/O  
+  
HYPOALLERGENIC
- GASTROINTESTINAL  
HYDROLYSED PROTEIN



- ALLERGENIC  
SMALL DOGS S
- SENSITIVITY CONTROL
- SENSITIVITY CONTROL  
CHICKEN WITH RICE
- SENSITIVITY CONTROL  
DUCK WITH RICE
- SKIN CARE  
SMALL DOGS S
- SKIN CARE
- HYPOALLERGENIC PUPPY
- HYPOALLERGENIC  
SMALL DOGS S
- HYPOALLERGENIC
- RENAL  
+  
HYPOALLERGENIC
- URINARY S/O  
+  
HYPOALLERGENIC
- HYPOALLERGENIC  
SATIETY
- GASTROINTESTINAL  
LOW FAT  
+  
HYPOALLERGENIC
- Treats  
COMPATIBLE WITH  
HYPOALLERGENIC DIETS

This resource has been produced with the greatest care and incorporates the most up-to-date scientific information and research findings. We recommend that you refer to our packaging as the primary reference for product information as this can change with time. Bearing in mind the diversity and complexity of clinical cases in dogs and cats, it is important to note that the suggestions in this resource for further tests and therapeutic options cannot be exhaustive. Under no circumstances should the treatments and dietary solutions suggested here replace examination by a veterinary surgeon.

The publishers and the authors will accept no responsibility for the failure of any of the treatments or nutritional solutions put forward in this resource. Not for use in Canada and in USA.

While the information is considered to be true and correct at the date of publication (May 2025), changes in circumstances after the time of publication may impact on the accuracy of the information. Please refer to the digital copy available online at [vetportal.royalcanin.co.uk](http://vetportal.royalcanin.co.uk) for the most recent product data.





### RECOMMENDED DAILY INTAKE & FEEDING DURATION

*When a food allergy or a food intolerance is suspected, the cat's diet should be changed following classical food transition. Nutritional management with Anallergenic may be continued for the cat's lifetime, under veterinary supervision.*

**[S/O INDEX]** *This diet is formulated to promote a healthy urinary environment.*

## RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial ■ long term management
- Feline Atopic Dermatitis (FAD) associated with AFR
- Inflammatory Bowel Disease (IBD)

**NOT RECOMMENDED IN CASE OF**

- Growth, gestation/lactation



**EXTENSIVELY HYDROLYSED PROTEIN**

Extensively hydrolysed protein composed of oligopeptides and pure amino acids from single source helps minimise the risk of nutrient intolerances.



### ALLERGEN RESTRICTION

**ALLERGEN RESTRICTION**  
A manufacturing process aimed at minimising sources of contamination.



## SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

## KEY VALUES

| Per 1000Kcal | Per 100g as fed |
|--------------|-----------------|
| 13.96g       | 5.5g            |
| 62.45g       | 24.6g           |
| 43.16g       | 17g             |
| 8.12g        | 3.2g            |
| 19.04g       | 7.5g            |
| 107.39g      | 42.3g           |
| 20.31g       | 8g              |
| 9.11g        | 3.59 g          |
| 2.31g        | 0.91g           |
| 1.12g        | 0.44g           |
| 45.95mg      | 18.1mg          |
| 0.76g        | 0.30g           |
| 9266.31 IU   | 3650 IU         |
| 68.55mg      | 27mg            |
| 1.52g        | 0.6g            |
| 1.22g        | 0.48g           |
| 2.79g        | 1.1g            |
| 0.20g        | 0.08g           |

### CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy NRC 2006 (CF) (kcal/100g) | 393.9 |
|----------------------------------|-------|

## COMPOSITION

Maize starch, feather hydrolysate with low molecular weight [source of L-amino acids and oligopeptides], copra oil, soy oil, vegetable fibres, minerals, animal fat, chicory pulp, fish oil, fructo-oligosaccharides, maltodextrin, mono- and diglycerides of palmitic and stearic acids esterified with citric acid, dextrose, marigold meal. Protein source: feather hydrolysate with low molecular weight [26.2%]. Carbohydrate source: maize starch [35.9%]

**ADDITIVES (KG)\***

Nutritional additives: Vitamin A: 26000 IU, Vitamin D3: 800 IU, Iron [3b103]: 42mg, Iodine [3b201, 3b202]: 3.8mg, Copper [3b405, 3b406]: 15mg, Manganese [3b502, 3b504]: 54mg, Zinc [3b603, 3b605, 3b606]: 147mg, Selenium [3b801, 3b811, 3b812]: 0.37mg - Technological additives: Cinnophtolite of sedimentary origin: 9g - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



HYPOALLERGENIC





Available in  
2.5 and 4.5kg bags

RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | CAT'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
| ADULT CAT | 2                 | 37             | 31     | 25         |
|           | 2.5               | 44             | 36     | 29         |
|           | 3                 | 50             | 41     | 33         |
|           | 3.5               | 55             | 46     | 37         |
|           | 4                 | 61             | 51     | 41         |
|           | 4.5               | 66             | 55     | 44         |
|           | 5                 | 71             | 60     | 48         |
|           | 5.5               | 76             | 64     | 51         |
|           | 6                 | 81             | 68     | 54         |
|           | 6.5               | 86             | 72     | 57         |
|           | 7                 | 91             | 76     | 61         |
|           | 7.5               | 95             | 80     | 64         |
|           | 8                 | 100            | 83     | 67         |
|           | 8.5               | 104            | 87     | 69         |
|           | 9                 | 109            | 91     | 72         |
|           | 9.5               | 113            | 94     | 75         |
|           | 10                | 117            | 98     | 78         |

When a food allergy or a food intolerance is suspected, the cat's diet should be changed following classical food transition. Nutritional management with Hypoallergenic may be continued for the cat's lifetime, under veterinary supervision.

[S/O INDEX]

This diet is formulated to promote a healthy urinary environment.

NUTRIENT INTOLERANCE

RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Feline Atopic Dermatitis (FAD) associated with AFR
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Small intestinal bacterial overgrowth (SIBO)

NOT RECOMMENDED IN CASE OF

- Growth, gestation/lactation



HYDROLYSED PROTEIN

Hydrolysed protein with a low molecular weight for very low allergenicity.



EPA/DHA & SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



DIGESTIVE HEALTH

Helps regulate intestinal transit and supports a balanced digestive flora.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 13.46g       | 5.5g            |
| Protein             | 62.39g       | 25.5g           |
| Crude Fat           | 48.94g       | 20g             |
| Crude Fibre         | 9.05g        | 3.7g            |
| Ash                 | 16.15g       | 6.6g            |
| NFE                 | 94.69g       | 38.7g           |
| Total Dietary Fibre | 20.06g       | 8.2g            |
| Omega-6 fatty acids | 11.33g       | 4.63g           |
| Omega-3 fatty acids | 2.23g        | 0.91g           |
| EPA + DHA           | 0.81g        | 0.33g           |
| Zinc                | 42.08mg      | 17.2mg          |
| Taurine             | 0.64g        | 0.26g           |
| Vitamin A           | 8441.40 IU   | 3450 IU         |
| Vitamin C           | 48.94mg      | 20mg            |
| Calcium             | 1.71g        | 0.7g            |
| Phosphorus          | 1.47g        | 0.6g            |
| Sodium              | 1.47g        | 0.6g            |
| Magnesium           | 0.15g        | 0.06g           |

CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal/100g)

408.7

COMPOSITION

Rice flour, hydrolysed soya protein isolate, animal fats, rice, vegetable fibres, minerals, beet pulp, hydrolysed poultry liver, soya oil, fish oil,fructo-oligosaccharides, borage oil, marigold meal.Protein sources: hydrolysed soya protein isolate (23.5%), hydrolysed poultry liver (2.0%). Carbohydrate source: rice (42.1%).

ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 800 IU, Iron (3b103): 40mg, Iodine (3b201, 3b202): 3.6mg, Copper (3b405, 3b406): 15mg, Manganese (3b502, 3b504): 52 mg, Zinc (3b603, 3b605, 3b606): 154mg, Selenium (3b801, 3b811, 3b812): 0.25mg - Technological additives: Clinoptilolite of sedimentary origin: 5g - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

SENSITIVITY CONTROL





Available in  
1.5 and 3.5kg bags

RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | CAT'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
| ADULT CAT | 1.5               | 36             | 30     | 24         |
|           | 2                 | 44             | 36     | 29         |
|           | 2.5               | 51             | 43     | 34         |
|           | 3                 | 58             | 49     | 39         |
|           | 3.5               | 65             | 54     | 43         |
|           | 4                 | 71             | 60     | 48         |
|           | 4.5               | 78             | 65     | 52         |
|           | 5                 | 84             | 70     | 56         |
|           | 5.5               | 90             | 75     | 60         |
|           | 6                 | 95             | 80     | 64         |
|           | 6.5               | 101            | 84     | 67         |
|           | 7                 | 106            | 89     | 71         |
|           | 7.5               | 112            | 93     | 74         |
|           | 8                 | 117            | 98     | 78         |
|           | 8.5               | 122            | 102    | 81         |
|           | 9                 | 127            | 106    | 85         |
|           | 9.5               | 132            | 110    | 88         |
|           | 10                | 137            | 114    | 91         |

When a food allergy or a food intolerance is suspected, the cat's diet should be changed following classical food transition. Nutritional management with Sensitivity Control may be continued for the cat's lifetime, under veterinary supervision.

[S/O INDEX]

This diet is formulated to promote a healthy urinary environment.


NUTRIENT INTOLERANCE

RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - long term management
- Chronic diarrhoea


NOT RECOMMENDED IN CASE OF

- Growth, gestation/lactation




SELECTED PROTEIN

A limited number of protein sources helps limit the risk of nutrient intolerance.



EPA/DHA & SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



DIGESTIVE SECURITY

Formulated with nutrients which support a balanced digestive system.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 15.76g       | 5.5g            |
| Protein             | 77.39g       | 27g             |
| Crude Fat           | 31.53g       | 11g             |
| Crude Fibre         | 17.48g       | 6.1g            |
| Ash                 | 27.52g       | 9.6g            |
| NFE                 | 116.94g      | 40.8g           |
| Total Dietary Fibre | 28.95g       | 10.1g           |
| Omega-6 fatty acids | 7.17g        | 2.5g            |
| Omega-3 fatty acids | 2.06g        | 0.72g           |
| EPA + DHA           | 1g           | 0.35g           |
| Zinc                | 52.45mg      | 18.3mg          |
| Taurine             | 0.75g        | 0.26g           |
| Vitamin A           | 10461.45 IU  | 3650 IU         |
| Vitamin C           | 51.59mg      | 18mg            |
| Calcium             | 4.61g        | 1.61g           |
| Phosphorus          | 3.15g        | 1.1g            |
| Sodium              | 2.29g        | 0.8g            |
| Magnesium           | 0.20g        | 0.07g           |

CALCULATED METABOLISABLE ENERGY (TOTAL)

Energy\_NRC 2006 (CF) (kcal/100g)

348.9

COMPOSITION

Rice, dehydrated duck protein, vegetable fibres, hydrolysed poultry proteins, minerals, animal fat, fish oil, soya oil, mono - and diglycerides of palmitic and stearic acids esterified with citric acid, marigold meal. Protein sources: dehydrated duck protein (30.8%), hydrolysed poultry proteins (5.4%). Carbohydrate source: rice (43.2%).

ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 31000 IU, Vitamin D3: 700 IU, Iron (3b103): 38mg, Iodine (3b201, 3b202): 3.4mg, Copper (3b405, 3b406): 14mg, Manganese (3b502, 3b504): 50mg, Zinc (3b603, 3b605, 3b606): 147mg, Selenium (3b801, 3b811, 3b812): 0.24mg - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.







# SENSITIVITY CONTROL

## CHICKEN WITH RICE



THIN SLICES IN GRAVY

Available in box  
of 12 pouches  
of 85g

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT CAT | CAT'S WEIGHT (kg) | BODY CONDITION |         |        |         |            |         |
|-----------|-------------------|----------------|---------|--------|---------|------------|---------|
|           |                   | THIN           |         | NORMAL |         | OVERWEIGHT |         |
|           |                   | grams          | pouch   | grams  | pouch   | grams      | pouch   |
|           | 2                 | 150            | 2       | 125    | 1 + 1/2 | 100        | 1       |
|           | 2.5               | 175            | 2       | 145    | 1 + 1/2 | 115        | 1 + 1/2 |
|           | 3                 | 195            | 2 + 1/2 | 165    | 2       | 130        | 1 + 1/2 |
|           | 3.5               | 220            | 2 + 1/2 | 185    | 2       | 145        | 1 + 1/2 |
|           | 4                 | 240            | 3       | 200    | 2 + 1/2 | 160        | 2       |
|           | 4.5               | 265            | 3       | 220    | 2 + 1/2 | 175        | 2       |
|           | 5                 | 285            | 3 + 1/2 | 235    | 3       | 190        | 2       |
|           | 5.5               | 305            | 3 + 1/2 | 255    | 3       | 200        | 2 + 1/2 |
|           | 6                 | 325            | 4       | 270    | 3       | 215        | 2 + 1/2 |
|           | 6.5               | 340            | 4       | 285    | 3 + 1/2 | 230        | 2 + 1/2 |
|           | 7                 | 360            | 4       | 300    | 3 + 1/2 | 240        | 3       |
|           | 7.5               | 380            | 4 + 1/2 | 315    | 3 + 1/2 | 250        | 3       |
|           | 8                 | 395            | 4 + 1/2 | 330    | 4       | 265        | 3       |
|           | 8.5               | 415            | 5       | 345    | 4       | 275        | 3       |
|           | 9                 | 430            | 5       | 360    | 4       | 285        | 3 + 1/2 |
|           | 9.5               | 450            | 5 + 1/2 | 375    | 4 + 1/2 | 300        | 3 + 1/2 |
|           | 10                | 465            | 5 + 1/2 | 390    | 4 + 1/2 | 310        | 3 + 1/2 |

When a food allergy or a food intolerance is suspected, the cat's diet should be changed following classical food transition. Nutritional management with Sensitivity Control may be continued for the cat's lifetime, under veterinary supervision.

**[S/O INDEX]** This diet is formulated to promote a healthy urinary environment.

## NUTRIENT INTOLERANCE

### RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - long term management
- Chronic diarrhoea

### NOT RECOMMENDED IN CASE OF

- Growth, gestation/lactation



#### SELECTED PROTEIN

A limited number of protein sources helps limit the risk of nutrient intolerance.



#### EPA/DHA & SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



#### DIGESTIVE SECURITY

Formulated with nutrients which support a balanced digestive system.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 825.36g      | 79.4g           |
| Protein             | 72.77g       | 7g              |
| Crude Fat           | 62.37g       | 6g              |
| Crude Fibre         | 9.36g        | 0.9g            |
| Ash                 | 16.63g       | 1.6g            |
| NFE                 | 53.01g       | 5.1g            |
| Total Dietary Fibre | 14.55g       | 1.4g            |
| Omega-6 fatty acids | 20.79g       | 2g              |
| Omega-3 fatty acids | 2.08g        | 0.2g            |
| EPA + DHA           | 1.25g        | 0.12g           |
| Zinc                | 46.78mg      | 4.5mg           |
| Taurine             | 1.25g        | 0.12g           |
| Vitamin A           | 29553 IU     | 2843 IU         |
| Vitamin C           | 51.98mg      | 5mg             |
| Calcium             | 2.81g        | 0.27g           |
| Phosphorus          | 2.39g        | 0.23g           |
| Sodium              | 1.56g        | 0.15g           |
| Magnesium           | 0.21g        | 0.02g           |

### CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |      |
|----------------------------------|------|
| Energy_NRC 2006 (CF) (kcal/100g) | 96.2 |
|----------------------------------|------|

### COMPOSITION

Poultry by-products, rice flour, sunflower oil refined, powdercellulose, minerals, fish oil, fructo-oligosaccharides, marigold meal. Selected sources of protein: chicken (40.7%). Selected source of carbohydrate: rice (4%).

### NUTRITIONAL ADDITIVES (KG)\*

Vitamin D3: 360 IU, Iron (3b103): 12mg, Iodine (3b202): 0.32mg, Copper (3b405, 3b406): 2.6mg, Manganese (3b502, 3b503, 3b504): 3.8mg, Zinc (3b603, 3b605, 3b606): 38mg - Technological additives: Clinoptilolite of sedimentary origin: 0.45g.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# SKIN & COAT



Available in  
1.5 and 3.5kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT CAT | CAT'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           | 2                 | 40             | 33     | 26         |
|           | 2.5               | 46             | 39     | 31         |
|           | 3                 | 53             | 44     | 35         |
|           | 3.5               | 59             | 49     | 39         |
|           | 4                 | 65             | 54     | 43         |
|           | 4.5               | 71             | 59     | 47         |
|           | 5                 | 76             | 64     | 51         |
|           | 5.5               | 81             | 68     | 54         |
|           | 6                 | 87             | 72     | 58         |
|           | 6.5               | 92             | 77     | 61         |
|           | 7                 | 97             | 81     | 64         |
|           | 7.5               | 102            | 85     | 68         |
|           | 8                 | 106            | 89     | 71         |
|           | 8.5               | 111            | 93     | 74         |
|           | 9                 | 116            | 96     | 77         |
|           | 9.5               | 120            | 100    | 80         |
|           | 10                | 125            | 104    | 83         |

As soon as the first signs of the disease appear, Skin & Coat should be fed for a 2 month-period, to obtain visible results, even though improvement may be noticed as early as 2 weeks after switching diet. The cat's diet should be changed following classical food transition. Nutritional management with Skin & Coat may continue until the cat is 7 years old, under veterinary supervision.

**[S/O INDEX]** This diet is formulated to promote a healthy urinary environment.

## DERMATOSIS AND HAIR LOSS

### RECOMMENDED FOR YOUNG\* AND ADULT NEUTERED CATS WITH SENSITIVE SKIN, UP TO 7 YEARS OF AGE

- Feline Atopic Dermatitis
- Skin and coat support in case of other dermatitis\*\* such as:
  - Flea Allergic Dermatitis
  - Skin infections or external parasites

\*Post neutering (over 6 months of age)

\*\*In association with medical treatment

(such as antiparasitic or antibiotic medications) if needed



#### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.



#### SKIN & COAT

Contains specific key nutrients, including EPA and DHA, to help support healthy skin and a shiny coat in cats with sensitive skin.



#### LEAN BODY MASS

A high protein diet helps maintain muscle mass.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 14.33g       | 5.5g            |
| Protein             | 93.82g       | 36g             |
| Crude Fat           | 36.49g       | 14g             |
| Crude Fibre         | 9.12g        | 3.5g            |
| Ash                 | 21.11g       | 8.1g            |
| NFE                 | 85.74g       | 32.9g           |
| Total Dietary Fibre | 26.58g       | 10.2g           |
| Omega-6 fatty acids | 8.68g        | 3.33g           |
| Omega-3 fatty acids | 2.14g        | 0.82g           |
| EPA + DHA           | 1.12g        | 0.43g           |
| Zinc                | 44.57mg      | 17.1mg          |
| Taurine             | 0.60g        | 0.23g           |
| Vitamin A           | 8339.85 IU   | 3200 IU         |
| Vitamin C           | 52.12mg      | 20mg            |
| Calcium             | 3.02g        | 1.16g           |
| Phosphorus          | 2.61g        | 1g              |
| Sodium              | 1.82g        | 0.7g            |
| Magnesium           | 0.21g        | 0.08g           |

### CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) (kcal/100g) | 383.7 |
|----------------------------------|-------|

### COMPOSITION

Maize, dehydrated poultry protein, wheat gluten\*\*\*, rice, maize gluten, animal fat, hydrolysed poultry liver, minerals, vegetable fibres, beet pulp, fish oil, psyllium husks and seeds, soya oil, fructo-oligosaccharides, borage oil, marigold meal.

\*\*\*L.I.P.: protein selected for its very high digestibility

### ADDITIVES (KG)\*\*\*\*

Nutritional additives: Vitamin A: 29500 IU, Vitamin D3: 800 IU, Iron (3b103): 34mg, Iodine (3b201, 3b202): 3.4mg, Copper (3b405, 3b406): 11mg, Manganese (3b502, 3b504): 45mg, Zinc (3b603, 3b605, 3b606): 132mg, Selenium (3b801, 3b811, 3b812): 0.07mg - Preservatives - Antioxidants.

\*\*\*\*Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



SKIN & COAT



THIN SLICES IN GRAVY

Available in box of 12 pouches of 85g

RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT CAT | CAT'S WEIGHT (kg) | BODY CONDITION |         |        |         |            |         |
|-----------|-------------------|----------------|---------|--------|---------|------------|---------|
|           |                   | THIN           |         | NORMAL |         | OVERWEIGHT |         |
|           |                   | grams          | pouch   | grams  | pouch   | grams      | pouch   |
|           | 2                 | 155            | 2       | 130    | 1 + 1/2 | 105        | 1       |
|           | 2.5               | 180            | 2       | 150    | 2       | 120        | 1 + 1/2 |
|           | 3                 | 205            | 2 + 1/2 | 170    | 2       | 140        | 1 + 1/2 |
|           | 3.5               | 230            | 2 + 1/2 | 190    | 2       | 155        | 2       |
|           | 4                 | 255            | 3       | 210    | 2 + 1/2 | 170        | 2       |
|           | 4.5               | 275            | 3       | 230    | 2 + 1/2 | 185        | 2       |
|           | 5                 | 295            | 3 + 1/2 | 250    | 3       | 200        | 2 + 1/2 |
|           | 5.5               | 320            | 4       | 265    | 3       | 210        | 2 + 1/2 |
|           | 6                 | 340            | 4       | 280    | 3 + 1/2 | 225        | 2 + 1/2 |
|           | 6.5               | 360            | 4       | 300    | 3 + 1/2 | 240        | 3       |
|           | 7                 | 375            | 4 + 1/2 | 315    | 3 + 1/2 | 250        | 3       |
|           | 7.5               | 395            | 4 + 1/2 | 330    | 4       | 265        | 3       |
|           | 8                 | 415            | 5       | 345    | 4       | 275        | 3       |
|           | 8.5               | 435            | 5       | 360    | 4       | 290        | 3 + 1/2 |
|           | 9                 | 450            | 5 + 1/2 | 375    | 4 + 1/2 | 300        | 3 + 1/2 |
|           | 9.5               | 470            | 5 + 1/2 | 390    | 4 + 1/2 | 310        | 3 + 1/2 |
|           | 10                | 485            | 5 + 1/2 | 405    | 5       | 325        | 4       |

As soon as the first signs of the disease appear, Skin & Coat should be fed for a 2 month-period, to obtain visible results, even though improvement may be noticed as early as 2 weeks after switching diet. The cat's diet should be changed following classical food transition. Nutritional management with Skin & Coat may continue until the cat is 7 years old, under veterinary supervision.

**[S/O INDEX]** This diet is formulated to promote a healthy urinary environment.

DERMATOSIS AND HAIR LOSS

RECOMMENDED FOR YOUNG\* AND ADULT NEUTERED CATS WITH SENSITIVE SKIN, UP TO 7 YEARS OF AGE

- Feline Atopic Dermatitis
- Skin and coat support in case of other dermatitis\*\* such as:
  - Flea Allergic Dermatitis
  - Skin infections or external parasites

\*Post neutering (over 6 months of age)  
\*\*In association with medical treatment (such as antiparasitic or antibiotic medications) if needed

**SKIN BARRIER**  
Formulated to support the skin's natural protective barrier for optimal skin health.

**SKIN & COAT**  
Contains specific key nutrients, including EPA and DHA, to help support healthy skin and a shiny coat in cats with sensitive skin.

**ANTIOXIDANT COMPLEX**  
A synergistic complex of antioxidants to help neutralise free radicals.

KEY VALUES

|                     | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 856.05g      | 78.5g           |
| Protein             | 106.87g      | 9.8g            |
| Crude Fat           | 47.98g       | 4.4g            |
| Crude Fibre         | 14.18g       | 1.3g            |
| Ash                 | 18.54g       | 1.7g            |
| NFE                 | 46.89g       | 4.3g            |
| Total Dietary Fibre | 19.63g       | 1.8g            |
| Omega-6 fatty acids | 15.27g       | 1.4g            |
| Omega-3 fatty acids | 2.51g        | 0.23g           |
| EPA + DHA           | 1.31g        | 0.12g           |
| Zinc                | 43.62mg      | 4mg             |
| Taurine             | 1.31g        | 0.12g           |
| Vitamin A           | 15267.18 IU  | 1400 IU         |
| Vitamin C           | 49.07mg      | 4.5mg           |
| Calcium             | 2.94g        | 0.27g           |
| Phosphorus          | 2.40g        | 0.22g           |
| Sodium              | 1.64g        | 0.15g           |
| Magnesium           | 0.22g        | 0.02g           |

CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |      |
|----------------------------------|------|
| Energy_NRC 2006 (CF) (kcal/100g) | 91.7 |
|----------------------------------|------|

COMPOSITION

Meat and animal derivatives, cereals, fish and fish derivatives, oils and fats, derivatives of vegetable origin, vegetable protein extracts, minerals, yeasts.

ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin D3: 320 IU, Iron [3b103]: 9mg, Iodine [3b202]: 0.4mg, Copper [3b405, 3b406]: 3.2mg, Manganese [3b502, 3b503, 3b504]: 2.6mg, Zinc [3b603, 3b605, 3b606]: 26mg - Technological additives: Clinoptilolite of sedimentary origin: 0.2g

\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

RENAL + HYPOALLERGENIC



Available in 2 kg bags

RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT CAT | CAT'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           | 2                 | 37             | 31     | 25         |
|           | 2.5               | 43             | 36     | 29         |
|           | 3                 | 50             | 41     | 33         |
|           | 3.5               | 55             | 46     | 37         |
|           | 4                 | 61             | 51     | 41         |
|           | 4.5               | 66             | 55     | 44         |
|           | 5                 | 71             | 59     | 47         |
|           | 5.5               | 76             | 64     | 51         |
|           | 6                 | 81             | 68     | 54         |
|           | 6.5               | 86             | 72     | 57         |
|           | 7                 | 90             | 75     | 60         |
|           | 7.5               | 95             | 79     | 63         |
|           | 8                 | 99             | 83     | 66         |
|           | 8.5               | 104            | 87     | 69         |
|           | 9                 | 108            | 90     | 72         |
|           | 9.5               | 112            | 94     | 75         |
|           | 10                | 117            | 97     | 78         |

ROYAL CANIN® RENAL + HYPOALLERGENIC dry is a complete dietetic feed for cats formulated for the support of renal function in the case of chronic renal insufficiency and for the reduction of ingredient and nutrient intolerances. Restricted level of phosphorus. Hydrolysed protein sources and selected carbohydrate sources.

Renal diets are recommended as soon as creatinine goes out of reference range (from IRIS stage 2), before the disease further progresses, and before inappetence develops. When a food allergy or a food intolerance is suspected, the cat's diet should be changed following classical transition. RENAL + HYPOALLERGENIC diet may be continued for the cat's lifetime. Some mineral disturbances (eg. hypokalaemia) may require additional treatment. It is recommended that a veterinarian's opinion be sought before use and before extending the period of use.

It is recommended to divide the daily intake into several meals. Fresh water should be available at all times.

RECOMMENDED FOR CASES OF Renal disease

- Azotaemic Chronic Kidney Disease (IRIS stages 2 to 4)
- Chronic Kidney Disease with proteinuria (IRIS stages 1 to 4)

Dermatological/GI conditions:

- Adverse Food Reactions (AFR)
- Atopic dermatitis
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)

Other:

- Management of calcium oxalate urolith recurrence in cats with impaired renal function
- Management of recurrence of urolithiasis requiring urine alkalinisation: urate & cystine uroliths

NOT RECOMMENDED FOR CASES OF

- Growth, gestation/lactation

**RENAL SUPPORT**  
Formulated with low phosphorus and moderate protein of high quality to support renal function.

**ADAPTED ENERGY**  
Adapted energy content to reduce meal volume and help compensate for a decreased appetite.

**HYDROLYSED PROTEIN**  
Hydrolysed protein with low molecular weight to ensure the food is hypoallergenic.

**SKIN BARRIER**  
Formulated to support the skin's natural protective barrier for optimal skin health.

KEY VALUES

|                    | Per 1000Kcal | Per 100g as fed |
|--------------------|--------------|-----------------|
| Moisture           | 13.41 g      | 5.5 g           |
| Protein            | 63.38 g      | 26 g            |
| Fat content        | 48.76 g      | 20 g            |
| Crude Fibre        | 10 g         | 4.1 g           |
| Ash                | 13.9 g       | 5.7 g           |
| Carbohydrate (NFE) | 94.34 g      | 38.7 g          |
| Dietary Fibre      | 23.16 g      | 9.5 g           |
| Omega-6            | 12.8 g       | 5.25 g          |
| Omega-3            | 2.61 g       | 1.07 g          |
| EPA + DHA          | 1 g          | 0.41 g          |
| Calcium            | 1.46 g       | 0.6 g           |
| Phosphorus         | 1 g          | 0.41 g          |
| Sodium             | 0.85 g       | 0.35 g          |
| Chloride           | 1.95 g       | 0.8 g           |
| Potassium          | 2.19 g       | 0.9 g           |
| Magnesium          | 0.12 g       | 0.05 g          |
| Zinc               | 41.44 mg     | 17 mg           |
| Vitamin D          | 195.03       | 80 IU           |
| Vitamin A          | 9019.99      | 3700 IU         |

Metabolisable energy\* 410.2 Kcal

\*Calculated according to NRC 2006 CF. Essential Fatty Acids: Linoleic Acid (5.06%), Arachidonic Acid (0.07%).

COMPOSITION

Rice flour, hydrolysed soya protein isolate, animal fats, rice, chicory pulp, hydrolysed poultry liver, vegetable fibres, minerals, soya oil, fish oil, fructo-oligosaccharides, borage oil, marigold meal.

Carbohydrate sources: rice flour (32.0%), rice (7.7%). Protein sources: hydrolysed soya protein isolate (23.2%), hydrolysed poultry liver (4.4%).

ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 31000 IU, Vitamin D3: 800 IU, Iron [3b103]: 39 mg, Iodine [3b201, 3b202]: 3.5 mg, Copper [3b405, 3b406]: 15 mg, Manganese [3b502, 3b504]: 52 mg, Zinc [3b603, 3b605, 3b606]: 152 mg, Selenium [3b801, 3b811, 3b812]: 0.25 mg - Technological additives: Clinoptilolite of sedimentary origin: 5 g - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.





## URINARY S/O + HYPOALLERGENIC



Available in 2 kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT CAT | CAT'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           |                   |                |        |            |
|           | 2                 | 40             | 34     | 27         |
|           | 2.5               | 47             | 39     | 32         |
|           | 3                 | 54             | 45     | 36         |
|           | 3.5               | 60             | 50     | 40         |
|           | 4                 | 66             | 55     | 44         |
|           | 4.5               | 72             | 60     | 48         |
|           | 5                 | 77             | 65     | 52         |
|           | 5.5               | 83             | 69     | 55         |
|           | 6                 | 88             | 74     | 59         |
|           | 6.5               | 93             | 78     | 62         |
|           | 7                 | 98             | 82     | 66         |
|           | 7.5               | 103            | 86     | 69         |
|           | 8                 | 108            | 90     | 72         |
|           | 8.5               | 113            | 94     | 75         |
|           | 9                 | 118            | 98     | 78         |
|           | 9.5               | 122            | 102    | 81         |
|           | 10                | 127            | 106    | 84         |

ROYAL CANIN® URINARY S/O + HYPOALLERGENIC dry is a complete dietetic feed for cats formulated for the dissolution of struvite stones, the reduction of struvite stone recurrence, and for the reduction of ingredient and nutrient intolerances. Urine undersaturating or metastabilising properties for struvite and/or Urine acidifying properties. Hydrolysed protein sources and selected carbohydrate sources.

**RECOMMENDATIONS:** It is recommended that advice from a veterinarian be sought before use and before extending the period of use. Feed URINARY S/O + HYPOALLERGENIC dry for 5 to 12 weeks for the dissolution of struvite stones, initially up to 6 months for the reduction of struvite stone recurrence, and 3 to 8 weeks for the reduction of ingredient and nutrient intolerances: if signs of intolerance disappear this feed can be used initially up to one year.

**[S/O INDEX]** This diet is formulated to promote a healthy urinary environment.

### RECOMMENDED FOR CASES OF

#### Urinary disorders:

- Struvite uroliths: dissolution and management of recurrence
- Calcium oxalate uroliths: management of recurrence

+

#### Dermatological/GI conditions:

- Adverse Food Reactions (AFR)
- Feline Atopic Skin Syndrome (FASS)
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)

### NOT RECOMMENDED FOR CASES OF

- Chronic Kidney Disease (CKD)
- Concurrent use of urine-acidifying medications
- Growth, gestation/lactation
- Cardiac disease (when sodium restriction is required) / Heart failure



#### URINE DILUTION

Urine dilution makes the urine less liable to form crystals.



#### LOW RSS

A low concentration of ions helps the dissolution and limits the formation of common urinary stones.



#### HYDROLYSED PROTEIN

Hydrolysed protein with low molecular weight to ensure the food is hypoallergenic.



#### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

### KEY VALUES

|                       | Per 1000Kcal | Per 100g as fed |
|-----------------------|--------------|-----------------|
| Moisture              | 14.58 g      | 5.5 g           |
| Protein               | 71.58 g      | 27 g            |
| Fat content           | 42.42 g      | 16 g            |
| Crude Fibre           | 14.32 g      | 5.4 g           |
| Ash                   | 22.8 g       | 8.6 g           |
| Carbohydrate (NFE)    | 99.42 g      | 37.5 g          |
| Dietary Fibre         | 26.51 g      | 10 g            |
| Omega-6               | 11.72 g      | 4.42 g          |
| Omega-3               | 2.52 g       | 0.95 g          |
| EPA + DHA             | 1.03 g       | 0.39 g          |
| Calcium               | 1.86 g       | 0.7 g           |
| Phosphorus            | 1.64 g       | 0.62 g          |
| Potassium             | 2.12 g       | 0.8 g           |
| Sodium                | 3.45 g       | 1.3 g           |
| Chloride              | 5.04 g       | 1.9 g           |
| Magnesium             | 0.11 g       | 0.04 g          |
| Copper                | 3.98 mg      | 1.5 mg          |
| Metabolisable energy* |              | 377.2 Kcal      |

\*Calculated according to NRC 2006 CF.

Essential fatty acids (Linoleic acid: 4.26%, Arachidonic acid: 0.05%). Sulphur 0.9%.

### COMPOSITION


Rice flour, hydrolysed soya protein isolate, animal fats, vegetable fibres, rice, minerals, hydrolysed poultry liver, chicory pulp, soya oil, fish oil, fructo-oligosaccharides, borage oil, marigold meal.

Protein sources: hydrolysed soya protein isolate (24.8%), hydrolysed poultry liver (3.5%). Carbohydrate sources: rice flour (33.5%), rice (6.4%).

### ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 30000 IU, Vitamin D3: 800 IU, Iron (3b103): 39 mg, Iodine (3b201, 3b202): 3.5 mg, Copper (3b405, 3b406): 15 mg, Manganese (3b502, 3b504): 52 mg, Zinc (3b603, 3b605, 3b606): 153 mg, Selenium (3b801, 3b811, 3b812): 0.25 mg - Technological additives: Clinoptilolite of sedimentary origin: 5 g, Sodium bisulphate: 5 g - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



## GASTROINTESTINAL HYDROLYSED PROTEIN



Available in 400 g, 2 and 4 kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT CAT | CAT'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           | 2                 | 38             | 31     | 25         |
|           | 2.5               | 44             | 37     | 29         |
|           | 3                 | 50             | 42     | 34         |
|           | 3.5               | 56             | 47     | 37         |
|           | 4                 | 62             | 52     | 41         |
|           | 4.5               | 67             | 56     | 45         |
|           | 5                 | 72             | 60     | 48         |
|           | 5.5               | 77             | 65     | 52         |
|           | 6                 | 82             | 69     | 55         |
|           | 6.5               | 87             | 73     | 58         |
|           | 7                 | 92             | 77     | 61         |
|           | 7.5               | 97             | 81     | 64         |
|           | 8                 | 101            | 84     | 67         |
|           | 8.5               | 105            | 88     | 70         |
|           | 9                 | 110            | 92     | 73         |
|           | 9.5               | 114            | 95     | 76         |
|           | 10                | 118            | 99     | 79         |

ROYAL CANIN® GASTROINTESTINAL HYDROLYSED PROTEIN dry is a complete dietetic feed for cats, formulated for the compensation for maldigestion and the reduction of ingredient and nutrient intolerances. A highly digestible feed with hydrolysed protein sources and selected carbohydrate sources.

**RECOMMENDATIONS:** It is recommended that a veterinarian's opinion be sought before use and before extending the period of use.

Feed GASTROINTESTINAL HYDROLYSED PROTEIN dry initially up to 12 weeks for compensation of maldigestion and lifetime in the case of chronic pancreatic insufficiency, and 3 to 8 weeks for reduction of ingredient and nutrient intolerances (initially up to one year if signs of intolerance disappear).

**[S/O INDEX]** This diet is formulated to promote a healthy urinary environment.



### RECOMMENDED FOR CASES OF

- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Adverse Food Reactions (AFR) with gastrointestinal and/or dermatological signs
- AFR - food elimination trial
- Acute and chronic diarrhoea
- Maldigestion/ Malabsorption
- Dysorexia, re-feeding after surgery
- Acute hepatopathy/hepatic lipidosis without hepatic encephalopathy

### NOT RECOMMENDED FOR CASES OF

- Lymphangiectasia, exudative enteropathy<sup>1</sup>
- Hyperlipidaemia<sup>1</sup>
- Growth, gestation/lactation
- Acute hepatopathy/hepatic lipidosis with hepatic encephalopathy<sup>2</sup>

<sup>1</sup> In these cases the recommended diet is Gastrointestinal Moderate Calorie.

<sup>2</sup> In these cases the recommended diet is Hepatic.



#### HYDROLYSED PROTEIN

Highly digestible hydrolysed (soy) protein, reducing the risk of food sensitivities that may cause recurrent gastrointestinal signs.



#### HIGH ENERGY

A high energy content to reduce meal volume and decrease intestinal load.



#### DIGESTIVE SUPPORT

A highly digestible formula with balanced fibres, including prebiotics, to support healthy digestion and transit.

### KEY VALUES

|                       | Per 1000Kcal | Per 100g as fed |
|-----------------------|--------------|-----------------|
| Moisture              | 13.62 g      | 5.5 g           |
| Protein               | 76.79 g      | 31 g            |
| Fat content           | 49.54 g      | 20 g            |
| Crude Fibre           | 11.64 g      | 4.7 g           |
| Ash                   | 18.83 g      | 7.6 g           |
| Carbohydrate (NFE)    | 77.29 g      | 31.2 g          |
| Dietary Fibre         | 26.01 g      | 10.5 g          |
| Omega-6               | 10.03 g      | 4.05 g          |
| Omega-3               | 2.35 g       | 0.95 g          |
| EPA + DHA             | 0.99 g       | 0.4 g           |
| Calcium               | 1.73 g       | 0.7 g           |
| Phosphorus            | 1.49 g       | 0.6 g           |
| Potassium             | 2.48 g       | 1 g             |
| Sodium                | 1.61 g       | 0.65 g          |
| Chloride              | 2.72 g       | 1.1 g           |
| Magnesium             | 0.12 g       | 0.05 g          |
| Copper                | 5.2 mg       | 2.1 mg          |
| Zinc                  | 44.34 mg     | 17.9 mg         |
| Metabolisable energy* |              | 403.7 Kcal      |

\*Calculated according to NRC 2006 CF.

Essential fatty acids (Linoleic acid: 3.9%, Arachidonic acid: 0.07%).

### COMPOSITION

Hydrolysed soya protein isolate\*\*, rice flour\*\*, animal fats\*\*, vegetable fibres, rice\*\*, hydrolysed poultry protein\*\*, minerals, beet pulp, fish oil\*\*, fructo-oligosaccharides (0.54%), psyllium husks and seeds, yeasts [source of manno-oligosaccharides] (0.19%), marigold meal.

\*\* Highly digestible ingredients (74.3%). Protein sources (31.1%): hydrolysed soya protein isolate, hydrolysed poultry protein. Carbohydrate sources (27.5%): rice.

### ADDITIVES (KG)\*\*




Nutritional additives: Vitamin A: 35688 IU, Vitamin D3: 795 IU, Vitamin E: 673 mg, Vitamin C: 200 mg, Taurine: 2.5 g, Iron (3b103): 41 mg, Iodine (3b201, 3b202): 3.6 mg, Copper (3b405, 3b406): 15 mg, Manganese (3b502, 3b504): 53 mg, Zinc (3b603, 3b605, 3b606): 157 mg, Selenium (3b801, 3b811, 3b812): 0.25 mg - Technological additives: Clinoptilolite of sedimentary origin: 10 g - Antioxidants.

\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.





CATS MIX FEEDING GUIDELINES

|                   |       | MIX: SKIN & COAT DRY<br>+ SKIN & COAT WET   |   |   |
|-------------------|-------|---|---|---|
|                   |       | BODY CONDITION  |   |   |
|                   |       | THIN  | NORMAL  | OVERWEIGHT  |
|                   |       |  |  |  |
| CAT'S WEIGHT (kg) | POUCH | DRY grams   | DRY grams   | DRY grams   |
| 2                 | 1/2 + | 29  | 22  | 16  |
| 3                 | 1+    | 31  | 22  | 13  |
| 4                 | 1+    | 43  | 32  | 21  |
| 5                 | 1+    | 54  | 42  | 29  |
| 6                 | 1+    | 65  | 51  | 36  |
| 7                 | 1+    | 75  | 59  | 43  |
| 8                 | 1+    | 85  | 67  | 49  |
| 9                 | 1+    | 94  | 75  | 55  |
| 10                | 1+    | 103   | 82  | 61  |




CATS GROWING FEEDING GUIDELINES

|                        |       | SKIN & COAT DRY ONLY<br>OR SKIN & COAT WET ONLY<br>OR SKIN & COAT MIX: DRY + WET |           |           |
|------------------------|-------|--|-----------|-----------|
|                        |       | ADULT WEIGHT   |           |           |
|                        |       | 3kg  | 4kg       | 5kg       |
|                        |       | DRY grams  | DRY grams | DRY grams |
| 6                      |       | 60   | 71        | 84        |
| 7                      |       | 58   | 69        | 81        |
| 8                      |       | 54   | 65        | 77        |
| 9                      |       | 51   | 62        | 73        |
| 10                     |       | 48   | 59        | 69        |
| 11                     |       | 46   | 56        | 66        |
| 12                     |       | 44   | 54        | 64        |
| KITTEN'S AGE IN MONTHS |       | POUCH/DAY  | POUCH/DAY | POUCH/DAY |
| 6                      |       | 3  | 3 + 1/2   | 4         |
| 7                      |       | 2 + 1/2  | 3         | 3 + 1/2   |
| 8                      |       | 2 + 1/2  | 3         | 3 + 1/2   |
| 9                      |       | 2 + 1/2  | 3         | 3 + 1/2   |
| 10                     |       | 2  | 2 + 1/2   | 3         |
| 11                     |       | 2  | 2 + 1/2   | 3         |
| 12                     |       | 2  | 2 + 1/2   | 3         |
| KITTEN'S AGE IN MONTHS | POUCH | DRY grams  | DRY grams | DRY grams |
| 6                      | 1+    | 39   | 50        | 63        |
| 7                      | 1+    | 36   | 47        | 59        |
| 8                      | 1+    | 33   | 44        | 55        |
| 9                      | 1+    | 29   | 40        | 51        |
| 10                     | 1+    | 26   | 37        | 47        |
| 11                     | 1+    | 24   | 34        | 44        |
| 12                     | 1+    | 22   | 32        | 42        |



# CANINE NUTRITIONAL MANAGEMENT DECISION TREE



**NEW**

TREATS COMPATIBLE WITH  
HYPOALLERGENIC DIETS



**EXTENSIVELY  
HYDROLYSED\***



**HYDROLYSED\***



\* Hydrolysis level for the  
major protein source







ANALLERGENIC

## NUTRIENT INTOLERANCE

### RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Inflammatory Bowel Disease (IBD)

### NOT RECOMMENDED IN CASE OF

- Pancreatitis
- Growth, gestation/lactation



### EXTENSIVELY HYDROLYSED PROTEIN

Extensively hydrolysed protein composed of oligopeptides and pure amino acids from single source helps minimise the risk of nutrient intolerances.



### ALLERGEN RESTRICTION

A manufacturing process aimed at minimising sources of contamination.



### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 21.70g       | 8.5g            |
| Protein             | 45.95g       | 18g             |
| Crude Fat           | 42.12g       | 16.5g           |
| Crude Fibre         | 5.11g        | 2g              |
| Ash                 | 15.83g       | 6.2g            |
| NFE                 | 123g         | 48.3g           |
| Total Dietary Fibre | 15.32g       | 6g              |
| Omega-6 fatty acids | 7.28g        | 2.85g           |
| Omega-3 fatty acids | 1.46g        | 0.57g           |
| EPA + DHA           | 0.61g        | 0.24g           |
| Zinc                | 44.93mg      | 17.6mg          |
| Taurine             | 0.36g        | 0.14g           |
| Vitamin A           | 9829 IU      | 3850 IU         |
| Vitamin C           | 74.04mg      | 29mg            |
| Calcium             | 1.53g        | 0.6g            |
| Phosphorus          | 1.20g        | 0.47g           |
| Sodium              | 1.66g        | 0.65g           |
| Magnesium           | 0.23g        | 0.09g           |

| CALCULATED METABOLISABLE ENERGY (TOTAL) |
|---|
| Energy_NRC 2006 (CF) (kcal/100g)        |
| 391.7                                   |

### COMPOSITION

Maize starch, feather hydrolysate with low molecular weight (source of L-amino acids and oligopeptides), copra oil, soya oil, minerals, vegetable fibres, chicory pulp, fructo-oligosaccharides, fish oil, mono- and diglycerides of palmitic and stearic acids esterified with citric acid, animal fat, marigold meal. Protein source: feather hydrolysate with low molecular weight (19.78%). Carbohydrate source: maize starch (46.3%).

### ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 38500 IU, Vitamin D3: 800 IU, Iron [3b103]: 41mg, Iodine [3b201, 3b202]: 3.5mg, Copper [3b405, 3b406]: 15 mg, Manganese [3b502, 3b504]: 55mg, Zinc [3b603, 3b605, 3b606]: 149mg, Selenium [3b801, 3b811, 3b812]: 0.34mg - Technological additives: Clinoptilolite of sedimentary origin: 9.8g - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



ANALLERGENIC



Available in  
3 and 8g bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT DOG | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           | 2                 | 54             | 47     | 41         |
|           | 4                 | 90             | 79     | 69         |
|           | 6                 | 122            | 108    | 93         |
|           | 8                 | 152            | 134    | 115        |
|           | 10                | 179            | 158    | 136        |
|           | 15                | 243            | 214    | 185        |
|           | 20                | 302            | 266    | 229        |
|           | 25                | 357            | 314    | 271        |
|           | 30                | 409            | 360    | 311        |
|           | 35                | 459            | 404    | 349        |
|           | 40                | 508            | 447    | 386        |
|           | 45                | 554            | 488    | 421        |
|           | 50                | 600            | 528    | 456        |
|           | 55                | 645            | 567    | 490        |
|           | 60                | 688            | 605    | 523        |
|           | 70                | 772            | 680    | 587        |
|           | 80                | 854            | 751    | 649        |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Anallergenic may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

## NUTRIENT INTOLERANCE

### RECOMMENDED FOR ADULT SMALL BREED DOGS (≤10KG) FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Inflammatory Bowel Disease (IBD)

### NOT RECOMMENDED IN CASE OF

- Pancreatitis
- Growth, gestation/lactation



### ALLERGEN RESTRICTION & OLIGOPEPTIDES

Extensively hydrolysed protein, composed of oligopeptides and pure amino acids from a single source helps minimise the risk of nutrient intolerances. A manufacturing process aimed at minimising sources of contamination.



### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.



### SPECIFICALLY FORMULATED FOR SMALL DOGS

Specially adapted formula to meet the digestive and dental sensitivities of small dogs. The kibble is suitable for their small jaws.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 16.67g       | 6.5g            |
| Protein             | 51.28g       | 20g             |
| Crude Fat           | 38.46g       | 15g             |
| Crude Fibre         | 4.87g        | 1.9g            |
| Ash                 | 18.46g       | 7.2g            |
| NFE                 | 127g         | 49.4g           |
| Total Dietary Fibre | 14.36g       | 5.6g            |
| Omega-6 fatty acids | 7.51g        | 2.93g           |
| Omega-3 fatty acids | 1.26g        | 0.49g           |
| EPA + DHA           | 0.41g        | 0.16g           |
| Zinc                | 43.59mg      | 17.0mg          |
| Taurine             | 0.38g        | 0.15g           |
| Vitamin A           | 7821 IU      | 3050 IU         |
| Vitamin C           | 79.49mg      | 31mg            |
| Calcium             | 2.13g        | 0.83g           |
| Phosphorus          | 1.51g        | 0.59g           |
| Sodium              | 2.41g        | 0.94g           |
| Magnesium           | 0.28g        | 0.11g           |

### CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |
|----------------------------------|
| Energy_NRC 2006 (CF) (kcal/100g) |
| 390                              |

### COMPOSITION

Maize starch, feather hydrolysate with low molecular weight (source of L-amino acids and oligopeptides), coconut oil, minerals, soya oil, vegetable fibres, fructo-oligosaccharides, chicory pulp, mono- and diglycerides of palmitic and stearic acids esterified with citric acid, fish oil, animal fat, marigold meal. Protein source: feather hydrolysate with low molecular weight (22.3%). Carbohydrate source: maize starch (46%).

### ADDITIVES (KG)\*

Nutritional additives: Vitamin A 30500 IU, Vitamin D3 1000 IU, Iron [3b103] 42mg, Iodine [3b201, 3b202] 3.3mg, Copper [3b405, 3b406] 15mg, Manganese [3b502, 3b504] 56mg, Zinc [3b603, 3b605, 3b606] 152mg, Selenium [3b801, 3b811, 3b812] 0.34mg - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



ANALLERGENIC

SMALL DOGS



Available in  
1.5 and 3kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT DOG | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           | 2                 | 54             | 47     | 41         |
|           | 2.5               | 64             | 56     | 48         |
|           | 3                 | 73             | 64     | 56         |
|           | 3.5               | 82             | 72     | 62         |
|           | 4                 | 91             | 80     | 69         |
|           | 4.5               | 99             | 87     | 75         |
|           | 5                 | 107            | 94     | 81         |
|           | 5.5               | 115            | 101    | 87         |
|           | 6                 | 123            | 108    | 93         |
|           | 6.5               | 130            | 115    | 99         |
|           | 7                 | 138            | 121    | 105        |
|           | 7.5               | 148            | 130    | 113        |
|           | 8                 | 152            | 134    | 116        |
|           | 8.5               | 160            | 140    | 121        |
|           | 9                 | 167            | 147    | 127        |
|           | 9.5               | 173            | 153    | 132        |
|           | 10                | 180            | 159    | 137        |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Anallergenic Small Dogs may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.



ANALLERGENIC

SMALL DOGS





HYPOALLERGENIC

MODERATE CALORIE

# HYPOALLERGENIC

## MODERATE CALORIE



Available in  
1.5, 7 and  
14kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |            |
|-----------|-------------------|----------------|------------|
|           |                   | NORMAL         | OVERWEIGHT |
|           |                   | grams          | grams      |
| ADULT DOG | 2                 | 43             | 36         |
|           | 4                 | 72             | 61         |
|           | 6                 | 98             | 82         |
|           | 8                 | 121            | 102        |
|           | 10                | 144            | 121        |
|           | 15                | 195            | 164        |
|           | 20                | 241            | 203        |
|           | 25                | 285            | 240        |
|           | 30                | 327            | 276        |
|           | 35                | 367            | 309        |
|           | 40                | 406            | 342        |
|           | 45                | 443            | 373        |
|           | 50                | 480            | 404        |
|           | 55                | 515            | 434        |
|           | 60                | 550            | 463        |
|           | 70                | 618            | 520        |
|           | 80                | 683            | 575        |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Hypoallergenic Moderate Calorie may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

## NUTRIENT INTOLERANCE

### RECOMMENDED FOR DOGS WITH TENDENCY TO BE OVERWEIGHT IN CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Small intestinal bacterial overgrowth (SIBO)

### NOT RECOMMENDED IN CASE OF

- Acute pancreatitis\*
- Gestation/lactation/growth



### HYDROLYSED PROTEIN

Hydrolysed protein with a low molecular weight for very low allergenicity.



### MODERATE CALORIE AND PHOSPHORUS

Moderate calorie content to help maintain ideal weight and moderate phosphorus intake to help support healthy kidney function.



### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

### KEY VALUES

|                     | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 25.52g       | 9.5g            |
| Protein             | 61.79g       | 23g             |
| Crude Fat           | 32.24g       | 12g             |
| Crude Fibre         | 2.96g        | 1.1g            |
| Ash                 | 18.81g       | 7g              |
| NFE                 | 127.35g      | 47.4g           |
| Total Dietary Fibre | 13.97g       | 5.2g            |
| Omega-6 fatty acids | 9g           | 3.35g           |
| Omega-3 fatty acids | 1.91g        | 0.71g           |
| EPA + DHA           | 0.81g        | 0.3g            |
| Zinc                | 47.82mg      | 17.8mg          |
| Taurine             | 0.54g        | 0.2g            |
| Vitamin A           | 10343.90 IU  | 3850 IU         |
| Vitamin C           | 80.60mg      | 30mg            |
| Calcium             | 2.20g        | 0.82g           |
| Phosphorus          | 1.61g        | 0.6g            |
| Sodium              | 1.07g        | 0.4g            |
| Magnesium           | 0.21g        | 0.08g           |

### CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) [kcal/100g] | 372.2 |
|----------------------------------|-------|

### COMPOSITION

Rice flour, hydrolysed soya protein isolate, rice, animal fats, hydrolysed poultry liver, minerals, beet pulp, soya oil, fish oil, fructo-oligosaccharides, borage oil, marigold meal. Protein sources: hydrolysed soya protein isolate (19.3%), hydrolysed poultry liver (5%). Carbohydrate sources: rice flour (45.0%), rice (8.6%).

### ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 33000 IU, Vitamin D3: 800 IU, Iron [3b103]: 41mg, Iodine [3b201, 3b202]: 3.7mg, Copper [3b405, 3b406]: 15mg, Manganese [3b502, 3b504]: 54mg, Zinc [3b603, 3b605, 3b606]: 160mg, Selenium [3b801, 3b811, 3b812]: 0.26mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



# HYPOALLERGENIC PUPPY



Available in  
1.5, 3.5 and  
14kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| PUPPY'S AGE (MONTHS) | ADULT WEIGHT |         |         |         |         |
|----------------------|--------------|---------|---------|---------|---------|
|                      | 5KG          | 10KG    | 20KG    | 30KG    | 40KG    |
| 6 - 7                | 101-91       | 187-169 | 316-294 | 428-429 | 531-532 |
| 8 - 9                | 80           | 152-135 | 274-251 | 399-372 | 499-467 |
| 10 - 11              | 79           | 134-133 | 228-225 | 338-307 | 435-408 |
| 12 - 13              | -            | -       | 223     | 305-304 | 383-380 |
| 14 - 15              | -            | -       | -       | 303     | 376     |

When a food allergy or a food intolerance is suspected, the puppy's diet should be changed following classical transition. Nutritional management with Hypoallergenic Puppy can be continued until the end of the growth period, under veterinary supervision. It is recommended to divide the daily intake into several meals.

## NUTRIENT INTOLERANCE

### RECOMMENDED FOR PUPPIES OVER 6 MONTHS OF AGE, WITH AN EXPECTED ADULT WEIGHT GREATER THAN 4KG IN CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - management during growth
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Small intestinal bacterial overgrowth (SIBO)

### NOT RECOMMENDED IN CASE OF

- Pancreatitis
- Gestation and lactation
- Puppies less than 6 months of age
- Puppies with an expected adult weight <4kg



### HYDROLYSED PROTEIN

Hydrolysed protein with a low molecular weight for very low allergenicity.



### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.



### OPTIMAL GROWTH

Specially adapted levels of nutrients (including protein and calcium) to meet the nutritional needs of growing puppies and satisfy their fussy appetites.

### KEY VALUES

|                     | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 23.63g       | 9.5g            |
| Protein             | 57.20g       | 23g             |
| Crude Fat           | 47.25g       | 19g             |
| Crude Fibre         | 2.49g        | 1g              |
| Ash                 | 20.14g       | 8.1g            |
| NFE                 | 97.99g       | 39.4g           |
| Total Dietary Fibre | 13.93g       | 5.6g            |
| Omega-6 fatty acids | 10.77g       | 4.33g           |
| Omega-3 fatty acids | 2.14g        | 0.86g           |
| EPA + DHA           | 0.82g        | 0.33g           |
| Zinc                | 42.03mg      | 16.9mg          |
| Calcium             | 3.26g        | 1.31g           |
| Phosphorus          | 2.51g        | 1.01g           |
| Vitamin C           | 98.23mg      | 39.5mg          |
| Taurine             | 1.19g        | 0.48g           |
| Vitamin D           | 198.96 UI    | 80 UI           |
| Magnesium           | 0.15g        | 0.06g           |
| Sodium              | 0.99g        | 0.4g            |

### CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) [kcal/100g] | 402.1 |
|----------------------------------|-------|

### COMPOSITION

Rice flour, hydrolysed soya protein isolate, animal fats, rice, minerals, hydrolysed poultry liver, beet pulp, soya oil, fructo-oligosaccharides, fish oil, borage oil, marigold meal. Protein sources: hydrolysed soya protein isolate (20.1%), hydrolysed poultry liver (5.0%). Carbohydrate sources: rice (42.7%).

### ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 34500 IU, Vitamin D3: 800 IU, Iron [3b103]: 39mg, Iodine [3b201, 3b202]: 3.5mg, Copper [3b405, 3b406]: 15 mg, Manganese [3b502, 3b504]: 52mg, Zinc [3b603, 3b605, 3b606]: 153mg, Selenium [3b801, 3b811, 3b812]: 0.25mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



HYPOALLERGENIC PUPPY

## HYPOALLERGENIC

SMALL DOGS

Available in  
1 and 3.5kg bags

## RECOMMENDED DAILY INTAKE &amp; FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
| ADULT DOG | 2                 | 54             | 48     | 41         |
|           | 2.5               | 64             | 56     | 49         |
|           | 3                 | 73             | 65     | 56         |
|           | 3.5               | 82             | 72     | 63         |
|           | 4                 | 91             | 80     | 69         |
|           | 5                 | 108            | 95     | 82         |
|           | 6                 | 123            | 109    | 94         |
|           | 7                 | 138            | 122    | 105        |
|           | 8                 | 153            | 135    | 116        |
|           | 9                 | 167            | 147    | 127        |
|           | 10                | 181            | 159    | 137        |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Hypoallergenic Small Dogs may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

**[S/O INDEX]** This diet is formulated to promote a healthy urinary environment.

## NUTRIENT INTOLERANCE

## RECOMMENDED FOR ADULT SMALL BREED DOGS (&lt; 10KG) IN CASE OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Small intestinal bacterial overgrowth (SIBO)

## NOT RECOMMENDED IN CASE OF

- Pancreatitis
- Gestation/lactation/growth



## HYDROLYSED PROTEIN

Hydrolysed protein with a low molecular weight for very low allergenicity.



## SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.



## SPECIFICALLY FORMULATED FOR SMALL DOGS

Specially adapted formula to meet the digestive, dental and urinary sensitivities of small dogs. The kibble is suitable for their small jaws.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 24.45g       | 9.5g            |
| Protein             | 61.76g       | 24g             |
| Crude Fat           | 41.17g       | 16g             |
| Crude Fibre         | 1.80g        | 0.7g            |
| Ash                 | 22.13g       | 8.6g            |
| NFE                 | 106.02g      | 41.2g           |
| Total Dietary Fibre | 11.32g       | 4.4g            |
| Omega-6 fatty acids | 10.14g       | 3.94g           |
| Omega-3 fatty acids | 2.06 g       | 0.8g            |
| EPA + DHA           | 0.82 g       | 0.32g           |
| Zinc                | 44.78mg      | 17.4mg          |
| Taurine             | 0.51g        | 0.2g            |
| Vitamin A           | 9650.03 IU   | 3750 IU         |
| Vitamin C           | 70.77mg      | 27.5mg          |
| Calcium             | 2.08g        | 0.81g           |
| Phosphorus          | 1.57g        | 0.61g           |
| Sodium              | 2.57g        | 1g              |
| Magnesium           | 0.21g        | 0.08g           |

## CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) [kcal/100g] | 388.6 |
|----------------------------------|-------|

## COMPOSITION

Rice flour, hydrolysed soya protein isolate, animal fats, rice, minerals, hydrolysed poultry liver, beet pulp, soya oil, fructo-oligosaccharides, fish oil, borage oil, marigold meal. Protein sources: hydrolysed soya protein isolate (21.5%), hydrolysed poultry liver (5%). Carbohydrate sources: rice flour (37.7%), rice (9.1%).

## ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 33000 IU, Vitamin D3: 800 IU, Iron (3b103): 40mg, Iodine (3b201, 3b202): 3.6mg, Copper (3b405, 3b406): 15 mg, Manganese (3b502, 3b504): 53 mg, Zinc (3b603, 3b605, 3b606): 157mg, Selenium (3b801, 3b811, 3b812): 0.25mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



## HYPOALLERGENIC

Available in  
2, 7 and  
14kg bags

## RECOMMENDED DAILY INTAKE &amp; FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
| ADULT DOG | 2                 | 52             | 45     | 39         |
|           | 4                 | 87             | 76     | 66         |
|           | 6                 | 118            | 103    | 89         |
|           | 8                 | 146            | 128    | 111        |
|           | 10                | 172            | 152    | 131        |
|           | 15                | 234            | 206    | 178        |
|           | 20                | 290            | 255    | 220        |
|           | 25                | 343            | 302    | 261        |
|           | 30                | 393            | 346    | 299        |
|           | 35                | 441            | 388    | 335        |
|           | 40                | 488            | 429    | 371        |
|           | 45                | 533            | 469    | 405        |
|           | 50                | 577            | 508    | 438        |
|           | 55                | 620            | 545    | 471        |
|           | 60                | 661            | 582    | 503        |
|           | 70                | 742            | 653    | 564        |
|           | 80                | 821            | 722    | 624        |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Hypoallergenic may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

## NUTRIENT INTOLERANCE

## RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Small intestinal bacterial overgrowth (SIBO)

## NOT RECOMMENDED IN CASE OF

- Pancreatitis
- Gestation/lactation



## HYDROLYSED PROTEIN

Hydrolysed protein with a low molecular weight for very low allergenicity.



## EPA/DHA &amp; SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



## DIGESTIVE HEALTH

Helps regulate intestinal transit and supports a balanced digestive flora.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 23.31g       | 9.5g            |
| Protein             | 51.53g       | 21g             |
| Crude Fat           | 46.63g       | 19g             |
| Crude Fibre         | 2.70g        | 1.1g            |
| Ash                 | 15.21g       | 6.2g            |
| NFE                 | 106.01g      | 43.2g           |
| Total Dietary Fibre | 13.74g       | 5.6g            |
| Omega-6 fatty acids | 10.70g       | 4.36g           |
| Omega-3 fatty acids | 2.11g        | 0.86g           |
| EPA + DHA           | 0.81g        | 0.33g           |
| Zinc                | 41.72mg      | 17mg            |
| Taurine             | 0.47g        | 0.19g           |
| Vitamin A           | 9079.75 IU   | 3700 IU         |
| Vitamin C           | 71.17mg      | 29mg            |
| Calcium             | 1.96g        | 0.8g            |
| Phosphorus          | 1.47g        | 0.6g            |
| Sodium              | 0.98g        | 0.4g            |
| Magnesium           | 0.22g        | 0.09g           |

## CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) [kcal/100g] | 407.5 |
|----------------------------------|-------|

## COMPOSITION

Rice flour, hydrolysed soya protein isolate, animal fats, rice, hydrolysed poultry liver, beet pulp, minerals, soya oil, fructo-oligosaccharides, fish oil, borage oil, marigold meal. Protein sources: hydrolysed soya protein isolate (17.6%), hydrolysed poultry liver (5.0%). Carbohydrate sources: rice (48.1%).

## ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 32500 IU, Vitamin D3: 800 IU, Iron (3b103): 40mg, Iodine (3b201, 3b202): 3.6mg, Copper (3b405, 3b406): 15mg, Manganese (3b502, 3b504): 52mg, Zinc (3b603, 3b605, 3b606): 154mg, Selenium (3b801, 3b811, 3b812): 0.25mg - Technological additives: Clinoptilolite of sedimentary origin: 10g - Preservatives - Antioxidants.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



HYPOALLERGENIC



LOAF

Available in  
400g can

RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |         |        |         |            |         |
|-----------|-------------------|----------------|---------|--------|---------|------------|---------|
|           |                   | THIN           |         | NORMAL |         | OVERWEIGHT |         |
|           |                   | grams          | can     | grams  | can     | grams      | can     |
| ADULT DOG | 2                 | 217            | 2/4     | 191    | 2/4     | 165        | 2/4     |
|           | 4                 | 366            | 1       | 322    | 3/4     | 278        | 3/4     |
|           | 6                 | 496            | 1 + 1/4 | 436    | 1       | 377        | 1       |
|           | 8                 | 615            | 1 + 2/4 | 541    | 1 + 1/4 | 467        | 1 + 1/4 |
|           | 10                | 727            | 1 + 3/4 | 640    | 1 + 2/4 | 552        | 1 + 2/4 |
|           | 15                | 985            | 2 + 2/4 | 867    | 2 + 1/4 | 749        | 1 + 3/4 |
|           | 20                | 1223           | 3       | 1076   | 2 + 3/4 | 929        | 2 + 1/4 |
|           | 25                | 1445           | 3 + 2/4 | 1272   | 3 + 1/4 | 1098       | 2 + 3/4 |
|           | 30                | 1657           | 4 + 1/4 | 1458   | 3 + 3/4 | 1259       | 3 + 1/4 |
|           | 35                | 1860           | 4 + 3/4 | 1637   | 4       | 1414       | 3 + 2/4 |
|           | 40                | 2056           | 5 + 1/4 | 1809   | 4 + 2/4 | 1563       | 4       |
|           | 45                | 2246           | 5 + 2/4 | 1976   | 5       | 1707       | 4 + 1/4 |
|           | 50                | 2431           | 6       | 2139   | 5 + 1/4 | 1847       | 4 + 2/4 |
|           | 55                | 2611           | 6 + 2/4 | 2297   | 5 + 3/4 | 1984       | 5       |
|           | 60                | 2787           | 7       | 2452   | 6 + 1/4 | 2118       | 5 + 1/4 |
|           | 70                | 3128           | 7 + 3/4 | 2753   | 7       | 2378       | 6       |
|           | 80                | 3458           | 8 + 3/4 | 3043   | 7 + 2/4 | 2628       | 6 + 2/4 |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Hypoallergenic may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

NUTRIENT INTOLERANCE

RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - food elimination trial
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Small intestinal bacterial overgrowth (SIBO)

NOT RECOMMENDED IN CASE OF

- Pancreatitis
- Growth, gestation/lactation



HYDROLYSED PROTEIN

Hydrolysed protein with a low molecular weight for very low allergenicity.



SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 824.75g      | 75.3g           |
| Protein             | 76.67g       | 7g              |
| Crude Fat           | 38.34g       | 3.5g            |
| Crude Fibre         | 18.62g       | 1.7g            |
| Ash                 | 26.29g       | 2.4g            |
| NFE                 | 110.62g      | 10.1g           |
| Total Dietary Fibre | 30.67g       | 2.8g            |
| Omega-6 fatty acids | 17.52g       | 1.6g            |
| Omega-3 fatty acids | 1.86g        | 0.17g           |
| EPA + DHA           | 1.31g        | 0.12g           |
| Zinc                | 40.53mg      | 4.5mg           |
| Taurine             | 1.31g        | 0.12g           |
| Vitamin A           | 11172 IU     | 1020 IU         |
| Vitamin C           | 50.38mg      | 3.7mg           |
| Calcium             | 3.72g        | 0.34g           |
| Phosphorus          | 2.74g        | 0.25g           |
| Sodium              | 2.19g        | 0.2g            |
| Magnesium           | 0.22g        | 0.024g          |

CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |      |
|----------------------------------|------|
| Energy_NRC 2006 [CF] (kcal/100g) | 91.3 |
|----------------------------------|------|

COMPOSITION

Derivatives of vegetable origin, vegetable protein extracts, oils and fats, meat and animal derivatives, minerals. Protein sources: hydrolysed soya protein concentrate (6.4%), hydrolysed poultry by-products (2.0%). Carbohydrate source: pea starch (10.0%).

ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 3200 IU, Vitamin D3: 290 IU, Iron (3b103): 11mg, Iodine (3b202): 0.95mg, Copper (3b405, 3b406): 3.9mg, Manganese (3b502, 3b503, 3b504): 13.9mg, Zinc (3b603, 3b605, 3b606): 32mg, Selenium (3b801, 3b811, 3b812): 0.07 mg - Technological additives: Clinoptilolite of sedimentary origin: 2g.

\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

SENSITIVITY CONTROL



Available in  
1.5, 7 and  
14kg bags

RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
| ADULT DOG | 2                 | 63             | 56     | 48         |
|           | 4                 | 107            | 94     | 81         |
|           | 6                 | 145            | 127    | 110        |
|           | 8                 | 179            | 158    | 136        |
|           | 10                | 212            | 187    | 161        |
|           | 15                | 287            | 253    | 218        |
|           | 20                | 357            | 314    | 271        |
|           | 25                | 421            | 371    | 320        |
|           | 30                | 483            | 425    | 367        |
|           | 35                | 542            | 477    | 412        |
|           | 40                | 600            | 528    | 456        |
|           | 45                | 655            | 576    | 498        |
|           | 50                | 709            | 624    | 539        |
|           | 55                | 761            | 670    | 579        |
|           | 60                | 813            | 715    | 618        |
|           | 70                | 912            | 803    | 693        |
|           | 80                | 1008           | 887    | 766        |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Sensitivity Control may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

NUTRIENT INTOLERANCE

RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
  - long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea

NOT RECOMMENDED IN CASE OF

- Acute pancreatitis\*
- Gestation/lactation/growth

\*may be fed in case of chronic pancreatitis



SELECTED PROTEIN

A limited number of protein sources helps limit the risk of nutrient intolerance.



EPA/DHA & SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



DIGESTIVE SECURITY

Formulated with nutrients which support a balanced digestive system.

| KEY VALUES          | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 28.65g       | 9.5g            |
| Protein             | 63.33g       | 21g             |
| Crude Fat           | 27.14g       | 9g              |
| Crude Fibre         | 13.57g       | 4.5g            |
| Ash                 | 23.52g       | 7.8g            |
| NFE                 | 145.36g      | 48.2g           |
| Total Dietary Fibre | 29.55g       | 9.8g            |
| Omega-6 fatty acids | 5.79g        | 1.92g           |
| Omega-3 fatty acids | 2.05g        | 0.68g           |
| EPA + DHA           | 1.06g        | 0.35g           |
| Zinc                | 55.19mg      | 18.3mg          |
| Taurine             | 0.45g        | 0.15g           |
| Vitamin A           | 10705.67 IU  | 3550 IU         |
| Vitamin C           | 75.39mg      | 25mg            |
| Calcium             | 4.19g        | 1.39g           |
| Phosphorus          | 2.71g        | 0.9g            |
| Sodium              | 1.21g        | 0.4g            |
| Magnesium           | 0.21g        | 0.07g           |

CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 [CF] (kcal/100g) | 331.6 |
|----------------------------------|-------|

COMPOSITION

Manioc (tapioca), dehydrated duck protein, vegetable fibres, hydrolysed poultry proteins, minerals, animal fat, beet pulp, fish oil, psyllium husks and seeds, soya oil,fructo-oligosaccharides, marigold meal. Protein sources: dehydrated duck protein (28.0%), hydrolysed poultry proteins (4.2%). Carbohydrate source: tapioca (47.0%).

ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 31000 IU, Vitamin D3: 700 IU, Iron (3b103): 38mg, Iodine (3b201, 3b202): 3.4mg, Copper (3b405, 3b406): 14mg, Manganese (3b502, 3b504): 50mg, Zinc (3b603, 3b605, 3b606): 148mg, Selenium (3b801, 3b811, 3b812): 0.24mg - Preservatives -Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.







## SENSITIVITY CONTROL

## DUCK WITH RICE

Available in  
410g can

## RECOMMENDED DAILY INTAKE &amp; FEEDING DURATION

| ADULT DOG | DOG'S WEIGHT (kg) | BODY CONDITION |         |        |         |            |         |
|-----------|-------------------|----------------|---------|--------|---------|------------|---------|
|           |                   | THIN           |         | NORMAL |         | OVERWEIGHT |         |
|           |                   | grams          | can     | grams  | can     | grams      | can     |
|           | 2                 | 139            | 1/4     | 122    | 1/4     | 105        | 1/4     |
|           | 4                 | 233            | 2/4     | 205    | 2/4     | 177        | 2/4     |
|           | 6                 | 316            | 3/4     | 278    | 3/4     | 240        | 2/4     |
|           | 8                 | 392            | 1       | 345    | 3/4     | 298        | 3/4     |
|           | 10                | 464            | 1       | 408    | 1       | 353        | 3/4     |
|           | 15                | 629            | 1 + 2/4 | 553    | 1 + 1/4 | 478        | 1 + 1/4 |
|           | 20                | 780            | 1 + 3/4 | 687    | 1 + 3/4 | 593        | 1 + 2/4 |
|           | 25                | 922            | 2 + 1/4 | 812    | 2       | 701        | 1 + 3/4 |
|           | 30                | 1058           | 2 + 2/4 | 931    | 2 + 1/4 | 804        | 2       |
|           | 35                | 1187           | 2 + 3/4 | 1045   | 2 + 2/4 | 902        | 2 + 1/4 |
|           | 40                | 1312           | 3       | 1155   | 2 + 3/4 | 997        | 2 + 1/4 |
|           | 45                | 1434           | 3 + 2/4 | 1262   | 3       | 1089       | 2 + 2/4 |
|           | 50                | 1551           | 3 + 3/4 | 1365   | 3 + 1/4 | 1179       | 2 + 3/4 |
|           | 55                | 1666           | 4       | 1466   | 3 + 2/4 | 1266       | 3       |
|           | 60                | 1779           | 4 + 1/4 | 1565   | 3 + 3/4 | 1352       | 3 + 1/4 |
|           | 70                | 1997           | 4 + 3/4 | 1757   | 4 + 1/4 | 1518       | 3 + 2/4 |
|           | 80                | 2207           | 5 + 1/4 | 1942   | 4 + 2/4 | 1677       | 4       |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Sensitivity Control may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.

## NUTRIENT INTOLERANCE

## RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
- long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea

## NOT RECOMMENDED IN CASE OF

- Acute pancreatitis\*
- Gestation/lactation/growth

\*may be fed in case of chronic pancreatitis



## SELECTED PROTEIN

A limited number of protein sources helps limit the risk of nutrient intolerance.



## EPA/DHA &amp; SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



## DIGESTIVE HEALTH

Formulated with nutrients to support a balanced digestive system.

## KEY VALUES

|                     | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 471g         | 67g             |
| Protein             | 63.34g       | 9g              |
| Crude Fat           | 49.26g       | 7g              |
| Crude Fibre         | 7.04g        | 1g              |
| Ash                 | 21.82g       | 3.1g            |
| NFE                 | 90.78g       | 12.9g           |
| Total Dietary Fibre | 10.56g       | 1.5g            |
| Omega-6 fatty acids | 11.26g       | 1.6g            |
| Omega-3 fatty acids | 1.76g        | 0.25g           |
| EPA + DHA           | 1.27g        | 0.18g           |
| Zinc                | 34.48mg      | 4.9mg           |
| Taurine             | 0.70g        | 0.1g            |
| Vitamin A           | 2815 IU      | 400 IU          |
| Vitamin C           | 49.26mg      | 7mg             |
| Calcium             | 3.73g        | 0.53g           |
| Phosphorus          | 2.60g        | 0.37g           |
| Sodium              | 0.91g        | 0.13g           |
| Magnesium           | 0.21g        | 0.03g           |

## CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) (kcal/100g) | 142.1 |
|----------------------------------|-------|

## COMPOSITION

Duck by-products, rice, sunflower oil refined, powder cellulose, fish oil, minerals, fructo-oligosaccharides, marigold meal. Protein source: duck [53%]. Carbohydrate source: rice [15%].

## ADDITIVES (KG)\*\*

Nutritional additives: Vitamin A: 3360 IU, Vitamin D3: 300 IU, Taurine: 1 g, Iron [3b103]: 11 mg, Iodine [3b202]: 0.99 mg, Copper [3b405, 3b406]: 4.1 mg, Manganese [3b502, 3b503, 3b504]: 14.4 mg, Zinc [3b603, 3b605, 3b606]: 33 mg, Selenium [3b801, 3b811, 3b812]: 0.08 mg - Technological additives: Clinoptilolite of sedimentary origin: 2.5 g.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

## NUTRIENT INTOLERANCE

## RECOMMENDED FOR CASES OF

- Adverse Food Reactions (AFR) with dermatologic and/or gastrointestinal signs:
- long term management
- Canine Atopic Dermatitis (CAD) associated with AFR +/- chronic pruritus
- Chronic diarrhoea

## NOT RECOMMENDED IN CASE OF

- Acute pancreatitis\*

\*may be fed in case of chronic pancreatitis



## SELECTED PROTEIN

A limited number of protein sources helps limit the risk of nutrient intolerance.



## EPA/DHA &amp; SKIN BARRIER

Formulated with fatty acids to help maintain healthy skin and digestion. Formulated to support the skin's natural protective barrier.



## DIGESTIVE SECURITY

Formulated with nutrients which support a balanced digestive system.

## KEY VALUES

|                     | Per 1000Kcal | Per 100g as fed |
|---------------------|--------------|-----------------|
| Moisture            | 587.26g      | 71g             |
| Protein             | 78.58g       | 9.5g            |
| Crude Fat           | 49.63g       | 6g              |
| Crude Fibre         | 12.41g       | 1.5g            |
| Ash                 | 19.85g       | 2.4g            |
| NFE                 | 79.40g       | 9.6g            |
| Total Dietary Fibre | 18.2g        | 2.2g            |
| Omega-6 fatty acids | 15.72g       | 1.9g            |
| Omega-3 fatty acids | 2.15g        | 0.26g           |
| EPA + DHA           | 1.32g        | 0.16g           |
| Zinc                | 30.60mg      | 3.7mg           |
| Taurine             | 0.41g        | 0.05g           |
| Vitamin A           | 5509 IU      | 666IU           |
| Vitamin C           | 49.63mg      | 6mg             |
| Calcium             | 3.64g        | 0.44g           |
| Phosphorus          | 2.73g        | 0.33g           |
| Sodium              | 1.41g        | 0.17g           |
| Magnesium           | 0.25g        | 0.03g           |

## CALCULATED METABOLISABLE ENERGY (TOTAL)

|                                  |       |
|----------------------------------|-------|
| Energy_NRC 2006 (CF) (kcal/100g) | 120.9 |
|----------------------------------|-------|

## COMPOSITION

Poultry by-products, rice, powdercellulose, sunflower oil refined, minerals, fish oil, fructo-oligosaccharides, marigold meal. Protein source: chicken [54%]. Carbohydrate source: rice [9.9%].

## ADDITIVES (KG)\*\*

Nutritional additives: Vitamin D3: 140 IU, Iron [3b103]: 7mg, Iodine [3b202]: 0.31mg, Copper [3b405, 3b406]: 2.4mg, Manganese [3b502, 3b503, 3b504]: 2.3mg, Zinc [3b603, 3b605, 3b606]: 23mg - Technological additives: Clinoptilolite of sedimentary origin: 2.5g.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

## SENSITIVITY CONTROL

## CHICKEN WITH RICE



LOAF

Available in  
410g can

## RECOMMENDED DAILY INTAKE &amp; FEEDING DURATION

| ADULT DOG | DOG'S WEIGHT (kg) | BODY CONDITION |         |        |         |            |         |
|-----------|-------------------|----------------|---------|--------|---------|------------|---------|
|           |                   | THIN           |         | NORMAL |         | OVERWEIGHT |         |
|           |                   | grams          | can     | grams  | can     | grams      | can     |
|           | 2                 | 162            | 2/4     | 143    | 1/4     | 123        | 1/4     |
|           | 4                 | 273            | 3/4     | 240    | 2/4     | 207        | 2/4     |
|           | 6                 | 370            | 1       | 325    | 3/4     | 281        | 3/4     |
|           | 8                 | 459            | 1       | 404    | 1       | 349        | 3/4     |
|           | 10                | 542            | 1 + 1/4 | 477    | 1 + 1/4 | 412        | 1       |
|           | 15                | 735            | 1 + 3/4 | 647    | 1 + 2/4 | 559        | 1 + 1/4 |
|           | 20                | 912            | 2 + 1/4 | 803    | 2       | 693        | 1 + 3/4 |
|           | 25                | 1078           | 2 + 3/4 | 949    | 2 + 1/4 | 820        | 2       |
|           | 30                | 1236           | 3       | 1088   | 2 + 3/4 | 940        | 2 + 1/4 |
|           | 35                | 1388           | 3 + 2/4 | 1221   | 3       | 1055       | 2 + 2/4 |
|           | 40                | 1534           | 3 + 3/4 | 1350   | 3 + 1/4 | 1166       | 2 + 3/4 |
|           | 45                | 1676           | 4       | 1475   | 3 + 2/4 | 1274       | 3       |
|           | 50                | 1814           | 4 + 2/4 | 1596   | 4       | 1378       | 3 + 1/4 |
|           | 55                | 1948           | 4 + 3/4 | 1714   | 4 + 1/4 | 1480       | 3 + 2/4 |
|           | 60                | 2079           | 5       | 1830   | 4 + 2/4 | 1580       | 3 + 3/4 |
|           | 70                | 2334           | 5 + 3/4 | 2054   | 5       | 1774       | 4 + 1/4 |
|           | 80                | 2580           | 6 + 1/4 | 2270   | 5 + 2/4 | 1961       | 4 + 3/4 |

When a food allergy or a food intolerance is suspected, the dog's diet should be changed following classical food transition. Nutritional management with Sensitivity Control may be continued for the dog's lifetime, under veterinary supervision. It is recommended to divide the daily intake into 2 meals.









# RENAL + HYPOALLERGENIC



Available in 4 and 10 kg bags

## RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           |                   |                |        |            |
| ADULT DOG | 2                 | 52 g           | 46 g   | 40 g       |
|           | 4                 | 88 g           | 77 g   | 67 g       |
|           | 6                 | 119 g          | 105 g  | 90 g       |
|           | 8                 | 148 g          | 130 g  | 112 g      |
|           | 10                | 174 g          | 153 g  | 133 g      |
|           | 15                | 236 g          | 208 g  | 180 g      |
|           | 20                | 293 g          | 258 g  | 223 g      |
|           | 25                | 347 g          | 305 g  | 263 g      |
|           | 30                | 398 g          | 350 g  | 302 g      |
|           | 35                | 446 g          | 393 g  | 339 g      |
|           | 40                | 493 g          | 434 g  | 375 g      |
|           | 45                | 539 g          | 474 g  | 409 g      |
|           | 50                | 583 g          | 513 g  | 443 g      |
|           | 55                | 626 g          | 551 g  | 476 g      |
|           | 60                | 669 g          | 588 g  | 508 g      |
|           | 70                | 750 g          | 660 g  | 570 g      |
|           | 80                | 829 g          | 730 g  | 630 g      |

ROYAL CANIN® RENAL + HYPOALLERGENIC dry is a complete dietetic feed for dogs formulated for the support of renal function in the case of chronic renal insufficiency and for the reduction of ingredient and nutrient intolerance. Restricted level of phosphorus. Hydrolysed protein sources and selected carbohydrate sources.

Renal diets are recommended as soon as creatinine goes out of reference range (from IRS stage 2), before the disease further progresses, and before inappetence develops. When a food allergy or a food intolerance is suspected, the dog's diet should be changed using classical food transition. RENAL + HYPOALLERGENIC diet may be continued for the dog's lifetime.

It is recommended that a veterinarian's opinion be sought before use and before extending the period of use.

It is recommended to divide the daily intake into 2 meals.

Fresh water should be available at all times

## RECOMMENDED FOR CASES OF

### Renal disease

- Azotaemic Chronic Kidney Disease (IRIS stages 2 to 4)
- Chronic Kidney Disease with proteinuria (IRIS stages 1 to 4)

### Dermatological/GI conditions:

- Adverse Food Reactions (AFR)
- Canine Atopic dermatitis
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)

### Other:

- Management of recurrence of urolithiasis requiring urine alkalinisation (urate and cystine) in dogs with impaired renal function and/or AFR

## NOT RECOMMENDED FOR CASES OF

- Pancreatitis
- Growth, gestation/lactation



### RENAL SUPPORT

Formulated with low phosphorus and moderate protein of high quality to support renal function.



### ADAPTED ENERGY

Adapted energy content to reduce meal volume and help compensate for a decreased appetite.



### HYDROLYSED PROTEIN

Hydrolysed protein with low molecular weight to ensure the food is hypoallergenic.



### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

## KEY VALUES

|                       | Per 1000Kcal | Per 100g as fed |
|-----------------------|--------------|-----------------|
| Moisture              | 23.57 g      | 9.5 g           |
| Protein               | 34.73 g      | 14 g            |
| Fat content           | 47.13 g      | 19 g            |
| Crude Fibre           | 5.71 g       | 2.3 g           |
| Ash                   | 10.42 g      | 4.2 g           |
| Carbohydrate (NFE)    | 126.52 g     | 51 g            |
| Dietary Fibre         | 16.62 g      | 6.7 g           |
| Omega-6               | 10.49 g      | 4.23 g          |
| Omega-3               | 2.6 g        | 1.05 g          |
| EPA + DHA             | 1.24 g       | 0.5 g           |
| Calcium               | 0.74 g       | 0.3 g           |
| Phosphorus            | 0.45 g       | 0.18 g          |
| Sodium                | 0.87 g       | 0.35 g          |
| Chloride              | 2.21 g       | 0.89 g          |
| Potassium             | 1.49 g       | 0.6 g           |
| Magnesium             | 0.15 g       | 0.06 g          |
| Zinc                  | 40.44 mg     | 16.3 mg         |
| Vitamin D             | 198.46       | 80 IU           |
| Vitamin A             | 8434.63IU    | 3400 IU         |
| Metabolisable energy* |              | 403.1 Kcal      |

\*Calculated according to NRC 2006 CF.

Essential Fatty Acid (Linoleic Acid): 4.02 %.

## COMPOSITION


Rice flour, animal fats, rice, hydrolysed soya protein isolate, chicory pulp, soya oil, fish oil, vegetable fibres, minerals, fructo-oligosaccharides, sodium butyrate, borage oil, marigold meal.

Carbohydrate sources: rice flour (44.5%), rice (12.6%). Protein source: hydrolysed soya protein isolate (8.8%).

## ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 28500 IU, Vitamin D3: 800 IU, Iron (3b103): 39 mg, Iodine (3b201, 3b202): 3.5 mg, Copper (3b405, 3b406): 14 mg, Manganese (3b502, 3b504): 51 mg, Zinc (3b603, 3b605, 3b606): 151 mg, Selenium (3b801, 3b811, 3b812): 0.24 mg - Technological additives: Clinoptilolite of sedimentary origin: 10 g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



# URINARY S/O + HYPOALLERGENIC



Available in 3.5, 10 and 15 kg bags

## RECOMMENDED DAILY INTAKE & FEEDING DURATION

|           | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           |                   |                |        |            |
| ADULT DOG | 2                 | 57             | 50     | 43         |
|           | 4                 | 95             | 84     | 72         |
|           | 6                 | 129            | 114    | 98         |
|           | 8                 | 160            | 141    | 122        |
|           | 10                | 189            | 167    | 144        |
|           | 15                | 257            | 226    | 195        |
|           | 20                | 318            | 280    | 242        |
|           | 25                | 376            | 331    | 286        |
|           | 30                | 432            | 380    | 328        |
|           | 35                | 485            | 426    | 368        |
|           | 40                | 536            | 471    | 407        |
|           | 45                | 585            | 515    | 445        |
|           | 50                | 633            | 557    | 481        |
|           | 55                | 680            | 598    | 517        |
|           | 60                | 726            | 639    | 552        |
|           | 70                | 815            | 717    | 619        |
|           | 80                | 901            | 793    | 685        |

ROYAL CANIN® URINARY S/O + HYPOALLERGENIC dry is a complete dietetic feed for dogs formulated for the dissolution of struvite stones, the reduction of struvite stone recurrence, and for the reduction of ingredient and nutrient intolerances. Urine undersaturating or metastabilising properties for struvite and/or Urine acidifying properties. Hydrolysed protein sources and selected carbohydrate sources.

RECOMMENDATIONS: It is recommended that advice from a veterinarian be sought before use and before extending the period of use. Feed URINARY S/O + HYPOALLERGENIC dry for 5 to 12 weeks for the dissolution of struvite stones, initially up to 6 months for the reduction of struvite stone recurrence, and 3 to 8 weeks for the reduction of ingredient and nutrient intolerances: if signs of intolerance disappear this feed can be used initially up to one year.



This diet is formulated to promote a healthy urinary environment.



## RECOMMENDED FOR CASES OF

### Urinary disorders:

- Struvite uroliths: dissolution and management of recurrence
- Calcium oxalate uroliths: management of recurrence

### +

### Dermatological/GI conditions:

- Adverse Food Reactions (AFR)
- Canine Atopic Dermatitis (CAD)
- Chronic diarrhoea
- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)

## NOT RECOMMENDED FOR CASES OF

- Chronic Kidney Disease (CKD)
- Concurrent use of urine-acidifying medications
- Growth, gestation/lactation
- Cardiac disease (when sodium restriction is required) / Heart failure



### URINE DILUTION

Urine dilution makes the urine less liable to form crystals.



### LOW RSS

A low concentration of ions helps the dissolution and limits the formation of common urinary stones.



### HYDROLYSED PROTEIN

Hydrolysed protein with low molecular weight to ensure the food is hypoallergenic.



### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.

## KEY VALUES

|                       | Per 1000Kcal | Per 100g as fed |
|-----------------------|--------------|-----------------|
| Moisture              | 25.59 g      | 9.5 g           |
| Protein               | 53.88 g      | 20 g            |
| Fat content           | 40.41 g      | 15 g            |
| Crude Fibre           | 6.47 g       | 2.4 g           |
| Ash                   | 22.36 g      | 8.3 g           |
| Carbohydrate (NFE)    | 120.69 g     | 44.8 g          |
| Dietary Fibre         | 18.59 g      | 6.9 g           |
| Omega-6               | 9.56 g       | 3.55 g          |
| Omega-3               | 2.16 g       | 0.8 g           |
| EPA + DHA             | 0.97g        | 0.36 g          |
| Calcium               | 1.51 g       | 0.56 g          |
| Phosphorus            | 1.35 g       | 0.5 g           |
| Potassium             | 2.16 g       | 0.8 g           |
| Sodium                | 3.37 g       | 1.25 g          |
| Chloride              | 4.98 g       | 1.85 g          |
| Magnesium             | 0.11 g       | 0.04 g          |
| Copper                | 4.04 mg      | 1.5 mg          |
| Metabolisable energy* |              | 371.2 Kcal      |

\*Calculated according to NRC 2006 CF.

Sulphur 0.6%.

## COMPOSITION

Rice flour, hydrolysed soya protein isolate, animal fats, rice, minerals, chicory pulp, soya oil, vegetable fibres, fish oil, fructo-oligosaccharides, sodium butyrate, borage oil, marigold meal.

Protein source: hydrolysed soya protein isolate (17.5%). Carbohydrate sources: rice flour (38.9%), rice (10.1%).

## ADDITIVES (KG)\*

Nutritional additives: Vitamin A: 30 500 IU, Vitamin D3: 800 IU, Iron (3b103): 41 mg, Iodine (3b201, 3b202): 3.7 mg, Copper (3b405, 3b406): 15 mg, Manganese (3b502, 3b504): 54 mg, Zinc (3b603, 3b605, 3b606): 160 mg, Selenium (3b801, 3b811, 3b812): 0.26 mg - Technological additives: Clinoptilolite of sedimentary origin: 10 g - Preservatives - Antioxidants.

\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



# URINARY S/O + HYPOALLERGENIC



HYPOALLERGENIC + SATIETY



Available in 1.5 and 3 kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT DOG | IDEAL WEIGHT (kg) | STAGE       |         |                               |         |
|-----------|-------------------|-------------|---------|-------------------------------|---------|
|           |                   | WEIGHT LOSS |         | MAINTENANCE AFTER WEIGHT LOSS |         |
|           |                   | grams       | cups    | grams                         | cups    |
|           | 2                 | 38          | 3/8     | 41                            | 4/8     |
|           | 4                 | 63          | 6/8     | 70                            | 6/8     |
|           | 6                 | 86          | 1       | 94                            | 1       |
|           | 8                 | 106         | 1 + 2/8 | 117                           | 1 + 3/8 |
|           | 10                | 126         | 1 + 3/8 | 138                           | 1 + 4/8 |
|           | 15                | 170         | 1 + 7/8 | 187                           | 2 + 1/8 |
|           | 20                | 211         | 2 + 3/8 | 232                           | 2 + 5/8 |
|           | 25                | 250         | 2 + 7/8 | 275                           | 3 + 1/8 |
|           | 30                | 286         | 3 + 2/8 | 315                           | 3 + 4/8 |
|           | 35                | 322         | 3 + 5/8 | 354                           | 4       |
|           | 40                | 355         | 4       | 391                           | 4 + 3/8 |
|           | 45                | 388         | 4 + 3/8 | 427                           | 4 + 6/8 |
|           | 50                | 420         | 4 + 6/8 | 462                           | 5 + 2/8 |
|           | 55                | 451         | 5 + 1/8 | 496                           | 5 + 5/8 |
|           | 60                | 482         | 5 + 3/8 | 530                           | 6       |
|           | 70                | 541         | 6 + 1/8 | 595                           | 6 + 6/8 |
|           | 80                | 598         | 6 + 6/8 | 658                           | 7 + 3/8 |

**Weight loss:** Individual target weight is determined and then feeding amount established. The recommended daily intake is based on the dog's ideal weight. The starting ration may need to be adjusted during follow-up visits, based on each individual's response and the rate of weight loss. An objective of losing 1-3% bodyweight per week is generally achievable over the first 3 months, and of 0.5-2% afterwards. **Maintenance after weight loss:** Energy requirements to maintain stable body weight after weight loss are lower than those of dogs that have never had obesity. Based on current scientific knowledge, our maintenance after weight loss rations are calculated by increasing the weight loss ration by about 10%.

It is recommended to divide the daily intake into at least 2 meals and have fresh water available at all times.

When a food allergy or a food intolerance is suspected, the dog's diet may be changed without any food transition; otherwise a classical transition can be done (over 4-5 days).

**ROYAL CANIN® HYPOALLERGENIC + SATIETY** dry is a complete dietetic feed for dogs formulated for the reduction of ingredient and nutrient intolerances and for the reduction of excessive body weight. Hydrolysed protein sources and selected carbohydrate sources.

**RECOMMENDATIONS:** your advice as a veterinarian is necessary before use and before extending the period of use of this diet. For the reduction of ingredient and nutrient intolerances, feed 3 to 8 weeks: if signs of intolerance disappear this feed can be used initially up to one year before recheck. Feed until target body weight is achieved and after if required to maintain target body weight. For an efficient weight loss or ideal weight maintenance, the recommended daily energy intake should not be exceeded. The diet may be continued for the dog's lifetime with vet follow-up.

#### RECOMMENDED FOR CASES OF

Dermatological/GI conditions:

- Adverse Food Reactions (AFR)
- Canine Atopic Dermatitis (CAD)
- Chronic Enteropathy, including Inflammatory Bowel Disease (IBD)
- GI conditions requiring a high fibre level
- Fibre-responsive colitis/diarrhoea (including stress diarrhoea)

+

#### Weight management:

- Overweight/obesity: weight loss and maintenance after weight loss
- Stabilised diabetes mellitus with concomitant overweight/obesity
- Hyperlipidaemia with concomitant overweight/obesity

#### NOT RECOMMENDED FOR CASES OF

- Growth, gestation or lactation
- Conditions where high fibre content is not recommended (eg: chronic constipation, severe arthritis making defecation difficult)



#### HYDROLYSED PROTEIN

Hydrolysed protein with low molecular weight to ensure the food is hypoallergenic.



#### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.



#### EFFECTIVE WEIGHT MANAGEMENT

Provides safe weight loss and helps avoid weight regain. 97% of dogs lost weight in 3 months using this nutritional approach\*



#### BEGGING CONTROL

High level of selected fibres helps to keep dogs satisfied between meals. Nutritional approach shown to help control begging in 83% of dogs during weight loss\*

\*Flanagan J. et al (2017) Success of a weight loss plan for overweight dogs: The results of an international weight loss study. PLoS ONE 12(9): e0184199.

### KEY VALUES

|                        | Per 1000 kcal | Per 100g as fed |
|------------------------|---------------|-----------------|
| Moisture               | 36.74 g       | 9.50 g          |
| Protein                | 116 g         | 30 g            |
| Fat content            | 36.74 g       | 9.50 g          |
| Crude Fibre            | 64.19 g       | 16.60 g         |
| Ash                    | 22.04 g       | 5.70 g          |
| Carbohydrate (NFE)     | 111 g         | 28.70 g         |
| Dietary Fibre          | 108 g         | 28 g            |
| Omega-6 fatty acids    | 8.43 g        | 2.18 g          |
| Omega-3 fatty acids    | 2.90 g        | 0.75 g          |
| EPA + DHA              | 1.59 g        | 0.41 g          |
| Calcium                | 3.05 g        | 0.79 g          |
| Phosphorus             | 2.32 g        | 0.60 g          |
| Potassium              | 3.09 g        | 0.80 g          |
| Sodium                 | 1.78 g        | 0.46 g          |
| Chloride               | 2.59 g        | 0.67 g          |
| Magnesium              | 0.43 g        | 0.11 g          |
| Copper                 | 7.35 mg       | 1.90 mg         |
| Metabolisable energy** |               | 258.60 kcal     |

\*\*Calculated according to NRC 2006 CF.

### COMPOSITION

Hydrolysed soya protein isolate\*\*\*, cellulose powder, rice\*\*\*\*, hydrolysed poultry liver, minerals, animal fats, beet pulp, fish oil, soya oil, psyllium husks and seeds, sodium butyrate, fructo-oligosaccharides, mono- and diglycerides of palmitic and stearic acids esterified with citric acid, marigold meal, borage oil. \*\*\*Protein source: 30.5% \*\*\*\*Carbohydrate source: 22.5%.

#### ADDITIVES (KG)\*\*\*\*\*

Nutritional additives: Vitamin A: 33600 IU, Vitamin D3: 700 IU, Iron (3b103): 38 mg, Iodine (3b201, 3b202): 3.4 mg, Copper (3b405, 3b406): 14 mg, Manganese (3b502, 3b504): 50 mg, Zinc (3b603, 3b605, 3b606): 148 mg, Selenium (3b801, 3b811, 3b812): 0.24 mg - Preservatives - Antioxidants.

\*\*\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



## HYPOALLERGENIC

## + SATIETY

SMALL DOGS

S



Available in 1 and 3 kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT DOG | IDEAL WEIGHT (kg) | STAGE       |         |                               |         |
|-----------|-------------------|-------------|---------|-------------------------------|---------|
|           |                   | WEIGHT LOSS |         | MAINTENANCE AFTER WEIGHT LOSS |         |
|           |                   | grams       | cups    | grams                         | cups    |
|           | 2                 | 38          | 3/8     | 41                            | 4/8     |
|           | 2.5               | 44          | 4/8     | 49                            | 4/8     |
|           | 3                 | 51          | 4/8     | 56                            | 5/8     |
|           | 3.5               | 57          | 5/8     | 63                            | 6/8     |
|           | 4                 | 63          | 6/8     | 70                            | 6/8     |
|           | 4.5               | 69          | 6/8     | 76                            | 7/8     |
|           | 5                 | 75          | 7/8     | 82                            | 7/8     |
|           | 5.5               | 80          | 7/8     | 88                            | 1       |
|           | 6                 | 86          | 1       | 94                            | 1       |
|           | 6.5               | 91          | 1       | 100                           | 1 + 1/8 |
|           | 7                 | 96          | 1       | 106                           | 1 + 1/8 |
|           | 7.5               | 101         | 1 + 1/8 | 111                           | 1 + 2/8 |
|           | 8                 | 106         | 1 + 1/8 | 117                           | 1 + 2/8 |
|           | 8.5               | 111         | 1 + 2/8 | 122                           | 1 + 3/8 |
|           | 9                 | 116         | 1 + 2/8 | 128                           | 1 + 3/8 |
|           | 9.5               | 121         | 1 + 3/8 | 133                           | 1 + 4/8 |
|           | 10                | 126         | 1 + 3/8 | 138                           | 1 + 4/8 |

**Weight loss:** Individual target weight is determined and then feeding amount established. The recommended daily intake is based on the dog's ideal weight. The starting ration may need to be adjusted during follow-up visits, based on each individual's response and the rate of weight loss. An objective of losing 1-3% bodyweight per week is generally achievable over the first 3 months, and of 0.5-2% afterwards. **Maintenance after weight loss:** Energy requirements to maintain stable body weight after weight loss are lower than those of dogs that have never had obesity. Based on current scientific knowledge, our maintenance after weight loss rations are calculated by increasing the weight loss ration by about 10%.

It is recommended to divide the daily intake into at least 2 meals and have fresh water available at all times. When a food allergy or a food intolerance is suspected, the dog's diet may be changed without any food transition; otherwise a classical transition can be done (over 4-5 days).

**ROYAL CANIN® HYPOALLERGENIC + SATIETY SMALL DOGS** dry is a complete dietetic feed for dogs formulated for the reduction of ingredient and nutrient intolerances and for the reduction of excessive body weight. Hydrolysed protein sources and selected carbohydrate sources.

**RECOMMENDATIONS:** your advice as a veterinarian is necessary before use and before extending the period of use of this diet. For the reduction of ingredient and nutrient intolerances, feed 3 to 8 weeks: if signs of intolerance disappear this feed can be used initially up to one year before recheck. Feed until target body weight is achieved and after if required to maintain target body weight. For an efficient weight loss or ideal weight maintenance, the recommended daily energy intake should not be exceeded. The diet may be continued for the dog's lifetime with vet follow-up.

#### RECOMMENDED FOR CASES OF

Dermatological/GI conditions:

- Adverse Food Reactions (AFR)
- Canine Atopic Dermatitis (CAD)
- Chronic Enteropathy, including Inflammatory Bowel Disease (IBD)
- GI conditions requiring a high fibre level
- Fibre responsive colitis/diarrhoea (including stress diarrhoea)

+

#### Weight management:

- Overweight/obesity: weight loss and maintenance after weight loss
- Stabilised diabetes mellitus with concomitant overweight/obesity
- Hyperlipidaemia with concomitant overweight/obesity

#### NOT RECOMMENDED FOR CASES OF

- Growth, gestation or lactation
- Conditions where high fibre content is not recommended (eg: chronic constipation, severe arthritis making defecation difficult)



#### HYDROLYSED PROTEIN

Hydrolysed protein with low molecular weight to ensure the food is hypoallergenic.



#### SKIN BARRIER

Formulated to support the skin's natural protective barrier for optimal skin health.



#### EFFECTIVE WEIGHT MANAGEMENT

Provides safe weight loss and helps avoid weight regain. 97% of dogs lost weight in 3 months using this nutritional approach\*



#### BEGGING CONTROL

High level of selected fibres helps to keep dogs satisfied between meals. Nutritional approach shown to help control begging in 83% of dogs during weight loss\*



#### SMALL KIBBLE

Carefully calibrated kibble size to fit small jaws.

\*Flanagan J. et al (2017) Success of a weight loss plan for overweight dogs: The results of an international weight loss study. PLoS ONE 12(9): e0184199.

### KEY VALUES

|                        | Per 1000 kcal | Per 100g as fed |
|------------------------|---------------|-----------------|
| Moisture               | 36.74 g       | 9.50 g          |
| Protein                | 116 g         | 30 g            |
| Fat content            | 36.74 g       | 9.50 g          |
| Crude Fibre            | 64.19 g       | 16.60 g         |
| Ash                    | 22.04 g       | 5.70 g          |
| Carbohydrate (NFE)     | 111 g         | 28.70 g         |
| Dietary Fibre          | 108 g         | 28 g            |
| Omega-6 fatty acids    | 8.43 g        | 2.18 g          |
| Omega-3 fatty acids    | 2.90 g        | 0.75 g          |
| EPA + DHA              | 1.59 g        | 0.41 g          |
| Calcium                | 3.05 g        | 0.79 g          |
| Phosphorus             | 2.32 g        | 0.60 g          |
| Potassium              | 3.09 g        | 0.80 g          |
| Sodium                 | 1.78 g        | 0.46 g          |
| Chloride               | 2.59 g        | 0.67 g          |
| Magnesium              | 0.43 g        | 0.11 g          |
| Copper                 | 7.35 mg       | 1.90 mg         |
| Metabolisable energy** |               | 258.60 kcal     |

\*\*Calculated according to NRC 2006 CF.

Essential Fatty Acid (Linoleic Acid): 2.08%

### COMPOSITION

Hydrolysed soya protein isolate\*\*\*, cellulose powder, rice\*\*\*\*, hydrolysed poultry liver, minerals, animal fats, beet pulp, fish oil, soya oil, psyllium husks and seeds, sodium butyrate, fructo-oligosaccharides, mono- and diglycerides of palmitic and stearic acids esterified with citric acid, marigold meal, borage oil.

\*\*\*Protein source: 30.4% \*\*\*\*Carbohydrate source: 22.6%.

#### ADDITIVES (KG)\*\*\*\*\*

Nutritional additives: Vitamin A: 33300 IU, Vitamin D3: 700 IU, Iron (3b103): 38 mg, Iodine (3b201, 3b202): 3.4 mg, Copper (3b405, 3b406): 14 mg, Manganese (3b502, 3b504): 50 mg, Zinc (3b603, 3b605, 3b606): 146 mg, Selenium (3b801, 3b811, 3b812): 0.24 mg - Preservatives - Antioxidants.

\*\*\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



HYPOALLERGENIC + SATIETY

SMALL DOGS

S





## GASTROINTESTINAL LOW FAT + HYPOALLERGENIC



Available in 3 and 10 kg bags

### RECOMMENDED DAILY INTAKE & FEEDING DURATION

| ADULT DOG | DOG'S WEIGHT (kg) | BODY CONDITION |        |            |
|-----------|-------------------|----------------|--------|------------|
|           |                   | THIN           | NORMAL | OVERWEIGHT |
|           |                   | grams          | grams  | grams      |
|           | 2                 | 60 g           | 53 g   | 46 g       |
|           | 4                 | 101 g          | 89 g   | 77 g       |
|           | 6                 | 137 g          | 120 g  | 104 g      |
|           | 8                 | 169 g          | 149 g  | 129 g      |
|           | 10                | 200 g          | 176 g  | 152 g      |
|           | 15                | 272 g          | 239 g  | 206 g      |
|           | 20                | 337 g          | 297 g  | 256 g      |
|           | 25                | 398 g          | 351 g  | 303 g      |
|           | 30                | 457 g          | 402 g  | 347 g      |
|           | 35                | 513 g          | 451 g  | 390 g      |
|           | 40                | 567 g          | 499 g  | 431 g      |
|           | 45                | 619 g          | 545 g  | 471 g      |
|           | 50                | 670 g          | 590 g  | 509 g      |
|           | 55                | 720 g          | 633 g  | 547 g      |
|           | 60                | 768 g          | 676 g  | 584 g      |
|           | 70                | 862 g          | 759 g  | 655 g      |
|           | 80                | 953 g          | 839 g  | 724 g      |

ROYAL CANIN® GASTROINTESTINAL LOW FAT + HYPOALLERGENIC dry is a complete dietetic feed for dogs, formulated for the support of lipid metabolism in the case of hyperlipidaemia and for the reduction of ingredient and nutrient intolerances. Low level of fat. Hydrolysed protein sources and selected carbohydrate sources.

**RECOMMENDATIONS:** It is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Feed GASTROINTESTINAL LOW FAT + HYPOALLERGENIC dry for 3 to 8 weeks: if signs of intolerance disappear this feed can be used initially up to one year, and initially up to 2 months for the support of lipid metabolism in the case of hyperlipidaemia

### RECOMMENDED FOR CASES OF

- Inflammatory Bowel Disease (IBD)
- Exocrine Pancreatic Insufficiency (EPI)
- Adverse Food Reactions (AFR) with gastrointestinal signs
- Lymphangiectasia, exudative enteropathy
- Protein-losing enteropathy (PLE)
- Acute and chronic pancreatitis
- Hyperlipidaemia

### NOT RECOMMENDED FOR CASES OF

- Growth, gestation/lactation



#### LOW FAT

For the nutritional management of dogs needing a fat-restricted diet.



#### FIBRE BALANCE

Limited fibre content to allow provision of maintenance energy levels despite fat restriction.



#### DIGESTIVE SUPPORT

A highly digestible formula with balanced fibres, including prebiotics, to support healthy digestion and transit.



#### HYDROLYSED PROTEIN

Highly digestible hydrolysed (soy) protein, reducing the risk of food sensitivities that may cause recurrent gastrointestinal signs.

### KEY VALUES

|                       | Per 1000Kcal | Per 100g as fed |
|-----------------------|--------------|-----------------|
| Moisture              | 27.08 g      | 9.5 g           |
| Protein               | 71.27 g      | 25 g            |
| Fat content           | 19.95 g      | 7 g             |
| Crude Fibre           | 3.71 g       | 1.3 g           |
| Ash                   | 17.67 g      | 6.2 g           |
| Carbohydrate (NFE)    | 145.38 g     | 51 g            |
| Dietary Fibre         | 16.53 g      | 5.8 g           |
| Omega-6               | 4.59 g       | 1.61 g          |
| Omega-3               | 0.91 g       | 0.32 g          |
| EPA + DHA             | 0.43 g       | 0.15 g          |
| Calcium               | 2.28 g       | 0.8 g           |
| Phosphorus            | 1.71 g       | 0.6 g           |
| Potassium             | 1.71 g       | 0.6 g           |
| Sodium                | 1.14 g       | 0.4 g           |
| Chloride              | 2 g          | 0.7 g           |
| Magnesium             | 0.23 g       | 0.08 g          |
| Copper                | 5.42 mg      | 1.9 mg          |
| Zinc                  | 48.46 mg     | 17 mg           |
| Metabolisable energy* |              | 350.8 Kcal      |

\*Calculated according to NRC 2006 CF.

### COMPOSITION

Rice flour\*\*\*, hydrolysed soya protein isolate\*\*, rice\*\*\*, beet pulp, hydrolysed poultry liver\*\*, animal fats, minerals, psyllium husks and seeds, fish oil, sodium butyrate, soya oil, fructooligosaccharides (0.48%), marigold meal.

\*\*Protein sources: 23.3%. \*\*\*Carbohydrate sources: 51.6%. Highly digestible ingredients: 79.1%.

### ADDITIVES (KG)\*\*\*\*

Nutritional additives: Vitamin A: 34000 IU, Vitamin D3: 800 IU, Vitamin E: 660 mg, Vitamin C: 260 mg, Taurine: 1.9 g, Iron (3b103): 39 mg, Iodine (3b201, 3b202): 3.5 mg, Copper (3b405, 3b406): 14 mg, Manganese (3b502, 3b504): 51 mg, Zinc (3b603, 3b605, 3b606): 152 mg, Selenium (3b801, 3b811, 3b812): 0.24 mg

Technological additives: Clinoptilolite of sedimentary origin: 10 g - Preservatives - Antioxidants.

\*\*\*\* Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

# Treats

COMPATIBLE WITH

## HYPOALLERGENIC DIETS



Available in  
6 x 230g bags

### RECOMMENDED DAILY INTAKE

Treats for dogs over 6 months old.

Please consult your veterinarian if you have any questions.

| Dog's weight       | <2 kg | 2-5 kg | 6-10 kg | 11-15 kg | 16-20 kg | >20 kg |
|--------------------|-------|--------|---------|----------|----------|--------|
| Max pieces per day | 2     | 3      | 7       | 10       | 13       | 18     |

Do not feed more than the maximum number of treats per day indicated in the feeding guidelines. If you are giving treats, it is recommended to adjust the main meal portion size accordingly to maintain your pet's healthy body weight.




## HYPOALLERGENIC DIETS

### TREATS COMPATIBLE WITH HYPOALLERGENIC DIETS

ROYAL CANIN® Treats were developed by experts in canine nutrition to ensure treating does not compromise the health benefits of your dog's diet.

### COMPATIBLE ROYAL CANIN® DOG DIETS

- HYPOALLERGENIC
- HYPOALLERGENIC MODERATE CALORIE
- HYPOALLERGENIC PUPPY
- HYPOALLERGENIC SMALL DOG
- SENSITIVITY CONTROL
- SKIN CARE
- SKIN CARE SMALL DOG



### WITH HYDROLYSED PROTEIN AND VITAMIN B12

### ANALYTICAL CONSTITUENTS

|                      |             |
|----------------------|-------------|
| Moisture             | 18%         |
| Protein              | 17.6%       |
| Fat Content          | 7.6%        |
| Crude Fibre          | 2.3%        |
| Crude Ash            | 3.1%        |
| Metabolisable energy | 3234Kcal/kg |

### OTHER GUARANTEES (Total)

|               |      |                   |   |
|---------------|------|-------------------|---|
| EPA + DHA (%) | 0.27 | Linoleic acid (%) | 3 |
|---------------|------|-------------------|---|

### CALORIES PER CHEW

5Kcal

### COMPOSITION

Rice flour, hydrolysed soya protein isolate (15%), glycerol, hydrolysed animal proteins, soya oil, cellulose powder, animal fats, algal oil Schizochytrium sp.

### ADDITIVES (KG)

Nutritional additives: Vitamin B12: 60 mg, Zinc (3b605): 170 mg - Technological additives: Clinoptilolite of sedimentary origin: 8 g - Preservatives.







[ 6x230 g ]



DOGS MIX FEEDING GUIDELINES

MIX: HYPOALLERGENIC DRY  
+ HYPOALLERGENIC 400g WET



| DOG'S WEIGHT (kg) | CAN  | BODY CONDITION  |   |   |
|-------------------|------|---|---|---|
|                   |      | THIN  | NORMAL  | OVERWEIGHT  |
|                   |      |  |  |  |
|                   |      | DRY grams   | DRY grams   | DRY grams   |
| 2                 | 1/4+ | 28  | 22  | 15  |
| 4                 | 1/4+ | 63  | 53  | 42  |
| 6                 | 1/2+ | 70  | 56  | 42  |
| 8                 | 1/2+ | 98  | 81  | 63  |
| 10                | 1/2+ | 125   | 104   | 84  |
| 15                | 1+   | 139   | 111   | 83  |
| 20                | 1+   | 195   | 160   | 126   |
| 25                | 1+   | 248   | 207   | 166   |
| 30                | 1+   | 298   | 251   | 204   |
| 40                | 1+   | 393   | 334   | 276   |
| 50                | 1+   | 482   | 413   | 343   |
| 60                | 1+   | 566   | 487   | 408   |
| 70                | 1+   | 647   | 558   | 469   |
| 80                | 1+   | 726   | 627   | 529   |









UK

[WWW.ROYALCANIN.COM/UK](http://WWW.ROYALCANIN.COM/UK)

**NUTRITIONAL HELPLINE**

0800 717800

ROI

[WWW.ROYALCANIN.COM/IE](http://WWW.ROYALCANIN.COM/IE)

**NUTRITIONAL HELPLINE**

1800 936074

